HP Color LaserJet Pro MFP 4301dw/fdn/fdw Printer series



Fast color printing and easy management tools.

Get a blazing fast color printer and easy management tools with LaserJet Pro.

This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges.

http://www.hp.com/learn/ds



HP Color Laser Jet Pro MFP 4301dw Printer



HP Color LaserJet Pro MFP 4301fdn Printer



HP Color LaserJet Pro MFP 4301fdw Printer

Maximum productivity in full color

- Support your business workteam with this compact, high-performing, color printer, ideal for up to 10 users.
- Step up your workflow with blazing fast speed to meet high-demand environments.
- Avoid interruptions with Wi-Fi® that intelligently looks for the best connection to stay on-line. ⁶
- Do more in fewer steps. Simple shortcuts allow your employees to complete common tasks with just a touch.

Seamless management

- Centralize your print fleet management. HP Web Jetadmin easily adds and updates devices and
- Set up your printer fleet quickly wherever work happens. Make it easy for your IT team to onboard
- Enroll in Instant Ink subscription service and get toner delivered to your office before you need it.

HP Wolf Pro Security

- Get printer fleet security out of the box. Preconfigured settings mean it's ready when you are.
- Add a layer of security. PIN/pull option authenticates your print jobs only when you're present.
- Strengthen and simplify compliance. This upgrade applies your business policies across the fleet.⁷

Sustainable printing 4,12,13

- Redesigned Original HP TerraJet Cartridge for reduced plastic use and energy consumption when printing.
- Trim your paper use. Default duplex setting prints on both sides of each page.
- Meet the industry standard for efficiency with Energy Star® rating.
- Reduce your footprint. HP Auto-On/Auto-Off technology optimizes printer energy usage and costs.

Requires the HPS mart app download. For details on local printing requirements see www.hp.com/go/mobile printing. Certain features/software are available in English language only and differ between desktop and mobile applications. Subscription may

Requires the HP Smart app download. For details on local printing requirements seewww.hp.com/go/mobileprinting. Certain features/software are available in English Language only and differ between desktop and mobile applications. Subscription may be required.

Requires use of Smart Admin Dashboard for printer setup and on boarding of users

3 HP Web Jetadmin is available for download at no additional charge at hp.com/go/web jetadmin.

4 HP calculations based on ENERGY STAR® normalized TEC datacomparing HP Laser Jet 200-500 series printers at launch. See hp.com/scosmart

5 HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.

6 Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Learn more at hp.com/go/mobileprinting. Wi-Fisi a registered trademark of Wi-FisAlliance®. Supports both 5.0 GHz and 2.4 GHz using up to 12 non-overlapping channels vs only3 non-overlapping channels for 2.4 GHz vonly. Supports 5.0 GHz band (up to 150 mbps) vs 2.4 GHz band (up to 72.2 mbps). Internet access required and must be purchased separately.

7 HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit hp.com/go/securitymanager.

8 Based on monthly subscription cost of HP histanthic color toner service it. 500-page plan without purchase of additional as ets of pages compared to cost per page to print 50/EC 24711 pages on most in-class, traditional A4 color toner cartridge printers

5 639 USD and < €759 and MFPs priced < \$839 USD and < €929 using original standard-capacity integrated cartridges (tone and drum in one cartridge). Average CPP per country used to determine percent savings claim versus CPP for HP histanthic. Sale prices, along with return program supplies, not considered for this study. Printers well with only use XL cartridges excluded due to non-standard hardware & supplies model. Keypoint htelligence April 2020 25 tudy commissioned by HP, based on publicly available information as of April 20, 2022. Printer

Product walkaround

- 1. Designed for workteams of up to 10 users
- 2. Walk up USB for print and scan via flash drive
- 3. 50-sheet multipurpose tray 1
- 4. USB 2.0 for PC connection
- 5. Ethernet Port
- 6. Hi-Speed USB 2.0 port for job storage
- 7. Fax line in (fax models only)
- 8. Extension phone port (fax models only)
- 9. 50-page automatic document feeder
- 10. Dual-band Wi-Fi® with self-heal (wireless models only), and Ethernet
- 11. 4.3" Capacitive touchscreen (all input functions)
- 12. 150-sheet output bin
- 13. Power button
- 14. More true-to-life colors with HP TerraJet Toner
- 15. Pre-configured security settings
- 16. Print speeds up to 35 ppm (letter)/33 ppm (A4), 300-sheet standard paper capacity
- 17. 250-sheet tray 2



Series at a glance







| Model | HP Color LaserJet Pro MFP 4301dw Printer | HP Color LaserJet Pro MFP 4301fdn Printer | HP Color LaserJet Pro MFP 4301fdw Printer | | | |
|------------------------------|--|--|---|--|--|--|
| Product number | 4RA80F | 4RA81F | 4RA82F | | | |
| Functions | Print, scan, copy. 50-page automatic document feeder. | Print, scan, copy. 50-page automatic document feeder. Print, scan, copy. fax. 50-page automatic document feeder with single-pass, two-sided scanning. | | | | |
| Automatic two-sided printing | | Yes | | | | |
| Automatic two-sided scanning | No | Yes | | | | |
| Connectivity | Dual-band Wi-Fi ^{®1} , Bluetooth [®] , Wi-Fi [®] Direct ¹ , and Ethernet | Ethernet | Dual-band Wi-Fi ^{®1} , Bluetooth [®] , Wi-Fi [®] Direct ¹ , and Ethernet | | | |
| User interface | | 4.3-inch color touchscreen | | | | |
| Productivity | Print speeds up to | Print speeds up to 35 ppm Letter / 33 ppm A43, 300-sheet standard paper capacity | | | | |
| User and Volume | 3- | 3-10 people printing up to 4,000 pages per month | | | | |

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

For carepack availability visit: hp.com/go/cpc













Top features

Compact design with groundbreaking performance. High-speed, double-sided printing and self-healing Wi-Fi[®]. Robust management tools to set up your printers, onboard users, track toner levels, and manage security.² HP LaserJet Pro printers operate efficiently, so you can achieve more while using less.⁴

| Supplies | |
|----------|--|
| W2100A | HP 210A Black Original LaserJet Toner Cartridge (~ 2,000 pages) |
| W2100X | HP 210X Black Original LaserJet Toner Cartridge (~7,500 pages) |
| W2101A | HP 210A Cyan Original LaserJet Toner Cartridge (~1,800 pages) |
| W2101X | HP 210X Cyan Original LaserJet Toner Cartridge (~5,500 pages) |
| W2102A | HP 210A Yellow Original LaserJet Toner Cartridge (~1,800 pages) |
| W2102X | HP 210X Yellow Original LaserJet Toner Cartridge (~5,500 pages) |
| W2103A | HP 210A Magenta Original LaserJet Toner Cartridge (~1,800 pages) |
| W2103X | HP 210X Magenta Original LaserJet Toner Cartridge (~5,500 pages) |
| W8000J | HP 210/220/230 Instant Ink Toner Welcome Kit |
| W8001J | HP 210/220/230 Instant Ink Toner Welcome Kit |
| W8002J | HP 210/220/230 Instant Ink Toner Welcome Kit |
| W8003J | HP 210/220/230 Instant Ink Toner Welcome Kit |

Solutions

Security: HP Security Manager; HP Secure Print and Insights; Optional Smart Security

Mobile and universal print HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP Smart Printing Driver; HP Smart UPD; HP Smart

Management: HP Web JetAdmin; HP Smart Device Services (SDS); HP Smart Admin; Embedded Web Server; HP Smart Printer Administrator's Resource Kit; HP Command Center 2.0(ECP); Premium Fleet & Security Management on ECP(Premium Experience)

Services

U51Z0E - HP 2 year Next Business Day Onsite Service for Color LaserJet Pro MFP 430x U51Z1E - HP 3 year Next Business Day Onsite Service for Color LaserJet Pro MFP 430x U51ZZE - HP 4 year Next Business Day Onsite Service for Color LaserJet Pro MFP 430x U51Z3E - HP 5 year Next Business Day Onsite Service for Color LaserJet Pro MFP 430x U51Z4E - HP 2 year 4 hour 9x5 Onsite Service for Color LaserJet Pro MFP 430x U51Z5E - HP 3 year 4 hour 9x5 Onsite Service for Color LaserJet Pro MFP 430x U51Z6E - HP 4 year 4 hour 9x5 Onsite Service for Color LaserJet Pro MFP 430x U51Z7E - HP 5 year 4 hour 9x5 Onsite Service for Color LaserJet Pro MFP 430x U51Z8E - HP 3 year Channel Parts Exchange Service for Color LaserJet Pro MFP 430x U51Z9E - HP 4 year Channel Parts Exchange Service for Color LaserJet Pro MFP 430x U51ZBE - HP 5 year Channel Parts Exchange Service for Color LaserJet Pro MFP 430x U51ZCPE - HP 1 year Post Warranty Next Business Day Onsite Service for Color LaserJet Pro MFP 430x USTIZPE - HP 1 year Post Warranty 4 hour 9x5 Onsite Service for Color Laser Jet Pro MFP 430x
USTIZPE - HP 1 year Post Warranty Channel Parts Exchange Service for Color Laser Jet Pro MFP 430x U9JT1E - HP Installation with Networking Service for Personal Scanner and Printing

Requires the HP Smart app download. For details on local printing requirements see www.hp.com/go/mobileprinting. Certain features/software are available in English language only and differ between desktop and mobile applications. Subscription may

Requires the HP Smart app download. For details on local printing requirements seew.ww.hp.com/go/mobileprinting. Certain features/software are available in English language only and differ between desktop and mobile applications. Subscription may be required.

Requires use of Smart Admin Dashboard for printer setup and on boarding of users

3 HP Web I standin is available lor download at no additional charge at hp.com/go/web/jetadmin.

4 HP calculations based on ENERGY STAR® normalized TEC data comparing HP Laser let 200–500 series printers at launch. Seehp.com/ecosmat

4 HP calculations based on ENERGY STAR® normalized TEC data comparing HP Laser let 200–500 series printers at launch. Seehp.com/ecosmat

5 HP Auto-On/huto-Off Technology capa billibies subject to printer and settings; may require affirms werup grade.

6 Wireless op perations are compatible with 2.4 6 Hz and 5.0 GHz operations only. Learn more at the composition of the printer and settings in any require affirms were upgrade.

6 Wireless op perations are compatible with 2.4 6 Hz and 5.0 GHz operations only. Learn more at the composition of the printer and setting in a printer and setting

HP Color LaserJet Pro MFP 4301dw/fdn/fdw Printer series

| Part Table Part Table Part Table Part Table Part Table Part Pa | Model | HP Color LaserJet Pro MFP 4301 dw Printer | HP Color Laser Jet Pro MFP 4301 fdn Printer | HP Color Laser Jet Pro MFP 4301 fd w Printer | | | |
|--|-------------------------------------|---|--|--|--|--|--|
| The state of the s | Productnumber | | | 4RA82F | | | |
| Project Project Control Cont | | Print, copy, scan | Print, copy, scan, fax | | | | |
| Columnia (Columnia) | | First narional Letter: As fact as 9.1 ser Black: As fact as 9.7 ser Color: First narional A4: As fact as 9.5 car Black: As fact as 10.2 car Color: Letter: 10.2 car Color: Letter: 10.2 car Black: As fact as 9.1 ser Black: As fact as 9.7 ser Color: First narional A4: As fact as 9.5 car Black: As fact as 10.2 car Color: Letter: 10.2 car Black: As fact as 9.1 ser Black: As fact as 9.7 ser Color: First narional A4: As fact as 9.1 ser Black: As fact as 9.7 ser Color: First narional A4: As fact as 9.1 ser Black: As fact as 9.7 ser Color: First narional A4: As fact as 9.1 ser Black: As fact as 9.7 ser Color: First narional A4: As fact as 9.1 ser Black: As fact as 9.7 ser Color: First narional A4: As fact as 9.1 ser Black: As fact as 9.7 ser Color: First narional A4: As fact as 9.1 ser Black: As fact as 9.7 ser Color: First narional A4: As fact as 9.1 ser Black: As fact as | | | | | |
| Calcin Bed 19 to 2001-0000 (2001-0000 A supplic 12-100. Ferminan mis upole model (2001-0000) If a stabilistic size, or supplication of the control of the c | Printspeed | Color | Color | | | | |
| And section of the property of the common and the c | Printresolution | Black (best) Up to 600 x 600 dpi; Black (normal) ImageREt 2400, HP prer Color (best): Up to 600 x 600 dpi; Color (normal): ImageREt 2400, HP prer | mium print quality mode (600 x 600 dpi) remium print quality mode (600 x 600 dpi) | | | | |
| ACCIDITATION OF THE PROPERTY OF THE CONTRIVENCE OF | Print technology | Laser; Print resolution technology: HP ImageREt 2400, PANT ONE® calibration | ated | | | | |
| Statement of subsection of the control of the contr | Print cartridges number | 4 (1 each black, cyan, magenta, yellow) | | | | | |
| Service of the control of the contro | | | | | | | |
| Section 19 Decrease (19 Decreas | features | Automatic duplex, collation, watermarks, printable forms, quiet mode, H | IP premium print mode, accepts a variety of paper sizes and types | | | | |
| Comparison Apply Teachers (APP International processing of the Comparison of Teacher (Comparison of Teacher (Compa | Printer management | HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent (Part of HP Web JetAdmin), HP WS Pro Proxy Agent (Part of HP Web JetAdmin), Smart Printer Administrator Resource Kit for HP Smart Universal Print Driver (Driver Configuration, Utility - Driver, Deployment Utility - Managed Printing Administrator) | | | | | |
| accessoration of the control of the | | Tune: Flathed ADE Technology: Contact Image Sepsor (CK): Twain version: Version 2.2 | | | | | |
| Exemplations. The Contraction of Contraction of Processing services and services a | Scan resolution | | | | | | |
| and seed of 200 22 ppm 100 and 200 20 ppm 100 bits to 12 ppm 100 and 20 ppm 100 bits to 22 ppm 100 and 20 ppm 100 bits to 22 ppm 100 and 20 ppm 100 bits to 22 ppm 100 and 20 ppm 100 bits to 22 ppm 100 and 20 ppm 100 bits to 22 ppm 100 and 20 ppm 100 bits to 22 ppm 100 and 20 ppm 100 bits to 20 ppm | Scan file format | | | | | | |
| Control Cont | Scan input modes | | | | | | |
| with the control of t | Scan Size | | | | | | |
| | S can speed | | Ip to 31 ppm (b&w), up to 28 ppm (color) Letter; Up to 29 ppm (b&w), up to 19 ppm (bew), up to 28 ppm (37 pm (color) Letter; Up to 49 ppm (49 pm (b&w), up to 28 ppm (37 pm (color) A4; Uuptex: Up to 46 up to 28 ppm (58 pm (color) A4; Uuptex: Up to 46 up to 28 ppm (b&w), up to 35 ppm (color) A5 ppm (color) A4; Uuptex: Up to 44 up to 28 ppm (b&w), up to 35 ppm (color) A4; Uuptex: Up to 46 up to 37 ppm (color) A4; Uuptex: Up to 49 up to 37 ppm (color) A4; Uuptex: Up to 49 up to 37 ppm (color) A4; Uuptex: Up to 44 up to 28 ppm (49 ppm (b&w), up to 28 ppm (b&w), up to 35 ppm (color) A4; Uuptex: Up to 46 up to 37 ppm (color) A4; Uuptex: Up to 49 up to 38 ppm (b&w), | | | | |
| September 1 | Scanner advanced features | | HP Easy Scan SW supports PDF, JPG, RTF, TXT, JPG-2000, PNG, TIFF. | | | | |
| Later by in Styre in | | 30-bit/256 | | | | | |
| Sep 319 periodicinal field perio | Сору | Letter Up to 35 cpm Black: Up to 35 cpm Color: A4: Up to 33 cpm Black: | | | | | |
| Secretary (1969) | Copyspeed | Up to 33 cpm Color; First copy out Letter : As fast as 7.5 sec Black; As fast as 8.4 sec Color; First copy out A4 : As fast as 7.6 sec Black; As fast as 8.6 sec Color; First copy out A4 : As fast as 8.6 sec Color; First copy out A4 : As fast as 8.6 sec Color; First copy out A4 : In to 29 cpm Color; First copy out A4 : In to 29 cpm Color; First copy out A4 : In to 29 cpm Color; First copy out A4 : In to 29 cpm Color; First copy out A4 : In to 29 cpm Color; First copy out A4 : In to 29 cpm Color; First copy out A4 : In to 29 cpm Color; First copy out A4 : In to 29 cpm Color; First copy out A4 : In to 29 cpm Color; First copy out A4 : In to 29 cpm Color; First copy out A4 : In to 29 cpm Color; First copy out A4 : In to 29 cpm Color; First copy out A4 : In to 29 cpm Color; First copy out A4 : In to 29 cpm Color; First copy out A4 : In to 29 cpm Color; First copy out A4 : In to 29 cpm Color; First copy out A4 : In to 29 cpm Color; First copy out A4 : In to 29 cpm Color; First copy out A4 : In to 29 cpm Color; First copy out A4 : In to 29 cpm Color; First copy out A4 : In to 29 cpm Color; First copy out A4 : In to 29 cpm Color; First copy out A4 : In to 29 cpm Color; First copy out A4 : In to 29 cpm Color; First copy out A4 : In to 29 cpm Color; First copy out A4 : In to 29 cpm Color; First copy out A4 : In to 29 cpm Color; First copy out A4 : In to 29 cpm Color; First copy out A4 : In to 29 cpm Color; First copy out A4 : In to 29 cpm Color; First copy out A4 : In to 29 cpm Color; First copy out A4 : In to 29 cpm Color; First copy out A4 : In to 29 cpm Color; First copy out A4 : In to 29 cpm Color; First copy out A4 : In to 29 cpm Color; First copy out A4 : In to 29 cpm Color; First copy out A4 : In to 29 cpm Color; First copy out A4 : In to 29 cpm Color; First copy out A4 : In to 29 cpm Color; First copy out A4 : In to 29 cpm Color; First copy out A4 : In to 29 cpm Color; First copy out A4 : In to 29 cpm Color; First copy out A4 : In to 29 cpm Color; First copy out A4 | | | | | |
| September 1 | Copyresolution | | | | | | |
| Biological Plans of Copies Review For Copies Rev | Maximum Number of Copies | Up to 999 copies | | | | | |
| Comment Comm | Copierresize | | Control City District Control City District Manager College Transfer Transfer Transfer | idad, Cara Compatibility Destruction Carte National Control | | | |
| Secretary Secr | Copiersettings | | incernents; Onginal Size, Binding Margin; Cottation; Tray Selection; Two-S | idea; Save current Settings; Restore Factory Delauits; Quality | | | |
| Services (1997) and the services of the servic | Fax | | | | | | |
| Facements of the control of the cont | Fax speed | | | | | | |
| September Sept | Faxresolution | | · · · · · · · · · · · · · · · · · · · | | | | |
| | Fax Features | supported: Yes; Fax forwarding supported: Yes; Faxphone TAM interface supported: Yes; Faxpolling supported: Nes; Faxtelephone mode supported: Yes, as blocked fax numbnes; Maximum speed dialing numbnes: Up in 100 numbnes; Pc interface. | | | | | |
| Ethemer Authentization value 2, 1 ct 02, 11 a (VPFES) Ethemer Authentization value 2, 1 ct 02, 11 a (VPFES) Verb, Dull's note about New York (VPFES) Verb | Connectivity | | | | | | |
| Verbess capability Verbess capab | Network cap abilities | | | | | | |
| PS-mart App. Apple APPrint*, Mobile App. Knopne** Certified. WEFF I#P Smart App. Apple APPrint*, Mobile App. Knopne** Certified PS-mart App. Apple APPrint*, Mobile App. Apple APPrint*, Apple | Wireless capability | Yes, built-in dual-band Wi-Fi(Wi-Fi5); Authentication via WEP, WPA/WPA2/WPA3, WPA Enterprise; Encryption via AES or TKIP; WPS; | Emernet, Authentication via 802.1X | | | | |
| Descriptions (Standard 5:12 At 80 MAD Flash, 512 At | | | | | | | |
| Tocessor speed 12 00 MHz/Stronger Optional 20 5 Stonger Optional 20 5 Stonger optional was seen to see the speed of the seed of the speed of the seed of the speed of the seed of the see | Mobile printing capability | | HP Smart App; Apple AirPrint™; Mobile Apps; Mopria™ Certified | | | | |
| Warsy february Standard; 150-sheet multipurposestay, 250-sheet input flory, 50-sheet Automatic Document Feeder (ADP). Up to 300 sheets Standard; Up to 15 envelopes | Memory | | | | | | |
| Speciment | | | | | | | |
| Specific of the properties So-sheet multipurposeting, 250-sheet should be comment feeder (ADP); Up to 300 sheets Standard; Up to 15 envelopes Up to 300 sheets Standard; Up to 15 envelopes Up to 300 sheets Standard; Up to 15 envelopes Up to 300 sheets Standard; Up to 15 envelopes Up to 300 sheets Up to 300 sheets Standard; Up to 15 envelopes Up to 300 sheets Standard; Up to 15 envelopes Up to 300 sheets Up to 300 | | terrer. Op to 50,000 pages, A4. Op to 50,000 pages, Neconimended inc | onany page volume. 750 to 4,000 | | | | |
| Automatic discrement feeder packly professor Standard, 50 sheets uncurled; DuplexADFscanning: Yes professor Standard; 2: Machnum: 3 Standard; 2: Machnum: 3 Faper (Sond, binchum; colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes feed stypes Faper (Sond, binchum; colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes feed stypes Faper (Sond, binchum; colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes feed stypes Faper (Sond, binchum; colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes feed stypes Faper (Sond, binchum; colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes feed stypes Faper (Sond, binchum; colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes feed stypes Faper (Sond, binchum; colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes feed stypes Faper (Sond, binchum; colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes feed stypes Faper (Sond, binchum; colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Faper (Sond, binchum; colored, glossy, letterhead, photo, plain, preprinted, prepunched, rough), postcards, labels, envelopes Faper (Sond, binchum; colored, glossy, letterhead, photo, plain, preprinted, prepunched, rough), postcards, labels, envelopes Faper (Sond, binchum; colored, glossy, letterhead, photo, plain, preprinted, prepunched, rough), | Input | 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic D | Occument Feeder (ADF); Up to 300 sheets Standard; Up to 15 envelopes | | | | |
| und of countent feeder above your properties of the properties of | Output | | | | | | |
| Selection Sele | | | | | | | |
| trainadar paper trays Standard: 2.1 Maximum: 3 | capacity | Standard, 50 sheets uncurled; Duplex ADF scanning: No | Standard, 50 sheets uncurled; Duplex ADF scanning: Yes | | | | |
| Page (bond, brochure, colored, glassy, letterhead, photo, plan, preprinted, pregunded, recycled, rough), postards, labels, envelopes Idea Sizes Custom Toyl 3.5 to 8.5 x 4 hr, Toyl 2.0 to 8.5 x 4 hr, Smplex Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; option 2.0 to 8.5 x 4 hr, Smplex Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; option 2.0 to 8.5 x 4 hr, Smplex Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; option 2.0 to 8.5 to 8.5 x 4 hr, Smplex Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; option 2.0 to 8.5 to 8.5 x 4 hr, Smplex Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; option 2.0 to 8.5 to 8.5 x 4 hr, Smplex Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; option 2.0 to 8.5 to 8.5 x 4 hr, Smplex Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; option 2.0 to 8.5 to 8.5 x 4 hr, Smplex Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; option 2.0 to 8.5 to 8.5 x 4 hr, Smplex Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; option 2.0 to 8.5 to 8.5 x 4 hr, Smplex Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; option 2.0 to 8.5 to 8.5 x 4 hr, Smplex Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; option 2.0 to 8.5 to 8.5 x 4 hr, Smplex Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; option 2.0 to 8.5 to 8.5 x 4 hr, Smplex Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; option 2.0 to 8.5 to 8.5 x 4 hr, Smplex Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; option 2.0 to 8.5 to 8.5 x 4 hr, Smplex Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; option 2.0 to 8.5 to 8.5 to 8.5 x 4 hr, Smplex Tray 1: 76.2 x 127 to 10.0 t | Envelope feeder | No . | | | | | |
| Tray 1: 3 x 5 to 8 5 x 14 in; Tray 2: 9 potonal Tray 3: 3 3 x 5 8 z to 8 5 x 14 in; Duplexed Itrays): 5.82 x 5.82 in to 8.5 x 14 in; Simplec Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; opto Tray 3: 30 x 148 to 216 x 355 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; opto Tray 3: 30 x 148 to 216 x 355 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; opto Tray 3: 30 x 148 to 216 x 355 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; opto Tray 3: 30 x 148 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; opto Tray 3: 30 x 148 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; opto Tray 3: 30 x 148 to 216 x 356 mm; opto Tray 3: 30 x 148 to 216 x 356 mm; opto Tray 3: 30 x 148 to 216 x 356 mm; opto Tray 3: 30 x 148 to 216 x 356 mm; opto Tray 3: 30 x 148 to 216 x 356 mm; opto Tray 3: 30 x 148 to 216 x 356 mm; opto Tray 3: 30 x 148 to 216 x 356 mm; opto Tray 3: 30 x 148 to 216 x 356 mm; opto Tray 3: 30 x 148 to 216 x 356 mm; opto Tray 3: 30 x 148 to 216 x 356 mm; opto Tray 3: 30 x 148 to 216 x 356 mm; opto Tray 3: 30 x 148 to 216 x 356 mm; opto Tray 3: 30 x 148 to 216 x 356 mm; opto Tray 3: 30 x 148 to 216 x 356 mm; opto Tray 3: 30 x 148 to 216 x 356 mm; opto Tray 3: 30 x 148 to 216 x 356 mm; opto Tray 3: 30 x 148 to 216 x 356 mm; opto Tray 3: 30 x 148 to 30 to 30 x 148 to 30 to 30 x 148 to 30 | | | | | | | |
| Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm Immersions (W x 0 x H) 16 x 17.1 x 15 in; 421 x 435 x 384 mm; Maximum: 16 x 27 x 30 in (with optional 550-sheet tray 3); 421 x 686 x 761 mm (with optional 550-sheet tray 3) Weight -45 lb; -20.4 kg HP Colort Laser Jet Pro 430 if dw; 4 preinstalled HP Laser Jet Toner cartridges (Black - 2,000 pages, Introductory-Cyan, Magenta, Yellow: -1,000 pages); in-box documentation (Reference Guide, Setup Card); warranty card (Whereequied). HP printer software is available at www.hp.com/support; Power cord; USB cable. Weight and the soft of the soft | | | | 127 to 216 x 356 mm: Tray 2: 98 x 148 mm to 216 x 356 mm: optional | | | |
| ### ColorLaserJet Pro 4301 dw; 4 preinstalled #P LaserJet Tone cartridges (Black: ~2,000 pages, in-box documentation (Reference Guide, Setup Card); warranty card Whererequied). ##p united software processes of the cartridges (Black: ~2,000 pages, in-box documentation (Reference Guide, Setup Card); warranty card Whererequied). ##p united software social bear a www.hp.com/support, Power cord; USB cable. ### ColorLaserJet Pro 4301 dw; 4 preinstalled #P LaserJet Tone cartridges (Black: ~2,000 pages, in-box documentation (Reference Guide, Setup Card); warranty card Whererequied). ##p united software social bear a www.hp.com/support, Power cord; USB cable. ### ColorLaserJet Pro 4301 dw; 4 preinstalled #P LaserJet Tone cartridges (Black: ~2,000 pages, in-box documentation (Reference Guide, Setup Card); warranty card Whererequied). ##p united software cardial software www.hp.com/support, Power cord; USB cable, www.hp.com/support, Power cord; USB cable, as cable leaved www.hp.com/support power cord; USB cable, as cable leaved www.hp.com/ | | | | | | | |
| HP ColorLaserJet Pro 4301dw; 4 prenstalled HP LaserJet Toner cartridges (Black: ~2,000 pages, htroductory-Cyan, Magenta, Yellow: ~1,000 pages), https://doi.org/10.000 pages, https://doi.org/10.0000 pages, https://doi.org/10.00000 pages, https | Dimensions (W x D x H) | | (with optional 550-sheet tray 3); 421 x 686 x 761 mm (with optional 550 | -sheet tray 3) | | | |
| HP 210A Black Original Laser Jet Toner Cartridge (~2,000 pages) W 2100A; HP 210A Cyan Original Laser Jet Toner Cartridge (~1,800 pages) W 2101A; HP 210A Vellow Original Laser Jet Toner Cartridge (~1,800 pages) W 2101A; HP 210A Vellow Original Laser Jet Toner Cartridge (~5,500 pages) W 2102X; HP 210X Cyan Original Laser Jet Toner Cartridge (~5,500 pages) W 2102X; HP 210X Cyan Original Laser Jet Toner Cartridge (~5,500 pages) W 2102X; HP 210X Cyan Original Laser Jet Toner Cartridge (~5,500 pages) W 2102X; HP 210X Magareta Driginal Laser Jet Toner Cartridge (~5,500 pages) W 2102X; HP 210X Magareta Driginal Laser Jet Toner Cartridge (~5,500 pages) W 2102X; HP 210X Magareta Driginal Laser Jet Toner Cartridge (~5,500 pages) W 2102X; HP 210X Magareta Driginal Laser Jet Toner Cartridge (~5,500 pages) W 2102X; HP 210X Magareta Driginal Laser Jet Toner Cartridge (~5,500 pages) W 2102X; HP 210X Magareta Driginal Laser Jet Toner Cartridge (~5,500 pages) W 2102X; HP 210X Magareta Driginal Laser Jet Toner Cartridge (~5,500 pages) W 2102X; HP 210X Magareta Driginal Laser Jet Toner Cartridge (~5,500 pages) W 2102X; HP 210X Magareta Driginal Laser Jet Toner Cartridge (~5,500 pages) W 2102X; HP 210X Magareta Driginal Laser Jet Toner Cartridge (~5,500 pages) W 2102X; HP 210X Magareta Driginal Laser Jet Toner Cartridge (~5,500 pages) W 2102X; HP 210X Magareta Driginal Laser Jet Toner Cartridge (~5,500 pages) W 2102X; HP 210X Magareta Driginal Laser Jet Toner Cartridge (~5,500 pages) W 2102X; HP 210X Magareta Driginal Laser Jet Toner Cartridge (~5,500 pages) W 2102X; HP 210X Magareta Driginal Laser Jet Toner Cartridge (~5,500 pages) W 2102X; HP 210X Magareta Driginal Laser Jet Toner Cartridge (~5,500 pages) W 2102X; HP 210X Magareta Driginal Laser Jet Toner Cartridge (~5,500 pages) W 2102X; HP 210X Magareta Driginal Laser Jet Toner Cartridge (~5,500 pages) W 2102X; HP 210X Magareta Driginal Laser Jet Toner Cartridge (~5,500 pages) W 2102X; HP 210X Magareta Driginal Laser Jet Toner Cartridge (~5,500 pages) W 2102X; HP 210X Magaret | W hat's in the box ¹ | HP Color LaserJet Pro 4301 dw; 4 preinstalled HP LaserJet Toner cartridges (Black: ~2,000 pages, Introductory-Cyan, Magenta, Yellow: ~1,000 pages); in-box documentation (Reference Guide, Setup Card); warranty card (Whererequiced). HP printer softwareis available at | cartridges (Black: ~2,000 pages, introductory-Cyan, Magenta, Yellow: ~1,000 pages); in-box documentation (Reference Guide, Setup Card); warranty card (Where required). HP printer software is available at | cartridges (Black: ~2,000 pages, Introductory-Cyan, Magenta, Yellow: ~1,000 pages); In-box documentation (Reference Guide, Setup Card); warranty card (Where required). HP printer software is available at www.hp.com/support; Power cord; USB cable; fax cable (New Zealand | | | |
| One-year, next-business day, onsitewarranty. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendororgo to hp. com/support to learn about HP award winning service and support options in your region. (wty code 46; wty ID A001) Yes Colabels ³ If ECO Declaration; EPEAT® Silver Australia, EPEAT® Silver Canada; EPEAT® Silver US Control panel 4.3° Capacitive to uchscreen (all input functions) Risplay 4.3° dajonal WLED-backlit anti-glare (480 X272) Control panel 4.3° Capacitive to uchscreen (all input functions) Risplay 4.3° dajonal wLED-backlit anti-glare (480 X272) Control panel 4.3° Capacitive to uchscreen (all input functions) Risplay 4.3° dajonal wLED-backlit anti-glare (480 X272) Control panel 4.3° Capacitive to uchscreen (all input functions) Risplay 4.3° dajonal wLED-backlit anti-glare (480 X272) Control panel 4.3° Capacitive to uchscreen (all input functions) Risplay 4.3° dajonal wLED-backlit anti-glare (480 X272) Control panel 4.3° Capacitive to uchscreen (all input functions) Risplay 4.3° dajonal wLED-backlit anti-glare (480 X272) Control panel 4.3° Capacitive to uchscreen (all input functions) Risplay 4.3° dajonal wLED-backlit anti-glare (480 X272) Control panel 4.3° Capacitive to uchscreen (all input functions) Risplay 4.3° dajonal wLED-backlit anti-glare (480 X272) Control panel 4.3° Capacitive to uchscreen (all input functions) Risplay 4.3° dajonal wLED-backlit anti-glare (480 X272) Compatible operating 4.3° Capacitive to uchscreen (all input functions) Risplay 4.3° dajonal wLED-backlit anti-glare (480 X272) Compatible operating 4.3° Capacitive to uchscreen (all input functions) Risplay 4.3° Capacitive to uchscreen (all inpu | Replacement cartridges ² | W 2102A; HP 210A Magenta Original Laser Jet Toner Cartridge (~1,800 pa | iges) W 2103A; HP 210X Black Original LaserJet Toner Cartridge (~7,500 pa | ; HP 210A Yellow Original LaserJet Toner Cartridge (~1,800 pages) ;ges) W 2100X; HP 210X Cyan Original LaserJet Toner Cartridge (~5,500 | | | |
| IT ECODeclaration; EPEAT® Silver Australia; EPEAT® Silver Canada; EPEAT® Silver US (Introl panel 4.3" Capacitive touchs creen (all input functions) (Isplay 4.3" diagonal WLED-backlit anti-glare (480X272) (Introl wareholded No software solutions are included in the Box only on http://hp.com http://hp.com; (Introl wareholded No software solutions are included in the Box only on http://hp.com http://hp.com; (Introl wareholded No software solutions are included in the Box only on http://hp.com http://hp.com; (Introl wareholded No software solutions are included in the Box only on http://hp.com http://hp.com; (Introl wareholded No software solutions are included in the Box only on http://hp.com http://hp.com; (Introl wareholded No software solutions are included in the Box only on http://hp.com http://hp.com; (Introl wareholded No softwareholded No softwarehol | Warranty features | One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to hp.com/support to learn about HP award | | | | | |
| Solution As Capacitive touchscreen (all input functions) | Energy star certified | | | | | | |
| As diagonal WLED-backlit anti-glare (480X272) | | | | | | | |
| In scalable TrueType fonts Onts and typefaces Ompatible operating systems Ompatible network perating systems SAP; Novell; UNIX; Citrix; Linux; Windows Client OS; Android; iOS; macOS 12 Monterey; macOS 11 Big Sur; macOS 10.15 Catalina; Linux; Citrix; Chrome OS; Mobile OS SAP; Novell; UNIX; Citrix; Linux; Windows Server In iminum system equirements PC: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see emicrosoft.com; Mac: 2 GB available hard drive space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see emple.com; Power supply type: Internal (Built-in) power supply; Power supply required: 110 -volt input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- | Display | | | | | | |
| ompatible operating systems Windows 11; Windows 10; Windows 7; Windows Client 05; Android; iOS; macOS 12 Montrerey; macOS 10.15 Catalina; Linux; Citrix; Chrome OS; Mobile OS SAP; Novell; UNIX; Citrix; Linux; Windows Server SAP; Novell; UNIX; Citrix; Linux; Windows Server Bequirements PC:2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com;; Mac:2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com;; Mac:2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com;; Mac:2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com;; Mac:2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com;; Mac:2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com;; Mac:2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com;; Mac:2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com;; Mac:2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com;; Mac:2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com;; Mac:2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com;; Mac:2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements se | S oftware in cluded | | | | | | |
| ompatible network perating systems SAP; Novell; UNIX; Citrix; Linux; Windows Sever PC:2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements seemicrosoft.com;; Mac: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com; Mac: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com; Mac: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com; Mac: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com; Mac: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements seemicrosoft.com; Mac: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements seemicrosoft.com; Mac: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements seemicrosoft.com; Mac: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements seemicrosoft.com; Mac: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements seemicrosoft.com; Mac: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements seemicrosoft.com; Mac: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements seemicrosoft.com; Mac: 2 GB available hard disk space, Internet Connection or USB port, Inter | Fonts and typefaces | | | | | | |
| ompatible network perating systems SAP; Novell; UNIX; Citrix; Linux; Windows Server PC:2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com;; Mac: 2 GB available hard drive space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com; Power Supply type: Internal (Built-in) power supply; Power supply required: 110 - volt input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz | Compatible operating systems | Windows 11; Windows 10; Windows 7; Windows Client 0S; Android; iOS; macOS 12 Monterey; macOS 11 Big Sur, macOS 10.15 Catalina; Linux; Citrix; Chrome OS; Mobile OS | | | | | |
| PC:2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com;; equirements Mac: 2 GB available hard drive space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com; Power supply type: Internal (Built- in) power supply; Power supply required: 110 - volt input voltage: 110 to 127 VAC (+/- 10%, 50/60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%, 50/60 Hz (+/- 10%), 50/6 | Compatiblenetwork | SAP: Novell: UNIX: Citrix: Linux: Windows Server | | | | | |
| Mac 2 GB available hard drives pace, htemet connection or USB port, htemet browser. For additional OS hardware requirements see apple.com; Power supply type: Internal (Built-in) power supply: Power supply required: 110 - volt input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 142); 220 - volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (-/- 10%), 50/60 | | | | | | | |
| (Not dual voltage, power supply varies by part number with # Option code identifier); Power consumption: \$85 watts (Active Printing), 18 watts (Ready), 0.8 watts (Sleep), 0.8 watts (HP auto-off/auto-on), 0.07 watts off/manual on), 0.07 watts (Off); Typical electricity consumption (TEC) number: 1.423 kWh/Week (Blue Angel); 0.422 kWh/Week (Energy Star 3.0) Acoustic power emissions: 6.1 B(A) Operating temperaturerange: 50 to 90.5%; 10 to 32.5% Recommended operating temperature: 59 to 80.6%; 15 to 27% Storage temperaturerange: 4 to 104%; -20 to 40% Operating humidity range: 10 to 80% Recommended operating temperature: 59 to 80.6%; 15 to 27% Storage temperaturerange: 4 to 104%; -20 to 40% Operating humidity range: 10 to 80% Recommended operating temperature: 59 to 80.6%; 15 to 27% Storage temperaturerange: 4 to 104%; -20 to 40% Operating humidity range: 10 to 80% Recommended operating temperature: 59 to 80.6%; 15 to 27% Storage temperaturerange: 4 to 104%; -20 to 40% Operating humidity range: 10 to 80% Recommended operating h | requirements | Mac: 2 GB available hard drive space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com; Power supply type: Internal (Built-in) power supply: Power supply required: 110-volt input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz): 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz) | | | | | |
| Operating temperature range: 50 to 90.5 %; 10 to 32.5 % Recommended operating temperature: 59 to 80.6 %; 15 to 27 % Storage temperature range: -4 to 104%; -20 to 40 % Operating humidity range: 10 to 80 % R | Power ⁴ Acoustics | off/manual on), 0.07 watts (0ff); Typical electricity consumption (TEC) number : 1.423 kWh/Week (Blue Angel); 0.422 kWh/Week (Energy Star 3.0) | | | | | |
| | Operating environment | Operating temperaturerange: 50 to 90.5%; 10 to 32.5% Recommended operating temperature: 59 to 80.6%; 15 to 27% Storage temperaturerange: 4 to 104%; -20 to 40% Operating humidityrange: 10 to 80%RH(non-condensing) Recommended operating humidityrange: 30 to 70%RH(non-condensing) | | | | | |

¹ For yield information on the cartridge(s) included with your printer, see http://www.hp.com/go/toneryield. Yield values measured in accordance with 50/EC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. ² Declared yields based on 50/EC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/toneryield ³ EPEAT ⁹ registered where applicable. EPEAT registration varies by country. (See http://www.hp.com/go/toneryield ³ EPEAT ⁹ registered where applicable. EPEAT EC based on 230V test result; ENERGY STARTEC databased on 115V test result.



