

INSTRUCTION MANUAL




! NOTICE


Do not overtighten screws. (Insert all screws before tighten screws.)

- Please do not exceed the weight limitations of this item.
- Do not stand on or use any part of this item as a step ladder.
- Firmly secure all bolts, screws and nuts before use.
- Reconfirm that all bolts, screws, and nuts are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.
- Be very careful when folding chair to avoid smashing your hands or fingers.







HARDWARE



PARTS




PARTS



PRODUCT ASSEMBLY - OVERALL VIEW

1

Look at following overall view of this chair and learn the exact position of each parts to be assembled.




PRODUCT ASSEMBLY

1


Attach part C Left Chair Leg to part E Left Chair Arm with 1 PC of part 2 bolt and part 7 washer and part 6 Nut. Do same to part B Right Chair Leg and part D Right Chair Arm. Attach the locking stick to Chair legs with a screw driver before assembly.

Do not tighten screws too much at this stage.



2

Attach part B right Chair Leg and part C Left Chair Leg to part A Chair Seat with 2 PCS of part 2 bolt and part 7 washer and part 6 Nut.




PRODUCT ASSEMBLY

3


Fix part F Backrest into part A Chair Seat and then attach part F Chair Backrest to part D Right Chair Arm with 1 PC of part 1 bolt and part 7 washer and part 6 Nut.

Do the same to attach part F Backrest to part E Left Chair Leg.



4

Attach part I Locking Blocks to part F Chair Backrest (Both sides) with 2 pcs of part 4 bolt and attach part I Locking Blocks to part A Chair seat (Both sides) with 2 PCS of part 3 bolt and part 7 washer and part 6 Nut.




PRODUCT ASSEMBLY

5

Attach part G Back Rail to part A Chair Seat with 2 PCS of part 3 bolt

Attach part H Front Rail to Part B Left Chair leg and part C Right Chair leg with 4 PCS of part 5 bolt.



Congratulation! You finishes the assembly of this Adirondack Chair.

Pull the stick out of both legs to fold this chair as below.

