



PIXMA G2200

MegaTank All-In-One Printer

Setup Sheet

Version 1.1



6,000
Black pages¹

7,000
Color pages¹



PRINT A LOT WITHOUT SPENDING A LOT

The Canon PIXMA G2200 MegaTank All-In-One printer sets the bar for high-volume, low-cost printing, copying and scanning. With its innovative MegaTank ink reservoir system it can print up to 6,000 crisp, black pages / 7,000 vivid color pages from one set of replacement ink bottles¹. That's a lot of pages! In fact, it would take more than 30 conventional ink cartridge sets² to equal that amount of output! But cost-effectiveness isn't the only thing that's amazing, the quality is an eye-opener too. The PIXMA G2200 printer utilizes hybrid inks for deep blacks and satisfyingly rich colors, makes elegant borderless³ prints and performs fine 600 X 1200 dpi scanning⁴. The Canon PIXMA G2200 MegaTank All-In-One Printer. Turn up the volume on your printing while bringing down your costs.

CORE FEATURES



Integrated Ink Tanks

Conveniently view and refill ink with **INTERGRATED INK TANKS**.



Sharp Black Text

Print detailed documents with **SHARP BLACK TEXT** from the pigment black ink.



30 TIMES the amount of ink - compared to standard ink cartridge sets.²

Up To

8.8 **5.0**
Black Color
ipm

Never wait for your prints with **FAST PRINT SPEEDS⁵** up to 8.8 ipm (Black) / 5.0 ipm (Color).



Borderless Printing

Print beautiful **BORDERLESS PHOTOS³** effortlessly.

TECHNICAL SPECIFICATIONS

PRINT

Print Features Auto Photo Fix II, Borderless Printing³, Business Card Printing, Document Printing, Full HD Movie Print⁶, High Page Yield, Image Cropping, My Image Garden⁷, Photo Printing, Quiet Mode, Red-Eye Correction, Special Filters, Square Media Printing Support

Print Speed⁵ 4" x 6" Photo: Approx. 60 seconds (Borderless)
 ESAT (Black): Approx. 8.8 ipm
 ESAT (Color): Approx. 5.0 ipm

Number of Nozzles Color: 1,152 / Pigment Black: 320 / Total: **1,472**

Print Resolution⁸ Up to 4800 x 1200 dpi

Paper Sizes 4" x 6", 5" x 5" Square, 5" x 7", 8" x 10", Letter, Legal, U.S. #10 Envelopes

Media Compatibility **Plain:** Plain Paper, Canon High Resolution Paper; **Glossy:** Photo Paper Plus Glossy II, Photo Paper Glossy; **Semi-Gloss:** Photo Paper Plus Semi-Gloss, Photo Paper Pro Luster; **Matte:** Matte Photo Paper **Other:** U.S. #10 Envelopes

Paper Capacity Rear Paper Tray: 100 Sheets of Plain Paper **OR**
 Photo Paper: 20 Sheets of 4" x 6" / 10 Sheets of 5" x 7"

COPY

Copy Features Standard Copy

Copy Speed⁵ FCOT (Color): Approx. 32 seconds

SCAN

Scan Features Auto Scan Mode⁹

Scanner Type Flatbed

Scanning Method Contact Image Sensor (CIS)

Scanning Resolution⁴ 600 x 1200 dpi (Optical)
 19,200 x 19,200 dpi (Interpolated)

Maximum Color Scanning Bit Depth 48-bit Internal
 24-bit External

Maximum Document Size Flatbed: 8.5" x 11.7"

INK INFORMATION

INK TYPE

GI-290 BK: Pigment Based Ink
 GI-290 C/M/Y: Dye Based Inks

INK BOTTLES & FILL VOLUME

GI-290 BK: 135.0 ml
 GI-290 C: 70.0 ml
 GI-290 M: 70.0 ml
 GI-290 Y: 70.0 ml

HIGH PAGE YIELD

Up to **6,000** (Black & White) / **7,000** (Color) Pages¹

GENERAL

STANDARD INTERFACE

Hi-Speed USB

GENERAL FEATURES

4-Color MegaTank Refillable Ink System, Auto Power On/Off

OS COMPATIBILITY

Windows:¹⁰ Windows[®] 10, Windows 8, Windows 8.1, Windows 7 SP1, Windows Vista[®] SP2, Windows XP SP3 (32 bit only)

Mac:¹¹ Mac OS[®] X v10.8.5 – macOS v10.12 (Sierra)

SOFTWARE (WINDOWS¹⁰/MAC¹¹)

PIXMA G2200 MegaTank All-In-One Printer Driver
 Scan Utility
 Master Setup
 My Image Garden⁷
 Full HD Movie Print⁶, Special Filters, Image Correction/Enhance, and scanning are accessed through My Image Garden
 Quick Menu

WARRANTY¹²

1-Year limited warranty with InstantExchange Program. 1-Year toll-free U.S.-based technical phone support.

BOX CONTENTS

PIXMA G2200 MegaTank All-In-One Printer
 Setup CD-ROM
 Full Set of Ink Bottles (BK,C,M,Y)
 Black Print Head
 Color Print Head
 Power Cord

ORDERING INFORMATION

MODEL NUMBER	DESCRIPTION	ITEM NUMBER	UPC CODE
 PIXMA G2200	MegaTank All-In-One Printer	0617C002[AA]	 0 13803 28104 0

COMPATIBLE INK BOTTLES

 290 BK	GI-290 BK	Pigment Black Ink Bottle	1595C001[AA]	 0 13803 28078 4
 290 C	GI-290 C	Cyan Ink Bottle	1596C001[AA]	 0 13803 28079 1
 290 M	GI-290 M	Magenta Ink Bottle	1597C001[AA]	 0 13803 28080 7
 290 Y	GI-290 Y	Yellow Ink Bottle	1598C001[AA]	 0 13803 28081 4

PALLET INFORMATION

Number of Boxes per Pallet	16
Number of Boxes per Layer	4
Number of Layers per Pallet	4
Dimensions (Pallet and Boxes)	48.0" (W) x 40.0" (D) x 45.1" (H)
Dimensions without Pallet	41.8" (W) x 38.2" (D) x 39.6" (H)
Loaded Pallet Weight	374.8 lbs.

ORIGIN

Country of Origin	Vietnam
Tariff Number	8443310000

PRINTER INFORMATION

Printer Dimensions	17.6" (W) x 13.0" (D) x 6.5" (H)
Printer Weight	12.7 lbs.

BOX INFORMATION

Box Dimensions ¹³	20.9" (W) x 19.1" (D) x 9.9" (H)
Box Weight	20.3 lbs.

DATE

Availability	Late December 2016
--------------	--------------------

SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL VIEWSCREEN AND OUTPUT IMAGES ARE SIMULATED.

- Page yield of included ink bottles used for initial setup is lower than the replacement ink bottles, as a certain amount of ink is consumed to fill into the print head during the setup (charging the print head initially). Page yield is the estimated value based on Canon individual test method using the ISO/IEC 24712 chart and continuous printing simulation with the replacement ink bottles after initial setup. Page yield of color inks is an average yield of cyan, magenta and yellow inks combined. Page yield varies significantly depending on content printed and other factors. Up to 6,000 (black) / 7,000 (color) printed page yields are approximate, based off document pages printed.
- 30 ink cartridge sets is based on print yield of the included black and color ink bottles as compared to the following standard-capacity cartridge sets: PG-245 Black Ink Cartridge and CL-246 Color Ink Cartridge as of August 2016.
- Paper types NOT supported for borderless printing are as follows: Envelope, High Resolution Paper, T-Shirt Transfer, Photo Stickers.
- Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.
- Document print speeds are the averages of ESAT in Office Category Test for the default simplex mode, ISO/IEC 24734. Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer. Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc. Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time. See www.usa.canon.com/ipm for additional details.
- "Full HD Movie Print" is available from "MOV" and "MP4" movie files created by select Canon EOS Digital SLRs, PowerShot, and VIXIA digital cameras and camcorders. Requires PC or Mac with Intel® processor and Canon ZoomBrowser EX 6.5 or later or Canon ImageBrowser 6.5 or later for "MOV" files, or Canon ImageBrowser EX 1.0 or later for "MOV" or "MP4" files. Print quality is determined by the video resolution. Function does not upscale video resolution.
- To install using Windows® OS, .NET Framework 4 is required. Compatible still image formats are PDF (created using Canon PDF Creator only), JPEG (Exif), TIFF, and PNG. Compatible video formats are MOV (from select Canon digital cameras only) and MP4 (from select Canon digital camcorders only).
- Resolution may vary based on printer driver setting. Color ink droplets can be placed with a horizontal pitch of 1/4800 inch at minimum.
- For network users, Auto Scan Mode is only available when scanning at a computer using My Image Garden software and selecting the 1-click feature then "Save to PC."
- Operation can only be guaranteed on a PC with pre-installed Windows 10, Windows 8.1, Windows 8, Windows 7, Vista SP2 or Windows XP SP3 (32 bit only).
- Internet Connection required during software installation. For full compatibility macOS v10.12.1 or later is recommended.
- Warranty programs are subject to certain conditions and restrictions. See www.usa.canon.com/support for details.
- Product box dimensions measured in horizontal box configuration.



©2017 Canon U.S.A., Inc. Canon and PIXMA are registered trademarks of Canon Inc. in the U.S. and may be registered trademarks or trademarks in other countries. Microsoft, Windows, the Windows logo and Internet Explorer are trademarks or registered trademarks of the Microsoft group of companies in the U.S. and other countries. Apple, iPad, iPhone, iPod touch and Time Capsule are registered trademarks of Apple Inc. Android and Google Play are trademarks of Google Inc. The USB-IF logo is a trademark of Universal Serial Bus Implementers Forum, Inc. Wi-Fi is a registered trademark of the Wi-Fi Alliance. The 'Wi-Fi CERTIFIED' logo is a certification mark of the Wi-Fi Alliance. The Wi-Fi Protected Setup Mark is a mark of the Wi-Fi Alliance. All other product and brand names are trademarks of their respective owners. As an ENERGY STAR® partner, Canon U.S.A., Inc. has determined that this product meets the ENERGY STAR® guidelines for energy efficiency.

