MODEL: JCD396

USB-C[®] Dual HDMI[™] 4K60 Mini Dock

Compatible with USB4™ devices

Dual display support with DP™ alt mode and Multi-Stream Transport (MST)



Featuring all the ports you need, the USB-C[®] Dual 4K60 Mini Dock. This USB-C[®] mini dock supports DisplayPort™ 1.4 and Multi-Stream Transport (MST), giving you the ability to create a dual 4K workstation with two HDMI™ outputs. It includes three USB™ SuperSpeed 5Gbps ports (1 USB-C[®] and 2 USB™ Type-A) for peripheral connectivity or downstream charging.

It also supports Power Delivery 3.0, which provides up to 100W pass-through charging to power the connected peripherals and charge your host laptop with a USB- $C^{\text{@}}$ power adapter.

FEATURES

- Features Dual 4K HDMI™ outputs, supporting video resolutions up to 3840 x 2160 at 60 Hz.
- Maximize your gaming experience with 1920 x 1080 @ 144 Hz refresh rate.
- Extend one display up to 3840 x 2160 @ 60 Hz, easily switch to a higher refresh rate of 2560 x 1440
 @ 120 Hz via HDMI™ port to enjoy your gaming under Windows® OS.
- Three SuperSpeed USB™ 5Gbps downstream ports (1 USB-C® and 2 Type-A) to connect peripherals.
- Charge and power a connected laptop and peripherals with 100W Power Delivery.
- Plug-and-play, no driver installation required.
- Supports dual 4K60 HDMI™ on compatible USB-C® laptops with DisplayPort™ 1.4 alt mode with MST support*.

Windows® (MST)	Host(A) +B	Host(A)+B+C
2-Lane HBR2 (DP 1.2)	3840 x 2160 @ 30	1920 x 1080 @ 60 + 1920 x 1080 @ 60
2-Lane HBR3 (DP1.4)	3840 x 2160 @ 60 2560 x 1440 @ 144 or 1920 x 1080 @ 240	3840 x 2160 @ 60 + 3840 x 2160 @ 30 3840 x 2160 @ 60 + 3840 x 2160 @ 60 *Only for DSC host
macOS®	Host(A) +B	Host(A) +B+B
2-Lane HBR2 (DP 1.2)	3840 x 2160 @ 30	3840 x 2160 @ 30 x 2
2-Lane HBR3 (DP1.4)	3840 x 2160 @ 60	3840 x 2160 @ 60 x 2

^{*} The MST protocol is not currently supported by macOS® or Chrome OS™.

SYSTEM REQUIREMENTS

- Available USB-C[®] port that supports DisplayPort[™] alternate mode and USB[™] Power Delivery 2.0 or 3.0. Please refer to the manufacturer of your computer for more information about your device.
- The host device must support Multi-Stream Transport (MST) and DisplayPort™ 1.4 to achieve triplemonitor configuration.
- The host device must support DisplayPort™ 1.4 to achieve 4K resolution at 60 Hz. Example DisplayPort™ 1.4 devices are listed as follows, but not limited to:
 - Macbook Air® 13" 2019 or later
 - Macbook Pro® 15" 2017 or later
 - Macbook Pro[®] 16"
 - iPad Pro[®] 11"/12" 2018 or later
 - Surface™ Pro 7
 - Surface™ laptop 3

^{*} macOS® only supports SST, which means all connected monitors will show the same content.

^{*} DSC = VESA® Display Stream Compression (DSC) Standard. Only available on NVIDIA® GeForce® RTX 20 Series and AMD™ Radeon™ RX 6000 Series GPUs or above.

^{*} Recommended Graphics Cards: Intel® HD Graphics 620, Intel® HD Graphics 520 or above.

HARDWARE		
Warranty	2 Year Limited	
Host Connector	1 - USB-C [®] Male	
Video Output	2 - HDMI™ Female	
Power Source	Bus-powered or self-powered	
Network Interface	N/A	
Audio Supported	Yes	
Ports	1 - USB-C [®] SuperSpeed 5Gbps 2 - USB [™] Type-A SuperSpeed 5Gbps 1- USB-C [®] Power Delivery 3.0 2 - 4K HDMI [™]	

PERFORMANCE		
Maximum Display Resolution	3840 x 2160	
Maximum Display Refresh Rate	Windows® (MST) 3840 x 2160 @ 60 Hz 2560 x 1440 @ 120 Hz 1920 x 1080 @ 144 Hz	
Maximum Data Transfer Rate	5 Gbps	
Displays Supported	2	
Compatible Networks	N/A	
Audio Channel	2.1 via HDMI™	

POWER	
Power Delivery	Up to 100W via USB-C®
Power Consumption	≤ 400 mA
Input Current	Up to 5A
Input Voltage	Up to 20V
Output Current	Up to 4.6A
Output Voltage	Up to 20V

1-888-689-4088

PHYSICAL SPECIFICATIONS		
Color	Space Grey	
Enclosure Type	Aluminum	
Cable Length	7.87 in. (200 mm)	
Product Height	0.62 in. (16 mm)	
Product Width	5.4 in. (138 mm)	
Product Depth	1.96 in. (50 mm)	
Product Weight	3.77 oz (107g)	
Storage Temperature	0 to 155°F (-17 to 68°C)	
Storage Humidity	< 85% non-condensing	
Operating Temperature	30 to 116°F (-1 to 41°C)	
Operating Humidity	< 85% non-condensing	

SPECIAL NOTES

- A 4K-capable display is required for obtaining the 3840 x 2160 resolution.
- If connected to a USB™ 2.0 host port, or if using a USB™ 2.0 host cable, performance may be limited.
- If connected to a DisplayPort™ 1.2 device, performance will be limited to 3840 x 2160 at 30 Hz.
- The adapter can connect to a USB-C® port that doesn't support Power Delivery, but it will not pass power through the connected device.
- If you are using high-powered USB™ devices, attach a USB-C® power adapter to the power delivery port to ensure maximum performance. To avoid disruption, do not remove the power adapter while copying files.
- We advise no more than one (1) bus-powered/portable external hard disk drive to be connected to the adapter at a time.

PACKAGE CONTENTS

- 1 JCD396 USB-C® HDMI™ Dual 4K60 Mini Dock
- 1 Quick Installation Guide (QIG)

^{*}Product appearance and specifications are subject to change without notice.

REGULATORY COMPLIANCE

FCC

This equipment has been tested and found to comply with FCC 47 CFR FCC Rules and Regulations Part 15, Subpart B, Class B Digital Device ANSI C63.4-2014, January 2016 (Updated April 2019).

Operation is subject to the following two conditions:

- This device may not cause harmful interference
- This device must accept any interference, including interference that may cause undesired operation of the device.

CE / UKCA

This equipment is in compliance with the requirements of the following regulations:

EN 55032:2015/A11:2020 Class B

EN 61000-3-2:2014,

EN 61000-3-3:2013+A1:2019,

EN 55035:2017/A11:2020

RCM

This equipment is in compliance with the requirements of the following regulations:

Australian/New Zealand Standard(s): AS/NZS CISPR 32:2015 Class B

VCCI

This equipment is in compliance with the requirements of the following regulations:

CISPR 32: 2016, Class B

BSMI

檢驗標準: CNS 13438 (95 年完整版) 乙類

CNS 14336-1 (99 年版)

Disclaimer

Information in this document is subject to change without notice. The manufacturer does not make any representations or warranties (implied or otherwise) regarding the accuracy and completeness of this document and shall in no event be liable for any loss of profit or any commercial damage, including but not limited to special, incidental, consequential, or other damage. No part of this document may be reproduced or transmitted in any form by any means, electronic or mechanical, including photocopying, recording or information recording and retrieval systems without the expressed written permission of the manufacturer.

LIMITED WARRANTY

j5create offers a limited 2-year warranty. User's wear & tear damage is not included. The user shall call or email j5create customer service with the defect information of the product and obtain a return authorization number. Users are responsible for one-way return freight cost and we will take care of one-way freight back. In order to obtain a return authorization number, users should have the following information handy when calling or emailing the service team:

- (i) a copy of the original purchase invoice to verify your warranty
- (ii) a product serial number
- (iii) a description of the problem
- (iv) customer's name, address, and telephone number

j5create does not warrant that the operation of the product will be uninterrupted or error-free. j5create is not responsible for damage arising from failure to follow instructions relating to the product's use. This warranty does not apply to: (a) consumable parts, unless damage has occurred due to a defect in materials or workmanship; (b) cosmetic damage, including but not limited to scratches, dents, and broken plastic on ports; (c) damage caused by use with non-j5create products; (d) damage caused by natural disasters; (e) damage caused by human misuse (lost, accident, abuse, misuse or other external causes); (f) damage caused by operating the product outside the permitted or intended uses described by j5create; (g) damage caused by service (including upgrades and expansions) performed by anyone who is not a representative of j5create or a j5create Authorized Service Provider; (h) a product or part that has been modified to alter functionality or capability without the written permission of j5create; or (i) if any j5create serial number on the product has been removed or defaced. If such a situation occurs, j5create will calculate the cost of materials and repair for your reference. This warranty is given by j5create in lieu of any other warranties expressed or implied.

LIMITATION OF WARRANTY

THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE TO STATE (OR BY COUNTRY OR PROVINCE). OTHER THAN AS PERMITTED BY LAW, J5CREATE DOES NOT EXCLUDE, LIMIT OR SUSPEND OTHER RIGHTS YOU MAY HAVE, INCLUDING THOSE THAT MAY ARISE FROM THE NONCONFORMITY OF A SALES CONTRACT. FOR A FULL UNDERSTANDING OF YOUR RIGHTS YOU SHOULD CONSULT THE LAWS OF YOUR COUNTRY, PROVINCE OR STATE. TO THE EXTENT NOT PROHIBITED BY LAW IN YOUR STATE, PROVINCE, JURISDICTION OR COUNTRY, THIS WARRANTY AND THE REMEDIES SET FORTH ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, REMEDIES AND CONDITIONS, WHETHER ORAL, WRITTEN, STATUTORY, EXPRESS OR IMPLIED.

J5CREATE'S RESPONSIBILITY FOR MALFUNCTIONS AND DEFECTS IN HARDWARE AND/OR SOFTWARE IS LIMITED TO REPAIR OR REPLACEMENT AS SET FORTH IN THIS WARRANTY. J5CREATE'S LIABILITY DOES NOT EXTEND BEYOND THE REMEDIES PROVIDED FOR IN THIS LIMITED WARRANTY, AND J5CREATE DOES NOT ACCEPT LIABILITY FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES, FOR THIRD-PARTY CLAIMS AGAINST YOU FOR DAMAGES, FOR PRODUCTS NOT BEING AVAILABLE FOR USE, OR FOR LOST OR DAMAGED DATA OR SOFTWARE. J5CREATE DOES NOT WARRANT THAT THE OPERATION OF ANY J5CREATE PRODUCT WILL BE UNINTERRUPTED OR ERROR FREE.

J5CREATE'S LIABILITY IN ANY SITUATION WILL BE NO MORE THAN THE AMOUNT YOU PAID FOR THE SPECIFIC PRODUCT THAT IS THE SUBJECT OF A CLAIM. THIS IS THE MAXIMUM AMOUNT FOR WHICH WE ARE RESPONSIBLE.

EXCEPT FOR THE EXPRESS WARRANTIES CONTAINED IN THIS WARRANTY AND TO THE EXTENT NOT PROHIBITED BY LAW, J5CREATE DISCLAIMS ALL OTHER WARRANTIES AND CONDITIONS, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, INCLUDING WITHOUT LIMITATION, WARRANTIES OF MERCHANTABLETY, MERCHANTABLE QUALITY AND FITNESS FOR A PARTICULAR PURPOSE AND WARRANTIES AND CONDITIONS AGAINST HIDDEN OR LATENT DEFECTS. SOME STATES, PROVINCES, JURISDICTIONS OR COUNTRIES DO NOT ALLOW DISCLAIMERS OF IMPLIED WARRANTIES AND CONDITIONS, SO THIS DISCLAIMER MAY NOT APPLY TO YOU.

TO THE EXTENT SUCH WARRANTIES AND CONDITIONS CANNOT BE DISCLAIMED UNDER THE LAWS OF THE UNITED STATES, CANADA (AND ITS PROVINCES) OR OTHERWISE, J5CREATE LIMITS THE DURATION AND REMEDIES OF SUCH WARRANTIES AND CONDITIONS TO THE DURATION OF THIS EXPRESS LIMITED

WARRANTY AND, AT J5CREATE'S OPTION, REPAIR OR REPLACEMENT SERVICES. SOME STATES, PROVINCES, JURISDICTIONS OR COUNTRIES MAY NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY OR CONDITION MAY LAST, SO THE LIMITATION DESCRIBED ABOVE MAY NOT APPLY TO YOU.

NO WARRANTIES OR CONDITIONS, WHETHER EXPRESS OR IMPLIED, WILL APPLY AFTER THE LIMITED WARRANTY PERIOD HAS EXPIRED. SOME STATES, PROVINCES, JURISDICTIONS OR COUNTRIES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY OR CONDITION LASTS, SO THIS LIMITATION MAY NOT APPLY TO YOU.

WARRANTY SUPPORT ONLY APPLIES WHEN THE COVERED PRODUCT IS LOCATED WITHIN THE COUNTRY IN WHICH J5CREATE ORIGINALLY SOLD THE SYSTEM, AS REFLECTED IN J5CREATE'S RECORDS. IF YOU NEED SUPPORT FOR THE PRODUCT OUTSIDE OF THE COUNTRY OF ORIGIN (FOR EXAMPLE, WHILE TRAVELING, OR IF THE SYSTEM HAS BEEN RELOCATED TO A NEW COUNTRY), THEN J5CREATE MAY OFFER YOU OTHER SUPPORT OPTIONS FOR AN ADDITIONAL CHARGE.

For more information, please visit our website at http://www.j5create.com

USB4, USB-C, and USB are trademarks of USB Implementers Forum, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. DisplayPort. DP, and VESA are trademarks of Video Electronics Standards Association, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. HDMI is a trademark of HDMI Licensing Administrator, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. MacBook Pro, MacBook Air, macOS, and iPad Pro are trademarks of Apple Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Windows and Surface are trademarks of Microsoft Corp., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Chrome OS is a trademark of Google LLC, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. NVIDIA and GeForce are trademarks of NVIDIA Corporation, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. AMD and Radeon are trademarks of Advanced Micro Devices, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Intel is a trademark of Intel Corporation, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. All company, product and service names used are for identification purposes only. Use of these names, logos, and brands does not imply endorsement. We disclaim any interest in the marks of others.

Copyright© 2024 j5create. All rights reserved. All trade names are registered trademarks of their respective owners. Features and specifications are subject to change without notice. Product may not be exactly as shown in the diagrams.