



Product: 48 Inch Professional Gas Range

Model Number: XRG48E

TECHNICAL DETAILS


Fuel Type	Natural gas or Liquid Propane
Installation Type	Freestanding
Burner Type	Sealed Burners
Type of Grate	Continuous
Max BTU	22000 BTU (Dual) Simmer 1000 BTU
Required Circuit	15 Amp Dedicated Circuit
Max Current Draw	6 Amps
Volts	120V
Frequency	60Hz
Control Type	Knob
Plug Type	NEMA 5-15P / US 3-prong
Power Cord Length	59"

COOKING BURNER CONFIGURATION

Total Number Of Cooktop Burners	6
[1] Front Left Burner	15000 BTU
[2] Rear Left Burner	15000 BTU
[3] Oval Burner	9000 BTU
[4] Front Center Burner	22000 BTU (Dual) Simmer 1000 BTU
[5] Rear Center Burner	15000 BTU
[6] Front Right Burner	15000 BTU
[7] Rear Right Burner	12000 BTU

FEATURES & BENEFITS

- Italian Brass Burners with 22,000 BTU Dual Burner:** Premium Italian brass burners deliver powerful heat up to 22,000 BTUs and gentle simmer control down to 1,000 BTUs.
- Double Oven: 4.8 cu. ft + 2.8 cu. ft:** Cook multiple dishes at once using separate large and small ovens, each with independent temperature control.
- Multi-Function Oven:** Dual Function Oven Control offers versatile cooking modes including Bake, Conv. Bake, Roast, Conv. Roast, High & Low Broil, Keep warm, Pizza, and Self-Clean
- Continuous Cast-Iron Grates:** Heavy-duty grates provide a seamless surface for easy pan movement and pro-style durability.
- LuxGlide™ Telescopic Racks:** Telescopic racks use ball bearing rack guides for an effortless glide in and out of the oven. This luxury feature allows the rack to extend fully without tipping over for smooth, easy handling of even the heaviest dishes, and adjusts to fit different rack support levels.
- Soft-Close Oven Door:** Gently closes for a quieter, more premium cooking experience.
- Built-In Casters and Leveling Legs:** Easily reposition the range when needed, then level for a secure fit and seamless countertop alignment.
- Infrared Broiler:** Infrared gas flame broiler radiates heat evenly to sear your food and seal in the juices.
- Blue LED Illuminated Knobs:** Sleek, backlit knobs provide a clear visual cue when burners are in use, enhancing safety and modern style—even visible from across the kitchen.
- Automatic Re-ignition Feature:** Automatic re-ignition feature relights an extinguished flame for safer cooking.



OVEN PERFORMANCE

Oven Capacity	4.8 cu.ft. +2.8 cu.ft.
Oven Control Features	Light on/Off
Cooking Modes	Bake, Conv. Bake, Roast, Conv. Roast, High & Low Broil, Keep warm, Pizza, Self-Clean
Bake Burner Power	30": 22000 BTU 18": 14000 BTU
Broil Burner Power	30": 16500 BTU Infrared Broiler 18": 10000 BTU
Convection	Standard
Oven Lights	30" Oven: 2 18" Oven: 1
Oven Racks (Standard)	30" Oven: 0 18" Oven: 2
Oven Racks (telescopic)	30" Oven: 2 18" Oven: 0
Oven Rack Material	Chrome Plated
Baking Sheet Size	30": Fits Standard Half Sheet Pan 18": Fits Standard Quarter Sheet Pan
Self Clean (Y/N)	YES
Oven Internal Height	18"
Oven Internal Width	30" Oven: 23-3/4" 18" Oven: 12-5/8"
Oven Internal Depth	19-1/2"

PRODUCT DIMENSIONS

Product Dimensions (WxDxH)	47-7/8" x 24-3/5" x 36-1/8"
Product Height (from bottom to top of back splash)	41-1/4"
Product Height (from bottom to top of side panel)	32-7/8"
Product Depth (from back panel to bullnose)	28-1/2"
Product Depth (from back panel to control panel)	27-1/4"
Product Depth (from back panel to side panel front)	24-3/4"
Cutout Dimensions (WxDxH)	48" x 24" x 36"
Adjustable Leg Height	3"
Net Weight	398 lbs
Gross Weight	470 lbs
Package Dimensions (WxDxH)	51-3/8" x 30-1/8" x 49"

ACCESSORIES (INCLUDED)

2 Telescopic Racks and 1 Broiler Pan

ACCESSORIES (NOT INCLUDED)

LP Kit	LPKXRG48E
Island Trim	ITXRGD48E
Grill/Griddle Cooking Plate	RG1022



