

SideTrak[®] SWIVEL by LUXOR

User Manual



SideTrak[®] SWIVEL by LUXOR



sidetrak.com



[@sidetrakmonitor](https://www.facebook.com/sidetrakmonitor)



[@sidetrakmonitor](https://www.instagram.com/sidetrakmonitor)



[@sidetrak.monitor](https://twitter.com/sidetrak.monitor)

Welcome to a more productive you! Whether you work from the office, at home, or even in a coffee shop, we would love to see your new multi-monitor setup!

Contact Us

customerservice@sidetrak.com

(240) 580-8725




Contents

4	Component List
5	Installation
8	Basic Operation
11	Configuration for PC
12	Configuration for Mac
13	FAQs
15	Troubleshooting
16	Specifications
17	Limited Liability Warranty

Component List


Swivel



What's in the box



USB-C to USB-C cord



Metal mounting plates



Plate removal tool

Installation

Connecting your SideTrak Swivel

1 Check the ports on your laptop.

To connect your SideTrak Swivel, use the USB-C to USB-C cord.


Check your USB-C port for the symbols shown in the table below. If you have one of the green checked symbols, then your USB-C port is compatible.

NOTE: MacBook ports are compatible even if there are no symbols next to them.

IMPORTANT: If you don't have a compatible USB-C port on your laptop or don't have a USB-C port at all, this monitor is not compatible with your laptop.



Watch the installation video here.



USB-C to USB-C cord

	✓		✓		✗		✗
	✓		✓		✗		✗
	✓	All Apple laptops are compatible	✓		✗		✗

Attach SideTrak Swivel to your laptop

1 Close laptop.

Make sure your SideTrak is unplugged from the laptop and the laptop is closed.


Left-side Attachment.

To put your monitor on the left of your laptop, make sure the opening is facing away from you.



Right-side Attachment.

To put the monitor on the right of your laptop, make sure the laptop opening is facing you.



2 Align mounting guide.

Use the mounting guide that comes in your box to attach the metal mounting plate to the right edge of your laptop.

3 Attach metal mounting plate.

Peel the backing from one metal mounting plate and place the metal mounting plate in the open space. Make sure to align the SideTrak logo in the bottom right corner.

Apply pressure for 10 seconds and remove the mounting guide from your laptop. Before attaching your SideTrak, give the metal mounting plate a few minutes to allow the adhesive to properly grip your laptop.


NOTE: The metal mounting plate will be semi-permanently adhered to your laptop. If you would not like the metal mounting plate adhered directly to your laptop, we recommend using a plastic laptop case or skin.

4 Attach SideTrak Swivel to laptop.

After giving the metal mounting plate a few minutes to adhere, you can install the SideTrak.

The easiest way to attach the SideTrak to your laptop is to slide the magnetic mounting bracket over the metal plate until you feel them snap together. You will also hear a loud click letting you know your SideTrak is properly connected.

TIP: Gently wiggle the monitor to test the connection. If the mounting bracket pops off, it wasn't clicked into place. When properly positioned, the SideTrak will be firmly attached. Once attached, simply plug in, and you'll be all set to start using your new SideTrak monitor!



Basic Operation

Unfolding and folding the screen

Swivel the screen 180° and swing it forward and be ready to work in seconds.

Swivel the screen 180° and swing it backward to lay it flat over laptop for easy packing and travel.

Adjusting the viewing angle and screen placement

Pivot the SideTrak screen to perfectly suit your viewing preferences. Swing it forward or backward, swivel it upward or downward.

In addition, SideTrak's magnetic mounting bracket can slide horizontally across the metal mounting plate, allowing you to adjust the distance between SideTrak and your laptop's built-in screen.

Sharing your screen

Swivel the screen 180° and swing it backward to easily share it with others.

Your screen will auto-rotate when you face it toward someone else!

If you have any issues with auto-rotate, here is how you can manually rotate your screen:

- MacBook: Launch "System Preferences" and hold down the Command+Option keys WHILE clicking on the "Display" icon. Look for the newly visible "Rotation" drop-down menu and select 180°.
- PC: Right-click to select "Display settings" from the dialogue box. Select "Landscape (flipped)" from the orientation options. You may be able to use the shortcut CTRL+ALT+arrow keys.

Using the kickstand

SideTrak Swivel includes a kickstand you can use to take the weight off your laptop's hinge. It also lets you use the SideTrak as a freestanding monitor. Simply clip out the kickstand from the mounting bracket and adjust the kickstand to your preferred viewing angle.

NOTE: The kickstand has a built-in cable guide to keep your included USB-C cable neatly in place. To use, plug the right-angle USB-C head of the cable into the SideTrak's USB-C port, then insert the cable into the kickstand's cable channel.

Using the passthrough power feature

SideTrak's USB-C connections can provide up to 60 watts of power to an external device minus a 15-watt reserve.

To use, plug one of SideTrak's USB-C ports into a USB-C power adapter (not included). The SideTrak will use 15 watts to power the monitor and pass the rest through its other USB-C port.

For example, if using a 60W power adapter, SideTrak will pass through 45 watts. If using a 100W power adapter, SideTrak will pass through 60 watts.

Attaching and detaching the SideTrak

The SideTrak's metal mounting plate will stay on your laptop, making it easy to attach and detach it whenever you need to!

To reattach your SideTrak, angle the SideTrak slightly, "hooking" the mounting bracket to the top of the metal mounting plate. You should feel the SideTrak click onto the magnets. Wiggle the monitor's mounting bracket. If it pops off, it is not fully clicked in. You will hear a loud click when it is properly placed.

QUICK TIP: Your SideTrak doesn't need to be removed to store with your laptop. SideTrak stays securely attached to the metal mounting plate and has a protective cushion for your laptop.

Removing the metal mounting plate



Use the plastic removal tool included with your SideTrak to remove adhesive from the laptop surface.

Follow the steps in the "Installation" section to reattach to your current laptop or to install your SideTrak on a different laptop. Use the spare metal mounting plate included!

Configuration for PC

Configuring a second screen on a PC


- 1** Right click on a blank part of your laptop's home screen.
- 2** Select "Display Settings" from the drop-down menu.
This will pull up a display settings dialogue box.
The SideTrak should automatically register as screen 2.
- 3** Drag and drop screen icons to match your setup.
I.e. If your SideTrak is installed to the left of your laptop, arrange your screens to reflect this.
- 4** Select "Extend these displays" to use the SideTrak as an extension of your laptop.
Best for personal use.
- 5** Select "Duplicate these displays" to use the SideTrak as a copy of your laptop screen.
Best for presenting.



Configuration for Mac

Configuring a second screen on a Mac

- 1** Select the “System Preferences” icon from the dock.
- 2** Select “Displays” from the menu that appears.
This will pull up a display settings dialogue box. The SideTrak should automatically register as screen 2.
- 3** Select “Arrangement” tab at the top of the window, then drag and drop the screen icons to match your setup..
If your SideTrak is installed to the left of your laptop, arrange your screens to reflect this.
- 4** The SideTrak will automatically be set up to work as an extension of your laptop.
Best for personal use.
- 5** Select “Mirror displays” to use the SideTrak as a copy of your laptop screen.
Best for presenting.



FAQs

Q Do I need a download?

No download is required! Just plug in and go.

Q Is my laptop compatible with SideTrak?

Check the ports on your laptop (reference the symbols shown on page 5).

If your laptop has a USB-C port with any of the symbols shown in the “Connecting Your SideTrak Swivel” section, it is compatible, and you will only need to use one cord.


If your laptop doesn’t have a compatible USB-C port or no USB-C port at all, your laptop is not compatible with this monitor.

Q Will the SideTrak work with Mac and PC?

SideTrak should be compatible with all Mac and PC laptops that have compatible USB-C ports as outlined in the “Connecting Your SideTrak Swivel” section.

Q Can the SideTrak be placed on the left of my laptop?

Your SideTrak can be attached to either side of your laptop! Use the included Mounting Guide for instructions on how to properly mount your SideTrak to your preferred side.



Q Can the SideTrak flip around?

Yes! Just swivel or rotate the screen 180° so you can easily share your screen.



Q What if I don't want a metal plate on my laptop?

To continue using SideTrak as an attachable monitor with your laptop, the metal mounting plate will need to remain on your laptop.

A laptop case, skin or cover is compatible with SideTrak, and will also avoid sticking plates directly onto the laptop itself.

To permanently remove the metal mounting plate, use the included removal tool.

Q Can the SideTrak work when not attached to a laptop (by magnet)?

Yes, you can use your SideTrak as a freestanding monitor in landscape or portrait mode.



Q Are SideTrak's magnets safe to have near other electronic devices and credit cards?

Yes. The SideTrak uses device-safe magnets that will not interfere with screens or data.

Q What if I need a new cord or a new metal mounting plate?

Replacement parts can be purchased at www.sidetrak.com

Follow the link to sidetrak.com



Q What warranty is included with the SideTrak?

The SideTrak includes a 1-year limited liability warranty.

Troubleshooting

Q SideTrak will not turn on and/or load.

1. Make sure your laptop is turned on and open.
2. If possible, update your computer to the latest software.
3. Make sure you have a compatible USB-C port (check page 5) to use the USB-C to USB-C cord.
4. Test different ports on your computer when plugging in your SideTrak.
5. Try the SideTrak on another computer.
6. Test the SideTrak with a different USB-C cord if you have an extra.

NOTE: The cable must be USB-C 3.1 Gen 2 or higher.

7. If you are still having trouble with your SideTrak, contact us. We are happy to help you!

Q I accidentally put the metal mounting plate in the wrong place.


1. Use the included removal tool to remove adhesive from the laptop surface.
2. Use the included spare metal mounting plate to attach the metal mounting plate to the desired location.

Q SideTrak won't clip onto the metal mounting plate.

1. It is easiest to clip when the monitor and mounting bracket aren't folded.
2. Line up the SideTrak with the top of the metal mounting plate, "hooking" the mounting bracket to the top of the metal mounting plate.
3. Wiggle the monitor's mounting bracket. If it pops off, then it is not fully clicked in.
4. You will hear a loud click when properly placed.

For more troubleshooting issues please visit our troubleshooting page:
<https://luxor.my.site.com/SideTrakSupport/s/>

Specifications



Screen Size:	15.6"
Refresh Rate:	60Hz
Response Time:	15ms
Brightness:	400 nits
Aspect Ratio:	16:9
Contrast Ratio:	1500:1
Display Colors:	16.7M (8 bit)
Power Consumption:	4.5W
Panel Type:	TFT
Resolution:	1920 x 1080
Connection Type:	USB-C x 2
Interface:	DisplayPort
Passthrough Power:	60W

Limited Liability Warranty

This limited warranty gives you specific legal rights and you may also have other rights. Which vary from state to state. The limited warranty can also be found online at sidetrak.com/pages/warranty and in the documentation we provide with this product. We warranty that during the warranty period, the product will be free from defects in materials and workmanship. We limit the duration and remedies of all implied warranties, including without limitation the warranties of merchantability and fitness for a particular purpose to the duration of this express limited warranty. Some states do not allow limitations of how long an implied warranty lasts, so the above limitation may not apply to you. Our responsibility for defective goods is limited to replacement or refund as described below in this warranty statement.

Q Who may use this warranty?

Stand Steady Company, LLC located at address 8315 Lee Highway, Suite 350, Fairfax, VA 22031 (“we”) extend this limited warranty only to the consumer who originally purchased the product (“you”). It does not extend to any subsequent owner or other transferee of the product.

Q What does this warranty cover?

This limited warranty covers defected in materials and workmanship of the SideTrak Monitor (the “product”) for the Warranty Period as defined below.

Q What does this warranty not cover?

This limited warranty does not cover any damage due to: (a) transportation; (b) storage; (c) improper use; (d) failure to follow the product instructions or to preform any preventative maintenance; (e) modifications; (f) unauthorized repair; (g) normal wear and tear; or (h) external causes such as accidents, abuse, or other actions or events beyond our reasonable control.

Q What is the period of coverage?

This limited warranty starts on the date of your purchase and lasts for 1 year (the “Warranty Period”). The Warranty Period is not extended if we replace or repair the product or extend a refund. We may change the availability of this limited warranty at our discretion, but any changes will not be retroactive.

Q What are your remedies under this warranty?

With respect to any defective product during the Warranty Period, we will, in our sole discretion, either: (a) replace or repair such product (or the defective part) free of charge or (b) refund the purchase price of such product. We will also pay for shipping and handling fees to return the repaired or replacement product to you if we elect to replace or repair the defective product.

Q How do you obtain warranty service?

To obtain warranty service, you must call 240-580-8725 or email our customer service department at customerservice@sidetrak.com during the Warranty Period to receive warranty service. No warranty service will be provided without customer contact within the Warranty Period.

Q Limitation of Liability

The remedies described above are your sole and exclusive remedies and our entire liability for any breach of this limited warranty. Our liability shall under no circumstances exceed the actual amount paid by you for the defective product, nor shall we under any circumstances be liable for any consequential, incidental, special or punitive damages or losses, whether direct or indirect. Some states do not allow the exclusive or limitation of incidental or consequential damages, so the above or exclusion may not apply to you.

SideTrak[®] SWIVEL by **LUXOR**

YOUR EVERYDAY, REIMAGINED