


Auxiliary Modular Ventilation, 5", Duct Out

Minimal



With powerful extraction, this ventilation module fits seamlessly into your benchtop. Combine with our Primary Induction Cooktop and other modular cooktops for the ultimate culinary solution.

- Part of our unique modular cooking solution. Combine with our modular cooktops for complete design freedom
- Seamless kitchen integration, without the need for overhead ventilation
- Links to adjacent cooktop modules, with automatic extraction at the right speed to suit your cooking
- Choose from sleek black glass or subtle gray glass finish to suit your kitchen design

- Designed to fit raised or flush with the benchtop

DIMENSIONS

Height	7 3/8 "
Width	5 1/8 "
Depth	20 7/8 "

SPECIFICATIONS

Fan ratings

Maximum air movement	330 CFM
Maximum speed sound rating	9 sones

Installation and cleaning

Air outlet size	3.25" x 12" (Included), 2.25" x 12" (Optional) "
Dishwasher safe filters	1

Performance

Extraction type	Surface
Fan speeds	5 + Boost
Filter type	Mesh with Stainless Steel filter cover
Number of filters	1

Power Requirements

Connection	Flex cord, 3-pin plug
Service	5 A
Supply frequency	60 Hz
Supply voltage	120 V

Product Dimensions

Depth	20 7/8 "
Height	7 3/8 "
Width	5 1/8 "

Ventilation features

- Auto-off/Run-on timer
- Bluetooth connectivity
- Timer function

SKU	82847
-----	-------

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com



Planning Guide (English)

↓ [Planning Guide \(Canadian French\)](#)

↓ [Planning Guide \(Mexican Spanish\)](#)

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 W www.fisherpaykel.com