

GWHDKIT11C

Share Pro™ USB-C Wireless HD Video Transmitter and Receiver Kit



- Wirelessly share HD content from a USB-C laptop or tablet to a TV/display
- Eliminate the need and expense of running unsightly HDMI cables
- Connect temporary or permanent sources and a TV/display without wires
- Mirror or extend content to a larger screen for effortless viewing
- Reaches an in-room wireless range of up to 60 ft.

Share HD Video From Your Laptop or Tablet to a Larger TV


IOGEAR's Share Pro™ USB-C Wireless HD Video Transmitter and Receiver eliminates unsightly, expensive HDMI cable runs to a laptop, tablet or other AV source in the home, office or on-the-go. Effortlessly share full HD content wirelessly from a USB-C-enabled source to a larger in-room TV or display up to 60 feet away. Create a dedicated, high-speed AV connection without an existing wireless network. Share Pro also travels to meetings, class or on vacation thanks to its portable, compact design.

From a Small Screen to a Larger Screen

Share HD content with guests, coworkers or classmates from your USB-C* laptop, tablet or other AV source to a larger in-room screen up to 60 feet away for effortless expanded or mirrored viewing.

- Wirelessly share HD content from a USB-C laptop or tablet to a TV/display
- Eliminate the need and expense of running unsightly HDMI cables
- Connect temporary or permanent sources and a TV/display without wires
- Mirror or extend content to a larger screen for effortless viewing
- Reaches an in-room wireless range of up to 60 ft.
- Simple, straightforward setup - No software required
- Portable design is ideal for home, office, class or on-the-go
- Utilizes the 5 GHz wireless frequency band for reduced interference
- Dedicated direct connection does not require a local wireless network
- Supports 1080p @60Hz High Definition audio & video streaming
- Transmitter is powered from the USB-C port on your laptop or tablet
- Power receiver via included USB cable from display's USB port or the included wall adapter
- HDMI & HDCP 1.2 compliant
- Windows and Mac compatible





Requirements

- 1 x USB-C with Alternate mode output from the source device such as a laptop or tablet
- 1 x HDMI input to the display or projector

Package Contents

- 1 x USB-C Wireless video extender transmitter
- 1 x Wireless video extender receiver
- 1 x HDMI Extender Cable
- 1 x 90° HDMI Adapter
- 1 x USB-C Extender cable
- 1 x Power adapter
- 1 x Quick Start Guide
- 1 x Warranty Card

Specifications

Function	GWHDKIT11C	Dimensions	GWHDKIT11C
Power Adapter	Input 100~240 VAC, 50/60Hz, 0.3A Tx input USB-C port Rx input 5VDC/2A	Unit Dimensions	
Power		Height	0.625 in
Voltage	TX = USB-C RX = 5V	Depth	1.50 in
Amps	1A	Length	3.50 in
Display Output		Unit Package Dimensions	
HDMI	HDMI 1.3/HDCP1.2	Height	7.50 in
Connectors		Depth	2 in
USB-C	TX = USB-C connector	Length	6 in
Video Input	TX = USB-C male	Master Carton	
Video Output	RX = HDMI male	Width	17.32 in
Housing		Height	18.89 in
Case	Plastic TX and RX	Depth	8.97 in
LEDs		Master Carton Qty.	24
Power On	TX and RX	Weight	
WLAN	TX and RX	Master Carton Wt.	18.91 lb
Power Consumption	TX < 3W/RX < 5W	Unit Pack Wt.	0.76 lb
Video Resolution	480p @ 60Hz, 576p @ 50Hz, 720p @ 50/60Hz, 1080p @ 50/60Hz	Unit Wt.	0.05 lb (x2)
Video Streaming	H.264 <200ms Latency, Max transfer rate 10.2Gbps		
WiFi			
Frequency	5GHz		
Standard	802.11ac		
Warranty	1 - year		
Environment			
Humidity	0 - 90%		
Operation Temperature	32 - 104 F		
Storage Temperature	-4 ~ 158F		
Operating Range	60 ft.		