

MEX-M71BT

Marine CD Receiver with Bluetooth®

Enjoy more music and greater connectivity at sea, with the MEX-M71BT Bluetooth®1 receiver.



- Dual Bluetooth® lets you connect two smartphones simultaneously¹
- Voice control with Siri Eyes Free² and SongPal³
- · High-power amplifier delivers clear, natural-sounding audio
- UV-resistant finish and anti-corrosive coating for durability
- AOA 2.0-compatible USB port lets you connect music players and smartphones

Ready for sun and humidity

The UV-resistant finish can handle bright sunlight, and the anti-corrosive coating stands up to salty sea air.

Tap to connect wirelessly

NFC technology lets you pair your Bluetooth® phone instantly, just by tapping it on the receiver's volume knob.¹

Connect two smartphones, with Dual Bluetooth®

Pair your first phone using Bluetooth for full access to music playback, and communication features. A second phone can be connected simultaneously for making and receiving hands-free calls.

Bring Siri with you

Hook up your iOS device to control the music in it, navigation, messaging, and more, using Siri Eyes Free.²

Take control with SongPal

Have an Android phone? Use SongPal to manage music playback, read messages and control apps by voice.3

High-power amp for rich, clear sound

The built-in four-channel amplifier delivers 4x55 W of power, for loud and natural sound.

Control by talking

Enjoy helpful smartphone features without taking your eyes off the view ahead. Voice control lets you manage music and communicate with contacts, all via simple spoken commands.

EXTRABASS™ boosts the beat

Bring out the dynamics in your music, with enhanced low frequencies from EXTRABASS.

Expand your sound system

With the three pre-outs, you can add components of your choice, like extra amplifiers and subwoofers.

10-band digital equalizer customizes your sound

With 10 adjustable EQ sliders, you can easily fine-tune the sound to your personal tastes. The new karaoke mode quietens vocal tracks for those times when you just can't help singing along.

Choose your colors

Browse 35,000 colors to make the two-zone illumination your own. And when the music starts, lights on the LED screen pulse in time to the song.

Play FLAC files

FLAC compatibility lets you play lossless audio files, so you can enjoy every detail of the music.

Read easily with high-contrast LCD

With five times the contrast of conventional screens, plus an optimized viewing angle, the screen is always easy to read.

Plug in with AOA 2.0 compatible USB port

SONY

The front AOA 2.0-compatible USB port means you can connect music players via cable, along with Android and iOS phones.

SiriusXM™ Satellite radio ready

The on-board SiriusXM™ connector simplifies satellite radio installation by eliminating compatibility issues and providing direct connection to the latest platform of tuners.⁴

Works with Pandora (iOS and Android™)

Pandora® is the leading internet radio service, giving people music they love anytime, anywhere, through personalized radio stations.5 The receiver provides complete access to your Pandora account using most iPhone®, Android™ or Blackberry® phones.

Specifications

| Aux-In Front Ring alert select Yes (Internal/Cellular) Balance Yes Yes (EQ10) EXTRA BASS Yes (1,2) Fader Yes High Pass Filter Yes (80/100/120) Low Pass Filter Yes (80/100/120) Output Power (40hm, 1kHz,16V) Pre Out x 3 Sirius/XM Connector Sub Out Yes Ring volume level control Yes Ring volume level control Yes Bluetooth Audio Feature Audio Codec SBC, AAC Audio Level Adjustment Yes (-6dB - +6dB) CUE/REV Yes Meta Data Indication Yes Sub Out Yes Sub Woofer adjust (LEVEL) Front Yes Ring volume level Yes Noice Control Yes Bluetooth Audio Feature Audio Codec SBC, AAC Audio Level Adjustment Yes (-6dB - +6dB) Audio Level Adjustment Yes Front Yes Front Yes BI Spec. Secure Simple | |
|---|--|
| EQ Yes (EQ10) EXTRA BASS Yes (1,2) Fader Yes High Pass Filter Yes (80/100/120) Low Pass Filter Yes (80/100/120) Output Power (4ohm, 1kHz,16V) Pre Out x 3 Sirius/XM Connector Sub Out Yes Sub Woofer adjust Yes (EQ10) Voice Control Yes Bluetooth Audio Feature Audio Codec SBC, AAC Audio Level Adjustment Yes (-6dB - +6dB) CUE/REV Yes Meta Data Indication Yes TRACK +/- Yes BT Spec. | |
| EQ Yes (EQ10) EXTRA BASS Yes (1,2) Fader Yes High Pass Filter Yes (80/100/120) Low Pass Filter Yes (80/100/120) Output Power (4ohm, 1kHz,16V) Pre Out x 3 Sirius/XM Connector Sub Out Yes Woice Control Yes Bluetooth Audio Feature Audio Codec SBC, AAC Audio Level Adjustment Yes (-6dB - +6dB) CUE/REV Yes Meta Data Indication Face TRACK +/- Yes BT Spec. | |
| Fader Yes High Pass Filter Yes (80/100/120) Low Pass Filter Yes (80/100/120) Output Power (4ohm, 1kHz,16V) Pre Out x 3 Sirius/XM Connector Sub Out Yes Bluetooth Audio Feature Audio Codec SBC, AAC Audio Level Adjustment Yes (-6dB - +6dB) CUE/REV Yes Meta Data Indication Yes PAUSE Yes TRACK +/- Yes BI Spec. | |
| High Pass Filter Yes (80/100/120) Low Pass Filter Yes (80/100/120) Output Power (4ohm, 1kHz,16V) Pre Out x 3 Sirius/XM Connector Yes Sub Out Yes Sub Woofer adjust Yes (80/100/120) Audio Codec SBC, AAC Audio Level Adjustment Yes (-6dB - +6dB) Audio Level Adjustment Yes (-6dB - +6dB) Audio Level Audio Level Adjustment Yes (-6dB - +6dB) Audio Codec SBC, AAC Audio Level Audio Level Audio Level Adjustment Yes Yes TRACK +/- Yes BT Spec. | |
| Audio Level | |
| Coutput Power (4ohm, 1kHz,16V) Pre Out | |
| (4ohm, 1kHz, 16V) 50VV Cue/keV Yes Pre Out x 3 Meta Data Indication Yes Sirius/XM Connector Yes PAUSE Yes Sub Out Yes TRACK +/- Yes Sub Woofer adjust Yes BI Spec. | |
| Sirius/XM Connector Sub Out Yes Indication Yes PAUSE Yes TRACK +/- Yes Sub Woofer adjust Yes PAUSE TRACK +/- Yes BT Spec. | |
| Connector Yes PAUSE Yes TRACK +/- Yes Sub Out Yes Sub Woofer adjust Yes BT Spec. | |
| Sub Woofer adjust Yes BT Spec. BT Spec. | |
| Sub Wootel dajusi Ves | |
| (IEVEL) | |
| Subwoofer Direct Vas | |
| Connection Version 3.0 | |
| Sub Woofer Phase Yes NFC Feature | |
| USB Front NFC One-touch connection Yes | |
| AUX in Feature Display Panel | |
| Auto of mode. Voc | |
| blue looin reduire | |
| # of records connected 9 (HFP+Audio) Pimmer Adjust Yes (On/Off/AT/Clock) Key Illumination Blue | |
| Call history (# of) Yes (20 numbers via PBAP) | |
| Call history browse with PBAP Yes (Combined call) Sound and Color Synchronization Yes | |
| Call Volume Level Yes Yes | |
| Control Connection Status (maximum #) (2HFP+1Audio) Display color (Color Variation/ Nega or Posi) White color/Positive | |
| Echo/Noise Canceler Ves (mode1/mode2) Display Device (LCD/FL/OEL/TFT) LCD (with Acryl) | |
| External Supplied Supplied Key Illumination Variable (2-Zone) USB Shutter Yes | |
| Internal ringtone 2016 Sony Mobile Ringtone USB Mass Strage Device Control Feature | |
| Last dialed call Yes CODEC (for USB) MP3, WMA, FLAC | |
| MIC GAIN Adjustment Yes (Low/Mid/Hi) Yes (Low/Mid/Hi) Yes (Low/Mid/Hi) | |
| Phonebook Access via PBAP Yes List Browsing (Folders/Files) Yes | |
| | |

SONY

| Report ALLIFACK/ARIM Song | | | | |
|--|---------------------|----------------------|-------------------------------------|---------------------------------------|
| System | Repeat | ALL/TRACK/ALBUM | SongPal (iOS) | Yes |
| System OHFA IMMORPICE OHFO West | Resume Play | Yes | | RM-X231,(Option: RM-X8S) |
| Maximum Juruant Live Maximum Juruant | Shuffle | OFF/ALBUM/DEVICE | | · · · · · · · · · · · · · · · · · · · |
| Detachable Panel Detachable | Maximum Current | 1A | | |
| Maximum output 1965 | Specifications cha | art / General | | |
| Remote Input President P | | EE | | Detactionie |
| Cohemic Cohe | 1kHz, 16V)(W) | 55 | Remote Input | Yes |
| AZUP | | 220 | | |
| Invest (V) | | | | |
| PBAP Yes SPP Yes SPP Yes SPP Yes SPP Yes SPP Pause Yes Sofely Standard Y | | 2 | | |
| Poundard Init (8T) Yes Safety Standard | iPod Control Feat | ure | | |
| Pandard Link (B) Yes | CODEC (for iPod) | Depend on iPod | | |
| Repeat ALL/TRACK AUS/NZL Yes | Pandora Link (BT) | Yes | | Yes |
| Resume Play Yes Shuffle OFF/IRACK FCC Yes | Pause | Yes | • | |
| Shuffler OFF/IRACK USB-capable USB Android Open Accessory Protocol USB Mast Storage Device USB Mast Storage Period USB Mast Storage Device Special Storage Pres Special Storage Device USB Mast Storage Device Special Storage Pres Special Storage Device Note Special Storage Device Note Special Storage Device Note Special Storage Device Note Special Storage Device Device Special Storage Device Special Stor | Repeat | ALL/TRACK | | |
| Mexico_NOM Yes Wes | Resume Play | Yes | | Yes |
| USB Android Complex Ves (2.0) Complex Ves (2.0) Complex Ves (2.0) Ves (2.0) Complex Ves (2.0) Complex Ves (2.0) Ves (2.0) Complex Complex Ves (2.0) Complex Ves (2.0) Complex | Shuffle | OFF/TRACK | FCC | Yes |
| USB Mas Storage Device USB Media Transfer Protocol USB Mas Storage Device USB Media Transfer Protocol USB Mas Storage Device USB Media Transfer Protocol USB Media Transfer Protocol Instruction Manual Language Instruction Instruction Manual Instruction Instruc | USB-capable | | | Yes |
| Device Ves Specification's child Ves Section Ves | Open Accessory | Yes (2.0) | (*Complicated Chinese translated | Yes |
| Separation (dB) Separation | | Yes | Specifications cha | art / Tuner |
| Arabic Ves (only data) Complicated Chinese (only data) English Ves French Ves (MHz) Spain Ves French Ves (MHz) Anti-fusted screw for forn fand sub panel Conformal coating for circuit board Plastic cover for Chassis UV Exposure (ASTM G154) UV Exposure (ASTM G154) Other features MEX-M71BT Network Carrier Food (ASTM G256) Pondora Link (BT) Ves FMS: Selectivity (400 (MHz) 75 FMS: Selectivity (400 (MHz | | Yes | | 50 |
| Arabic Yes (only data) FM: S/N ratio (mono) (dB) 73 | Instruction Manuc | ıl Language | | 20-15k |
| Complicated Chinese (only date) Yes FM: Selectivity (400 kHz) (400 kHz | Arabic | Yes (only data) | | |
| English | Chinese (only | Yes | (mono) (dB) | |
| French Yes FM: Luning range 87.5-107.9,87.5-108.0 Spain Yes FM: Usable Sensitivity (75 ohm) (dBf) Marine Feature MW: Tuning Tange (kHz) S31-1602.530-1710 Tuner Feature Tuner Feature | | Vos | kHz) (dB) | 75 |
| Marine Feature | _ | | | 87.5-107.9,87.5-108.0 |
| Marine Feature Anti-rusted screw for front and sub panel Conformal coating for circuit board Plastic cover for Chassis UV Exposure (ASTM G154) Other features Auto-paring for IOS devices Device Name MEX-M71BT Network Carrier Information Ves (Black Chromate) Yes (Black Chromate) AMW: Tuning range(kHz) FM 9K/10K change AM 9K/10K change Yes AM 9K/10K initial 10k FM 50k/100k/200k change Preset FM18/AM12 Preset FM18/AM12 Weights and Measurements Dimensions (Approx.) Network Carrier Information Yes Siri Eyes Free Mode Yes Toure Feature AM 9K/10K initial 10k FM 50k/100k/200k change Yes Weight Solve 10k AM 9K/10K initial 10k FM 50k/100k/200k change Yes Preset FM18/AM12 Preset FM18/AM12 Network Carrier Information Yes Weights and Measurements (Approx.) 178 x 50 x 177 mm (WxHxD) Mounting dimensions: 182 x 53 x 160 mm (WxHxD) Weight (Approx.) 1.2 kg Pandora Link (BT) Yes Siri Eyes Free Mode Yes | | | , , | |
| for front and sub panel Conformal coating for circuit board Plastic cover for Chassis UV Exposure (ASTM G154) Other features Auto-paring for IOS devices Device Name MEX-M71BT Network Carrier Information Person (Wash) Ves (Black Chromate) Tuner Feature AM 9K/10K AM 9K/10K initial 10k FM 50k/100k/200k change Preset FM18/AM12 RDS / EON Weights and Measurements Device Name MEX-M71BT Network Carrier Information Yes Pandora Link (BT) Ves Siri Eyes Free Mode Yes Sa1-1602,530-1710 531-1602,530-1710 531-1602,530-1710 531-1602,530-1710 531-1602,530-1710 531-1602,530-1710 Sequence AM 9K/10K initial 10k FM 50k/10K/200k change Yes Weights and Measurements Dimensions (Approx.) Mounting dimensions: 182 x 53 x 160 mm (WxHxD) Weight (Approx.) 1.2 kg Cosmetic Print Siri Eyes Free Mode Yes | | 165 | sensitivity (75 ohm) | 8 |
| Conformal coating for circuit board Plastic cover for Chassis UV Exposure (ASTM G154) Other features Auto-paring for iOS devices Device Name MEX-M71BT Network Carrier Information Plastic cover for Yes AM 9K/10K initial 10k FM 50k/100k/200k change Preset FM18/AM12 RDS / EON Weights and Measurements Weights and Measurements Dimensions (Approx.) Meant of MEX-M71BT Weight (Approx.) Weight (Approx.) Siri Eyes Free Mode Yes Tuner Feature AM 9K/10K change Yes Wes AM 9K/10K initial 10k FM 50k/100k/200k change Yes Preset FM18/AM12 RDS / EON Yes (RBDS) Weights and Measurements Dimensions (Approx.) Mounting dimensions: 182 x 53 x 160 mm (WxHxD) Mounting dimensions: 182 x 53 x 160 mm (WxHxD) Network Carrier Information Yes Cosmetic Print **Wx4 55 | for front and sub | Yes (Black Chromate) | | 531-1602,530-1710 |
| coating for circuit board Plastic cover for Chassis Ves Yes AM 9K/10K change AM 9K/10K initial 10k FM 50k/100k/200k change Yes UV Exposure (ASTM G154) Other features Auto-paring for iOS devices Device Name MEX-M71BT Network Carrier Information Network Carrier Information Pandora Link (BT) Siri Eyes Free Mode Yes AM 9K/10K change Yes AM 9K/10K initial 10k FM 50k/100k/200k change Yes Yes Weights and Measurements Dimensions (Approx.) 178 x 50 x 177 mm (WxHxD Mounting dimensions: 182 x 53 x 160 mm (WxHxD | • | | Tuner Feature | |
| Chassis UV Exposure (ASTM G154) Other features Auto-paring for IOS devices Device Name MEX-M71BT Network Carrier Information Pandora Link (BT) Pess FM 50k/100k/200k change Preset FM18/AM12 RDS / EON Weights and Measurements Dimensions (Approx.) Mounting dimensions: 182 x 53 x 160 mm (WxHxD) Weight (Approx.) 1.2 kg Cosmetic Print **Wx4 55 | coating for circuit | Yes | | Yes |
| UV Exposure (ASTM G154) Other features Auto-paring for iOS devices Device Name Network Carrier Information Network Carrier Information Pandora Link (BT) Siri Eyes Free Mode Yes Preset FM18/AM12 RDS / EON Yes (RBDS) Weights and Measurements Dimensions (Approx.) 178 x 50 x 177 mm (WxHxD Mounting dimensions: 182 x 53 x 160 mm (WxHxD | | Yes | | 10k |
| Other features Auto-paring for iOS devices Device Name MEX-M71BT Network Carrier Information Pandora Link (BT) Siri Eyes Free Mode Yes Weights and Measurements Dimensions (Approx.) MEX-M71BT Dimensions (Approx.) Weight (Approx.) 178 x 50 x 177 mm (WxHxD) Mounting dimensions: 182 x 53 x 160 mm (WxHxD) Weight (Approx.) 1.2 kg Cosmetic Print **Wx4 55 | | Yes | change | |
| Auto-paring for iOS devices Device Name MEX-M71BT Network Carrier Information Pandora Link (BT) Siri Eyes Free Mode Yes Weights and Measurements Dimensions (Approx.) Mounting dimensions: 182 x 53 x 160 mm (WxHxD) Weight (Approx.) 1.2 kg Cosmetic Print **Wx4 55 | , | | | |
| Device Name MEX-M71BT Network Carrier Information Pandora Link (BT) Yes MEX-M71BT Dimensions (Approx.) 178 x 50 x 177 mm (WxHxD Mounting dimensions: 182 x 53 x 160 mm (WxHxD Weight (Approx.)) 1.2 kg Cosmetic Print **Wx4 55 | | Voc | | , , |
| Network Carrier Information Yes Weight (Approx.) Weight (Approx.) Yes Cosmetic Print **Wx4 ** | | Yes | - | |
| Network Carrier Information Yes Weight (Approx.) 1.2 kg Pandora Link (BT) Yes Cosmetic Print **Wx4 55 **Wx4 55 | | MEX-M71BT | | • |
| Siri Eyes Free Mode Yes **Wx4 55 | | Yes | | · · · · · · · · · · · · · · · · · · · |
| Sin Lyes free Wede 165 | Pandora Link (BT) | Yes | | |
| SongPal (Android) Yes Bluetooth logo Yes | Siri Eyes Free Mode | Yes | | 55 |
| | SongPal (Android) | Yes | Bluetooth logo | Yes |

SONY

| Cosmetic Sticker | Sticker, 5 months | |
|--------------------------------|-------------------|--|
| IR | Yes | |
| Other logos | NFC logo | |
| Phone mark icon (Green/Red) | Yes on "CALL" Key | |
| Product name | Yes | |
| Sirius/XM Ready Logo | Yes | |
| USB jack logo (Trident) | Yes | |
| iPod Control Feature | | |

| CODEC (for iPod) | Depend on iPod | | | |
|-------------------------|--|--|--|--|
| Pandora Link (BT) | Yes | | | |
| Pause | Yes | | | |
| Repeat | ALL/TRACK | | | |
| Resume Play | Yes | | | |
| Shuffle | OFF/TRACK | | | |
| Accessories | | | | |
| Supplied Accessories | Warranty card Trim Ring (Collar) (Black, not Painted) Cap for AUX-IN | | | |

- 1. Interoperability and compatibility among Bluetooth® devices vary.
- 2. Siri is available on iPhone 4s or later, iPad Pro, iPad Air or later, iPad (3rd generation) or later, iPad mini or later, and iPad touch (5th generation or later) and requires internet access. Siri may not be available in all languages or in all areas, and features may vary by area. Cellular data charges may apply.
- 3. Requires download of SongPal app for iPhone from the App Store or for Android from Google Play. User must link compatible devices in order to control operation. Subject to app terms and conditions.
- 4. Requires tuner and subscription, sold separately.
- $5. \ Pandora^{\circ} \ is \ only \ available \ in \ certain \ countries. \ Please \ visit \ http://www.pandora.com/legal \ for \ more \ information.$

©2017 Sony Electronics, Inc. All rights reserved. Reproduction in whole or in part without written permission is prohibited. Sony and the Sony logo are registered trademarks of Sony Corporation. Bluetooth and the Bluetooth logo are trademarks of Bluetooth SIG, Inc. All other trademarks are trademarks of their respective owners. Features and specifications are subject to change without notice. Updated: February 10, 2017