

**Test Report** No.: T52210320361TY Date: OCT 26, 2022 Page 1 of 10

VOXX ACCESSORIES CORP.

3502 WOODVIEW TRACE, SUITE 220, INDIANAPOLIS, IN 46268

The following samples were submitted and identified by/on behalf of the client as:

SLEEPY SLOTH SOUND SOOTHING CRIB PROJECTOR

Model No. : PNCP100
Supplier : GNY
Country of Origin : CHINA

Country of Destination : CANADA, UNITED STATES

Labeled Age Grading : 0+

Requested Age Grading : NOT STATED

\*\*\*\*\*\*\*\*\*\*\*\*\*

SGS Ref. No. : CP22-051037
Age Group Applied in Testing : ALL AGES
Sample Receiving Date : OCT 12, 2022

Testing Period : OCT 12, 2022 TO OCT 26, 2022





**Test Report** No.: T52210320361TY Date: OCT 26, 2022 Page 2 of 10

Test	Conclusion	
1.	For compliance with test requirement of the Physical & Mechanical, Flammability test requirement of Title 16, Code of Federal Regulations, Chapter II – Consumer Products Safety Commission of U.S.A	
	Physical and mechanical tests consisting US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 and US CPSC 16 CFR 1501:	
	- US CPSC 16 CFR 1500.48 – Technical requirements for determining a sharp point in toys and other articles intended for use by children under 8 years of ages	
	<ul> <li>US CPSC 16 CFR 1500.49 – Technical requirements for determining a sharp metal or glass edge in toys and other articles intended for use by children under 8 years of age</li> </ul>	PASS
	- US CPSC 16 CFR 1501 – Method for identifying toys and other articles intended for use by children under 3 years of age which present choking, aspiration, or ingestion hazards because of small parts	
	US CPSC 16 CFR 1500.44 – Method for determining extremely flammable and flammable solids	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\* To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307

Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banúan) Industrial Plant Area, No.501, Jihus Rood, Banúan Chmunihy, Banúan Street, Longgang District, Shenzhen, Guangdong, Chine 518129 www.spsgroup.com.cn 中国。广东、深圳市龙岗区坂田街道坂田社区吉华路 430 号江瀬(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮第:518129 t (86-755) 25328888 sgs.china@sgs.com



**Test Report** No.: T52210320361TY Date: OCT 26, 2022 Page 3 of 10

Test	Conclusion	
2.	Title 16, Code of Federal Regulations, Chapter II - Consumer Products Safety Commission of U.S.A Part 1303 - Ban of Lead - Containing Paint and Certain Consumer Products Bearing Lead - Containing Paint – Lead Content	PASS
3.	Tracking label per 15 U.S.C. § 2063(a)(5) and Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels for children's products.	PASS
4.	CPSIA section 101 - Total Lead content	
	CPSIA section 101(f) (1) – Lead in paint/similar surface coating material	PASS
	CPSIA section 101(a) (2) – Lead in accessible substrate materials (Including Children's Metal Jewelry)	PASS
5.	US 16 CFR Part 1307 – Phthalates	PASS

\*\*\*\*\*\*\* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) \*\*\*\*\*\*\*

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center

Huang Yao, Lucy Section Head Qu Ping, Kiky Dept. Manager





**Test Report** No.: T52210320361TY Date: OCT 26, 2022 Page 4 of 10

#### Results:

#### **US CPSC**

# PHYSICAL AND MECHANICAL TESTS CONSISTING US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 AND US CPSC 16 CFR 1501

AS SPECIFIED IN PHYSICAL AND MECHANICAL TESTS CONSISTING US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 AND US CPSC 16 CFR 1501

	No. of	Sharp point	Sharp edge	
	sample	(16 CFR	(16 CFR	Small part
	tested	1500.48)	1500.49)	(16 CFR 1501)
As received	1	Pass	Pass	Pass
Impact test (16 CFR 1500.51b)	1	Pass	Pass	Pass
Bite test (16 CFR 1500.52c)	1	N/A	N/A	N/A
Flexure test (16 CFR 1500.53d)	0	N/A	N/A	N/A
Torque test (16 CFR 1500.53e)	1	Pass	Pass	Pass
Tension test (16 CFR 1500.52f)	1	Pass	Pass	Pass
Compression test (16 CFR	1	Pass	Pass	Pass
1500.53g)				

N/A = Not Applicable

# US CPSC 16 CFR 1500.44 – METHOD FOR DETERMINING EXTREMELY FLAMMABLE AND FLAMMABLE SOLIDS

AS SPECIFIED IN US CPSC 16 CFR 1500.44 – METHOD FOR DETERMINING EXTREMELY FLAMMABLE AND FLAMMABLE SOLIDS

Sample
SLEEPY SLOTH SOUND SOOTHING CRIB
PROJECTOR

Burning Rate (inch/sec)
DNI
DNI

Requirement: A toy / component is considered a "flammable solid" if it ignites and burns with a self-sustaining flame at a rate greater than 0.10 in/sec along its major axis.

DNI = Did Not Ignite



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Comment-Service-Propositions-Propositions-Propositions-Propositions-Propositions-Propositions-India

Room (1-1-0ft) and 1-4 Room (1) Flant 2 Room (1) Flant 2 Room (1) Flant 3 Room (1) Flant 2 Room (1) Flant 3 Room (1) Flant 2 Room (1) Flant 3 Flant 3 Flant (1) Flant 3 Flant 3 Flant (1) Flant 3 Fl



**Test Report** No.: T52210320361TY Date: OCT 26, 2022 Page 5 of 10

## CPSC 16 CFR 1303 - Lead in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

Test Item(s)	Lead (Pb)		
Permissible Limit (ppm)	90		
Specimen Description Alias No.		Tracing No.	Result(s) (ppm)
<ol> <li>Green wet paint (Body) + Cream wet paint (Face) + Black wet paint (Eye, mouth)</li> </ol>	4	1	ND
2. White wet paint (Eye) + Grey wet paint (Lettering)	4	2	ND

Note: - ppm = parts per million

- ND = Not Detected (lower than MDL)

- MDL = Method Detection Limit = 10 ppm

-1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- <sup>A</sup> Test result is over the action limit as suggested by CPSC-CH-E1003-09.1. As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- \* Exceeds Permissible Limit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Comment.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Comment.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention: To check the authenticity of testing / insection report & certificate, please contact us at telephone.@6-755 8307

Room (1-1-0ft) and 4 Room (1) Flant 2 Room (10, Flant 2 Room (10



**Test Report** No.: T52210320361TY Date: OCT 26, 2022 Page 6 of 10

As specified in 15 U.S.C. § 2063(a)(5) and Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels for children's products.

- Tracking label on the packaging: Present

- Tracking label on the product: Present

Note: The tracking label assessment was based on the submitted samples and the information provided by the applicant. There was no verification on the validity of such information.

### CPSIA - Lead in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

Test Item(s)	Lead (Pb)		
Permissible Limit (ppm)	90		
Specimen Description		Tracing No.	Result(s) (ppm)
<ol> <li>Green wet paint (Body) + Cream wet paint (Face) + Black wet paint (Eye, mouth)</li> </ol>	2	1	ND
2. White wet paint (Eye) + Grey wet paint (Lettering)	2	2	ND

Note: - ppm = parts per million

- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit = 10 ppm
- -1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- <sup>A</sup> Test result is over the action limit as suggested by CPSC-CH-E1003-09.1. As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- \* Exceeds Permissible Limit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Comment-Service-Propositions-Propositions-Propositions-Propositions-Propositions-Propositions-India

Room (M-MM, Panta 4 Room (M, Pant 2 Room (M, Pant 3 Room M) (M, Pant 3 Room M) (M, Plant 3, Danghao) Banirah) Industrial Plant Area, Na.40, Ahua Road, Banirah Camuning, Banirah Street, Longgang District, Shendhen, Guangdong, China 518129 www.spsgroup.com.cr 中国一广东·深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 劇場: 518129 t (86-755) 25328888 sgs.china@sgs.com



**Test Report** No.: T52210320361TY Date: OCT 26, 2022 Page 7 of 10

### **CPSIA - Lead in Accessible Substrate Materials**

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3 - Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product

Method (metal materials): With reference to CPSC-CH-E1001-08.3 - Standard Operating Procedure for Determining Total Lead (Pb) in Children's Metal Products (Including Children's Metal Jewelry)

Test Item(s)	Lead (Pb)		
Permissible Limit **(ppm)	100		
Specimen Description	Tracing No.	Result(s) (ppm)	
<ol> <li>Green plastic (Body, button) + Brown plastic (Body) + Apricot plastic (Body)</li> </ol>	1	1	ND
2. Transparent plastic sheet (Lampshade) + Pink plastic (Nose) + Off-white plastic (Lampshade)	1	2	ND
3. Black plastic (Buckle) + White plastic (Face) + Black foam w/ adhesive (Pad)	1	3	63
4. Silvery metal screw (Battery box)	3	1	ND

<sup>\*\*</sup> Permissible Limit applies to a children's product manufactured after 14 August 2011 (Public Law 110-314 (Consumer Product Safety Improvement Act of 2008) and its Amendments Public Law 112-28)

Note: - ppm = parts per million

- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit = 10 ppm
- 1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- <sup>A</sup> Test result is over recommended action limit (80% of the regulatory limit). As the result is based on composite test and falls into an uncertain range, where "Pass" or "Fail" cannot be truly defined, "Interim-Fail" is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- \* Exceeds Permissible Limit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Comment.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Comment.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention: To check the authenticity of testing / insection report & certificate, please contact us at telephone.@6-755 8307

THAS, OF CHINAIT: CH. DOCCOMECK WESS, COOT MAN (Plant 3 Room 81/60), Plant 3, Jianghao (Barirain) Industrial Plant Area, No. 50, Ahua Road Randian Chmunith, Bartian Street, Longgang Disrict, Shenzhen, Giangdong, China 518129 www.spsgroup.com.cr 中国・广东・深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 劇館: 518129 t (86-755) 25328888 sgs.china@sgs.com



**Test Report** No.: T52210320361TY Date: OCT 26, 2022 Page 8 of 10

## US 16 CFR Part 1307 - Phthalates Content

Method: With reference to CPSC-CH-C1001-09.4

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS) / High Performance Liquid Chromatography with Mass Spectrometer (HPLC-MS)

Test Item(s)	CAS No.	Result	(s) (%)		
Alias No.		5	5	MDL (0/)	Permissible Limit (%)
Tracing No.		1	2	MDL (%)	
Specimen No.		1	2		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	0.003	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	0.003	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	0.003	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	0.010	0.1
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	0.003	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	0.003	0.1
Di-n-pentlyl phthalate (DPP/DPEP/DPENP)	131-18-0	ND	ND	0.003	0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	0.003	0.1

Test Item(s)	CAS No.	Result (s) (%)			
Alias No.		5	5	MDL (%)	Permissible Limit (%)
Tracing No.		3	4	WIDL (%)	
Specimen No.		3	4		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	0.003	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	0.003	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	0.003	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	0.010	0.1
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	0.003	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	0.003	0.1
Di-n-pentlyl phthalate (DPP/DPEP/DPENP)	131-18-0	ND	ND	0.003	0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	0.003	0.1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Comment.aspx">http://www.sgs.com/terms-and-Conditions/Terms-and-Comment.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307

Room 101-091 Part & Room 101-19 Part & Room 101-19 Part & Room 101-19 Part A Room 101-1



**Test Report** No.: T52210320361TY Date: OCT 26, 2022 Page 9 of 10

## Specimen Description:

- 1. Green plastic (Body, button) + Brown plastic (Body) + Apricot plastic (Body)
- 2. Transparent plastic sheet (Lampshade) + Pink plastic (Nose) + Off-white plastic (Lampshade)
- 3. Black plastic (Buckle) + White plastic (Face)
- 4. Black foam w/ adhesive (Pad) w/ Green coating on plastic (Body) w/ Cream coating on plastic (Face) w/ Black w/ white coating on plastic (Eye, mouth) w/ Grey coating on plastic (Lettering)

Note: - % = percentage by weight

- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit
- -1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the total specimen weight
- A Result is made based on the composite test which may have the probability of one or more components that can lead to a failure conclusion. Individual test is highly recommended for each component
- \* Exceeds Permissible Limit

N.B.: - Only applicable clauses were shown.





**Test Report** No.: T52210320361TY Date: OCT 26, 2022 Page 10 of 10

#### Remark:

1. Since the data and / or information above division line of front page is provided by the applicant, the relevant results or conclusions of this report are only made for these data and / or information, SGS shall not be responsible for the authenticity and integrity of such data and information and the validity of the results and / or conclusions arising therefrom. Testing results only apply to the sample as received.

2. The statement of conformity has considered the decision rule based on the Guarded acceptance (8.3.2 of ISO/IEC GUIDE 98-4:2012). When the measured value falls within the guard band, only the test data and measurement uncertainty will be reported. The guard band is equal to the expanded measurement uncertainty with a 95% coverage probability(k=2), w = U<sub>95</sub>. The Probability of False Accept and the Probability of False Reject of the decision rule are 2.5%.

For Upper Tolerance Limit (Tu):

Pass - when the measurement result is below Tu-U95

Fail - when the measurement result is above T<sub>U</sub>+U<sub>95</sub>

Inconclusive - when the measurement result is falling in guard band [Tu-U95, Tu+U95]

For Lower Tolerance Limit (T<sub>L</sub>):

Pass - when the measurement result is above T<sub>L</sub>+U<sub>95</sub>

Fail - when the measurement result is below T<sub>L</sub>-U<sub>95</sub>

Inconclusive - when the measurement result is falling in guard band [T<sub>L</sub>-U<sub>95</sub>, T<sub>L</sub>+U<sub>95</sub>]

## Sample Photo:



SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulled leaw. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention: To check the authenticity of testing / inspection report & certificate please contact us at telephone:(86-755) 8307

Room 19-141, Pan 4 & Room 191, Pan 1 × Room 191