Specification Detail of Model LW328DD

Specification		
Product Model	LW328DD	
Storage Capacity	26.8 cubic feet	
Overall Wine Bottle Capacity (750ml Standard Bordeaux)	<mark>255</mark>	
Installation Type	built-in or freestanding	
Color/Finish	black cabinet	
	metal, stainless steal, glass, wood,	
Primary Material	wire	
Door Style	double pane, tinted, French door	
Cooling System	compressor	
Defrost System	frost free	
Anti-Vibration Technology	Yes	
Ventilation Location	Front	
Fan Type	Interior	
Humidity Control	>65%	
Integrated Lock	No	
Quiet Operation	42 dB	
Stain Resistant	antirust coat	
Odor Resistant	activated carbon filter	
Leak-proof	water pan	
Voltage	110-120 volts	
Frequency	60Hz	
Amperage	2.5 amperes	
Country of Origin	China	
Refrigerant	R600a	
Interior Light	Yes	
Bulb Type	white LED	
Adjustable Feet	Yes (From 0 to 0.4 Inch)	
Temperature Specification		
Temperature Zones	dual zone	
Overall Minimum Temperature	46 degrees F	
Overall Maximum Temperature	64 degrees F	
First Zone Bottle Capacity	105	
First Zone Minimum Temperature	46 degrees F	
First Zone Maximum Temperature	54 degrees F	
	150	




Second Zone Minimum Temperature Second Zone Maximum Temperature Doors Door Suring Orientation Center Number of Doors 2 Door Material Door Material Door Material Setalis Door Material Setalis Door Opening Degree to Slide out Shelves Door Reversible No Shelves Shelves Shelves Shelves to different heights No Number of Shelves Shelve Material Shelves slide out degree Full shelve size (Width x Depth x Height) Full shelve size So 9001 Certified Ves So 9001 Certif			
Wine Bottle Capacity Temperature Display Type Doors Door Handle Design Door Swing Orientation Center Number of Doors Door Material Door Material Details Door Material Details Door Color/Finish Door Color/Finish Door Opening Degree to Slide out Shelves UV Resistant Poor Reversible No Shelves Adjustable Shelves to different heights No Number of Shelves Shelve Material Deepth Steel Width x Depth x Height) Door Stelves Certifications Listings&Approvals ETL Listed Sto 900 Lertified Ves Unit Dimension and Weight Overall Width - Side to Side Overall Depth - Front to Back Door Height - Top to Bottom Door Height - Top to Bottom Door Height - Top to Bottom Door Height - Front to Back Door Width - Side to Side Door Height - Front to Back Door Width - Side to Side Door Height - Front to Back Door Width - Side to Side Door Height - Front to Back Door Width - Side to Side Door Width - Side to Side Door Width - Side to Side Door Width - Front to Back Door Width - Front to Back Door Width - Front to Back Door Width - Side to Side Door Width - Side to Side Door Width - Side to Side Door Width - Front to Back Door Width - Front to Ba	Second Zone Minimum Temperature	54 degrees F	
Temperature Display Type Doors Door Handle Design external Door Swing Orientation center Number of Doors 2 Door Material tempered glass Door Material Details tinted double pane Door Octoin/Finish stainless steel Door Opening Degree to Slide out Shelves >90° UV Resistant Yes Door Reversible No Shelves Adjustable Shelves to different heights No Number of Shelves 15 full shelves + 1 half shelf Shelve Material beech wood Shelve Side out degree 75% Full shelve size (Width x Depth x Height) 27.9x21.7x1.5inches Half shelve size (Width x Depth x Height) 27.9x21.7x1.5inches Certifications Listings&Approvals ETL Listed Yes Unit Dimension and Weight Overall Height - Top to Bottom 79.5 inches Overall Width - Side to Side 32.4 inches Depth - Front to Back 29.1 inches Interior Height - Top to Bottom 71.7 inches Interior Height - Top to Bottom 73.6 inches Door Depth - Front to Back 22.0 inches Door Depth - Front to Back 23.4 inches Door Height - Top to Bottom 73.6 inches Door Height - Top to Bottom 73.6 inches Door Height - Top to Bottom 73.6 inches Door Depth - Front to Back 23.4 inches Door Depth - Front to Back 24.9 inches Cutout Width - Side to Side 34 inches Cutout Width - Side to Side 34 inches Cutout Unith - Front to Back 27.8 inches Cutout Width - Front to Back 27.8 inches Cutout Height - Top to Bottom 79.9 inches	Second Zone Maximum Temperature	64 degrees F	
Doors External Door Handle Design external Door Swing Orientation center Number of Doors 2 Door Material tempered glass Door Material Details tinted double pane Door Color/Finish stainless steel Door Opening Degree to Slide out Shelves >90° UV Resistant Yes Door Reversible No Shelves Adjustable Shelves to different heights No Shelves Shelves Shelves to different heights No No Shelves Shelves to different heights No Shelves Shelves to different heights No No Shelves Shelves to different heights No Shelves Shelves to different heights No Shelves Shelves to different heights Approval Shelves Shelves to different heights Approval Cettifications Listings&Approvals ETL Listed Ves Yes <	Wine Bottle Capacity	<mark>255</mark>	
Door Handle Design external Door Swing Orientation center Number of Doors 2 Door Material tempered glass Door Material Details tinted double pane Door Color/Finish stainless steel Door Opening Degree to Slide out Shelves >90° UV Resistant Yes Door Reversible No Shelves Adjustable Shelves to different heights No Number of Shelves 15 full shelves + 1 half shelf Shelve Material beech wood Shelves slide out degree 75% Full shelve size (Width x Depth x Height) 27.9x21.7x1.5inches Half shelve size (Width x Depth x Height) 27.9x21.7x1.5inches ETL Listed Yes ISO 9001 Certified Yes Unit Dimension and Weight Overall Height - Top to Bottom 79.5 inches Depth - Front to Back 29.1 inches Interior Height - Top to Bottom 71.7 inches Interior Depth - Front to Back 22.0 inches Door Width - Side to Side 32.4 inches Door Height - Top to Bottom 73.6 inches Door Width - Top to Bottom 73.6 inches Door Width - Side to Side 32.4 inches Door Height - Top to Bottom 73.6 inches Door Width - Side to Side 32.4 inches Door Height - Top to Bottom 73.6 inches Door Width - Side to Side 32.4 inches Door Depth - Front to Back 13 inches Door Depth - Front to Back 27.8 inches Cutout Width - Side to Side 34 inches Cutout Width - Side to Side 27.8 inches Cutout Unith Height - Top to Bottom 79.9 inches	Temperature Display Type	touch screen	
Door Swing Orientation center Number of Doors 2 Door Material tempered glass Door Color/Finish stainless steel Door Opening Degree to Slide out Shelves >90° UV Resistant Yes Door Reversible No Shelves Adjustable Shelves to different heights No Shelves Adjustable Shelves to different heights No Number of Shelves Shelves shelves to different heights No Number of Shelves Shelves shelves to different heights No Number of Shelves Shelves shelves to different heights No Number of Shelves 15 full shelves + 1 half shelf Shelves (Width x Depth x Height) 27.9x21.7x1.5inches Shelves (Width x Depth x Height) 27.9x21.7x1.5inches Lett (Width x Depth x Height) 27.8x16.5x1.5inches Certifications Listings&Approvals ET Listed Yes	Doors		
Number of Doors Door Material Door Material Details Door Color/Finish Door Color/Finish Stainless steel Door Opening Degree to Slide out Shelves UV Resistant Pes Door Reversible No Shelves Adjustable Shelves to different heights No Number of Shelves Adjustable Shelves to different heights No Number of Shelves Shelve Material Shelve Material Shelve Side out degree Full shelve size (Width x Depth x Height) 27.9x21.7x1.5inches Half shelve size (Width x Depth x Height) 27.9x21.7x1.5inches Certifications Listings&Approvals ETL Listed Yes ISO 9001 Certified Yes Unit Dimension and Weight Overall Height - Top to Bottom Overall Width - Side to Side Overall Depth - Front to Back Depth - Excluding Handles Interior Height - Top to Bottom Toor Height - Top to Bottom Toor Height - Top to Bottom Door Height - Top to Bottom Toor Height - Top to Bottom Door Height - Top to Bottom Door Height - Top to Bottom Toor Height - Top to Bottom Door Width - 1 Piece Door Depth - Front to Back Depth With Door Open at 90 Degrees 43.9 inches Cutout Width - Side to Side Cutout Width - Side to Side 27.8 inches Cutout Uppth - Front to Back Cutout Uppth - Front to Back Cutout Uppth - Front to Back Cutout Height - Top to Bottom Top 99 inches	Door Handle Design	external	
Door Material tempered glass Door Material Details tinted double pane Door Color/Finish stainless steel Door Opening Degree to Slide out Shelves 990° UV Resistant Yes Door Reversible No Shelves Adjustable Shelves to different heights No Number of Shelves 15 full shelves + 1 half shelf Shelve Material beech wood Shelves 155 with x Depth x Height) 27.9x21.7x1.5inches Half shelve size (Width x Depth x Height) 27.9x21.7x1.5inches Half shelve size (Width x Depth x Height) 27.8x16.5x1.5inches Certifications Listings&Approvals ETL Listed Yes ESO 9001 Certified Yes Unit Dimension and Weight Overall Height - Top to Bottom 79.5 inches Overall Depth - Front to Back 29.1 inches Depth - Excluding Handles 27.4 inches Interior Height - Top to Bottom 71.7 inches Interior Width - Side to Side 29.5 inches Door Height - Top to Bottom 73.6 inches Door Width - Side to Side 1.3 inches Door Width - Front to Back 1.3 inches Door Depth - Front to Back 1.3 inches Door Depth - Front to Back 1.3 inches Door Depth - Front to Back 2.7.8 inches Cutout Width - Side to Side 34 inches Cutout Width - Side to Side 27.8 inches Cutout Width - Side to Side 27.8 inches Cutout Uppth - Front to Back 27.8 inches Cutout Height - Top to Bottom 79.9 inches	Door Swing Orientation	center	
Door Material Details Door Color/Finish Stainless steel Door Opening Degree to Slide out Shelves Ves Door Reversible No Shelves Adjustable Shelves to different heights No Number of Shelves 15 full shelves + 1 half shelf Shelve Material beech wood Shelves slide out degree 75% Full shelve size (Width x Depth x Height) 27.9x21.7x1.5inches Half shelve size (Width x Depth x Height) 27.8x16.5x1.5inches Certifications Listings&Approvals ETL Listed Yes 150 9001 Certified Ves Unit Dimension and Weight Overall Height - Top to Bottom Overall Depth - Front to Back Depth - Excluding Handles Interior Height - Top to Bottom Tor Height - Top to Bottom Door Width - Side to Side Noor Height - Top to Bottom Tor Height - Top to B	Number of Doors	2	
Door Color/Finish stainless steel Door Opening Degree to Slide out Shelves >90° UV Resistant Yes Door Reversible No Shelves Adjustable Shelves to different heights No Number of Shelves Adjustable Shelves to different heights No Number of Shelves Adjustable Shelves to different heights No Number of Shelves Adjustable Shelves to different heights No Number of Shelves 15 full shelves + 1 half shelf Shelves (Width x Depth x Height) 27.9x21.7x1.5inches Level wood Level wood 27.8x16.5x1.5inches Level Width x Depth x Height) 27.8x16.5x1.5inches Level Width x Depth x Height) 27.8x16.5x1.5inches Ves Unit Shelves (Width x Depth x Height) 27.5x16.5x1.5inches Ves Unit Dimension and Weight Ves Unit Dimension and Weight </td <td>Door Material</td> <td>tempered glass</td>	Door Material	tempered glass	
Door Opening Degree to Slide out Shelves UV Resistant Yes Door Reversible No Shelves Adjustable Shelves to different heights No Number of Shelves Adjustable Shelves to different heights No Number of Shelves 15 full shelves + 1 half shelf beech wood Shelve Material beech wood Shelves slide out degree 75% Full shelve size (Width x Depth x Height) 27.9x21.7x1.5inches Half shelve size (Width x Depth x Height) 27.8x16.5x1.5inches Certifications Listings&Approvals ETL Listed Yes 150 9001 Certified Yes Unit Dimension and Weight Overall Height - Top to Bottom 79.5 inches Overall Width - Side to Side 29.1 inches Depth - Excluding Handles Interior Height - Top to Bottom 71.7 inches Interior Width - Side to Side 29.9 inches Interior Depth - Front to Back Door Height - Top to Bottom 73.6 inches Door Height - Top to Bottom 73.6 inches Door Width - 1 Piece 32.4 inches Door Depth - Front to Back 1.3 inches Depth With Door Open at 90 Degrees 43.9 inches Cutout Width - Side to Side 27.8 inches Cutout Depth - Front to Back 27.8 inches Cutout Height - Top to Bottom 79.9 inches	Door Material Details	tinted double pane	
UV Resistant Door Reversible No Shelves Adjustable Shelves to different heights No Number of Shelves 15 full shelves + 1 half shelf beech wood Shelve Material beech wood Shelves side out degree 75% Full shelve size (Width x Depth x Height) 27.9x21.7x1.5inches Half shelve size (Width x Depth x Height) 27.8x16.5x1.5inches Certifications Listings&Approvals ETL Listed Yes 150 9001 Certified Yes Unit Dimension and Weight Overall Height - Top to Bottom Overall Width - Side to Side Overall Depth - Front to Back Depth - Excluding Handles Interior Height - Top to Bottom 71.7 inches Interior Width - Side to Side Door Height - Top to Bottom 73.6 inches Door Height - Top to Bottom 73.6 inches Door Width - 1 Piece 32.4 inches Door Depth - Front to Back 29.5 inches Cutout Width - Side to Side 27.8 inches Cutout Width - Side to Side 27.8 inches Cutout Height - Top to Bottom 79.9 inches	Door Color/Finish	stainless steel	
No Shelves	Door Opening Degree to Slide out Shelves	>90°	
Adjustable Shelves to different heights No Number of Shelves Shelve Material Shelve Material Shelve Silde out degree 75% Full shelve size (Width x Depth x Height) Half shelve size (Width x Depth x Height) 27.9x21.7x1.5inches 27.8x16.5x1.5inches Certifications Listings&Approvals ETL Listed Yes ISO 9001 Certified Yes Unit Dimension and Weight Overall Height - Top to Bottom Overall Width - Side to Side Overall Depth - Front to Back Depth - Excluding Handles Interior Height - Top to Bottom 73.6 inches Door Height - Top to Bottom 73.6 inches Door Depth - Front to Back Door Depth - Front to B	UV Resistant	Yes	
Adjustable Shelves to different heights No Number of Shelves Shelve Material Shelve Material Shelves slide out degree 75% Full shelve size (Width x Depth x Height) Half shelve size (Width x Depth x Height) Certifications Listings&Approvals ETL Listed Yes ISO 9001 Certified Yes Unit Dimension and Weight Overall Height - Top to Bottom Overall Width - Side to Side Overall Depth - Front to Back Depth - Excluding Handles Interior Width - Side to Side Door Height - Top to Bottom Table to Side Door Height - Top to Bottom Table to Side Door Height - Top to Bottom Table to Side Door Height - Top to Bottom Table to Side Door Height - Top to Bottom Table to Side Door Depth - Front to Back Door Depth - Front to Back Door Height - Top to Bottom Table to Side Door Depth - Front to Back Table Side to Side Cutout Width - Side to Side Cutout Depth - Front to Back Table Side Side Side Side Side Side Side Sid	Door Reversible	No	
Number of Shelves Shelve Material Shelve Material Shelve Slide out degree 75% Full shelve size (Width x Depth x Height) Half shelve size (Width x Depth x Height) Z7.9x21.7x1.5inches 27.8x16.5x1.5inches Certifications Listings&Approvals ETL Listed Yes ISO 9001 Certified Yes Unit Dimension and Weight Overall Height - Top to Bottom Overall Width - Side to Side Overall Depth - Front to Back Depth - Excluding Handles Interior Height - Top to Bottom	Shelves		
Shelve Material beech wood Shelves slide out degree 75% Full shelve size (Width x Depth x Height) 27.9x21.7x1.5inches Half shelve size (Width x Depth x Height) 27.8x16.5x1.5inches Certifications Listings&Approvals ETL Listed Yes ISO 9001 Certified Yes Unit Dimension and Weight Overall Height - Top to Bottom 79.5 inches Overall Width - Side to Side 32.4 inches Overall Depth - Front to Back 29.1 inches Depth - Excluding Handles 27.4 inches Interior Height - Top to Bottom 71.7 inches Interior Width - Side to Side 29.5 inches Interior Depth - Front to Back 22.0 inches Door Height - Top to Bottom 73.6 inches Door Height - Top to Bottom 73.6 inches Door Depth - Front to Back 1.3 inches Door Depth - Front to Back 32.4 inches Cutout Width - Side to Side 34 inches Cutout Width - Side to Side 34 inches Cutout Depth - Front to Back 27.8 inches Cutout Height - Top to Bottom 79.9 inches	Adjustable Shelves to different heights	No	
Full shelve size (Width x Depth x Height) Full shelve size (Width x Depth x Height) Half shelve size (Width x Depth x Height) Certifications Listings&Approvals ETL Listed Yes ISO 9001 Certified Yes Unit Dimension and Weight Overall Height - Top to Bottom Overall Width - Side to Side Overall Depth - Front to Back Depth - Excluding Handles Interior Height - Top to Bottom	Number of Shelves	15 full shelves + 1 half shelf	
Full shelve size (Width x Depth x Height) Half shelve size (Width x Depth x Height) Certifications Listings&Approvals ETL Listed Yes ISO 9001 Certified Yes Unit Dimension and Weight Overall Height - Top to Bottom Overall Width - Side to Side Depth - Front to Back Interior Height - Top to Bottom	Shelve Material	beech wood	
Half shelve size (Width x Depth x Height) Certifications Listings&Approvals ETL Listed Yes ISO 9001 Certified Yes Unit Dimension and Weight Overall Height - Top to Bottom 79.5 inches Overall Width - Side to Side 32.4 inches Overall Depth - Front to Back 29.1 inches Interior Height - Top to Bottom 71.7 inches Interior Width - Side to Side 29.5 inches Interior Depth - Front to Back 20or Height - Top to Bottom 73.6 inches Door Height - Top to Bottom 73.6 inches Door Width - 1 Piece 32.4 inches Door Depth - Front to Back 1.3 inches Depth With Door Open at 90 Degrees 43.9 inches Cutout Width - Side to Side 27.8 inches Cutout Depth - Front to Back 79.9 inches	Shelves slide out degree	75%	
Certifications Listings&Approvals ETL Listed ISO 9001 Certified Yes Unit Dimension and Weight Overall Height - Top to Bottom Overall Width - Side to Side Overall Depth - Front to Back Depth - Excluding Handles Interior Height - Top to Bottom Top 19 inches	Full shelve size (Width x Depth x Height)	27.9x21.7x1.5inches	
ETL Listed ISO 9001 Certified Yes Unit Dimension and Weight Overall Height - Top to Bottom Overall Width - Side to Side Overall Depth - Front to Back Depth - Excluding Handles Interior Height - Top to Bottom	Half shelve size (Width x Depth x Height)	27.8x16.5x1.5inches	
Unit Dimension and Weight Overall Height - Top to Bottom 79.5 inches Overall Width - Side to Side 32.4 inches Overall Depth - Front to Back 29.1 inches Depth - Excluding Handles 27.4 inches Interior Height - Top to Bottom 71.7 inches Interior Width - Side to Side 29.5 inches Interior Depth - Front to Back 22.0 inches Door Height - Top to Bottom 73.6 inches Door Width - 1 Piece 32.4 inches Door Depth - Front to Back 1.3 inches Depth With Door Open at 90 Degrees 43.9 inches Cutout Width - Side to Side 34 inches Cutout Depth - Front to Back 27.8 inches Cutout Height - Top to Bottom 79.9 inches	Certifications Listings&Approvals		
Unit Dimension and Weight Overall Height - Top to Bottom 79.5 inches Overall Width - Side to Side 32.4 inches Overall Depth - Front to Back 29.1 inches Depth - Excluding Handles 27.4 inches Interior Height - Top to Bottom 71.7 inches Interior Width - Side to Side 29.5 inches Interior Depth - Front to Back 22.0 inches Door Height - Top to Bottom 73.6 inches Door Width - 1 Piece 32.4 inches Door Depth - Front to Back 1.3 inches Depth With Door Open at 90 Degrees 43.9 inches Cutout Width - Side to Side 27.8 inches Cutout Depth - Front to Back 79.9 inches	ETL Listed	Yes	
Overall Height - Top to Bottom Overall Width - Side to Side Overall Depth - Front to Back Depth - Excluding Handles Interior Height - Top to Bottom Interior Width - Side to Side Door Height - Top to Bottom Top Top to Bottom Top	ISO 9001 Certified	Yes	
Overall Width - Side to Side Overall Depth - Front to Back Depth - Excluding Handles Interior Height - Top to Bottom Interior Width - Side to Side Interior Depth - Front to Back Door Height - Top to Bottom	Unit Dimension and Weight		
Overall Depth - Front to Back Depth - Excluding Handles Interior Height - Top to Bottom 71.7 inches Interior Width - Side to Side Interior Depth - Front to Back Door Height - Top to Bottom 73.6 inches Door Width - 1 Piece 32.4 inches Door Depth - Front to Back Depth With Door Open at 90 Degrees Cutout Width - Side to Side Cutout Depth - Front to Back Cutout Height - Top to Bottom 79.9 inches	Overall Height - Top to Bottom	79.5 inches	
Depth -Excluding Handles Interior Height - Top to Bottom 71.7 inches Interior Width - Side to Side 29.5 inches Interior Depth - Front to Back Door Height - Top to Bottom 73.6 inches Door Width - 1 Piece 32.4 inches Door Depth - Front to Back Depth With Door Open at 90 Degrees Cutout Width - Side to Side Cutout Depth - Front to Back Cutout Height - Top to Bottom 79.9 inches	Overall Width - Side to Side	32.4 inches	
Interior Height - Top to Bottom 71.7 inches Interior Width - Side to Side 29.5 inches Interior Depth - Front to Back Door Height - Top to Bottom 73.6 inches Door Width - 1 Piece 32.4 inches Door Depth - Front to Back Depth With Door Open at 90 Degrees Cutout Width - Side to Side Cutout Depth - Front to Back Cutout Height - Top to Bottom 79.9 inches	Overall Depth - Front to Back	29.1 inches	
Interior Width - Side to Side Interior Depth - Front to Back Door Height - Top to Bottom Top to Bottom Door Width - 1 Piece Door Depth - Front to Back Depth With Door Open at 90 Degrees Cutout Width - Side to Side Cutout Depth - Front to Back Top to Bottom 29.5 inches 22.0 inches 32.4 inches 32.4 inches 43.9 inches 43.9 inches Cutout Width - Side to Side 27.8 inches Cutout Height - Top to Bottom 79.9 inches	Depth -Excluding Handles	27.4 inches	
Interior Depth - Front to Back Door Height - Top to Bottom 73.6 inches Door Width - 1 Piece 32.4 inches Door Depth - Front to Back Depth With Door Open at 90 Degrees Cutout Width - Side to Side Cutout Depth - Front to Back 22.0 inches 32.4 inches 43.9 inches 24.9 inches 27.8 inches Cutout Height - Top to Bottom 79.9 inches	Interior Height - Top to Bottom	71.7 inches	
Door Height - Top to Bottom 73.6 inches Door Width - 1 Piece 32.4 inches Door Depth - Front to Back Depth With Door Open at 90 Degrees Cutout Width - Side to Side Cutout Depth - Front to Back Cutout Height - Top to Bottom 73.6 inches 32.4 inches 43.9 inches 74.9 inches 75.9 inches	Interior Width - Side to Side	29.5 inches	
Door Width - 1 Piece 32.4 inches Door Depth - Front to Back 1.3 inches Depth With Door Open at 90 Degrees 43.9 inches Cutout Width - Side to Side 34 inches Cutout Depth - Front to Back 27.8 inches Cutout Height - Top to Bottom 79.9 inches	Interior Depth - Front to Back	22.0 inches	
Door Depth - Front to Back Depth With Door Open at 90 Degrees Cutout Width - Side to Side Cutout Depth - Front to Back Cutout Depth - Front to Back Cutout Height - Top to Bottom 1.3 inches 43.9 inches 27.8 inches	Door Height - Top to Bottom	73.6 inches	
Depth With Door Open at 90 Degrees 43.9 inches Cutout Width - Side to Side 34 inches Cutout Depth - Front to Back 27.8 inches Cutout Height - Top to Bottom 79.9 inches	Door Width - 1 Piece	32.4 inches	
Cutout Width - Side to Side 34 inches Cutout Depth - Front to Back 27.8 inches Cutout Height - Top to Bottom 79.9 inches	Door Depth - Front to Back	1.3 inches	
Cutout Depth - Front to Back 27.8 inches Cutout Height - Top to Bottom 79.9 inches	Depth With Door Open at 90 Degrees	43.9 inches	
Cutout Height - Top to Bottom 79.9 inches	Cutout Width - Side to Side	34 inches	
- · · · · · · · · · · · · · · · · · · ·	Cutout Depth - Front to Back	27.8 inches	
Overall Product Weight Net Weight 315 Lbs	Cutout Height - Top to Bottom	79.9 inches	
	Overall Product Weight Net Weight	315 Lbs	



Shipping Weight with Panel	379.9 Lbs	
Shipping Height - Top to Bottom with Panel	90.1 inches	
Shipping Width - Side to Side	35.4 inches	
Shipping Depth - Front to Back	32.1 inches	
Installation and Usage		
Installation Required	No	
Tools Needed for Installation	No	
Additional Parts Required	No	
Supplier Intended and Approved Use	residential use	
Outdoor Use	No	
Product Care	wipe clean with a dry cloth	
Undercounter	No	
Warranty		
Manufacturer Warranty (labor)	1 year	
Manufacturer Warranty (parts)	1 year	
What in the Box		
LW328DD Dual Zone Wine Cooler	1 unit	
User Manual	1 pc	
Hinge cover	1 pc	




The Smallest Space Left for Installing LW328DD





Storage Capacity

LW328DD



The bottle capacity is for standard Bordeaux 750ml bottles which are approximately 2.75" in diameter. Storing large and/or oddly shaped bottles (including champagne and sparkling wine bottles) should remove at least 1 shelf (shelves is removable) and will decrease the number of bottles you are able to store in your wine cooler.