

USB-C® 6-in-1 4K Multi-Port Hub (PD)

MODEL: JCD3001



The USB-C® 6-in-1 4K Multi-Port Hub is a versatile solution for expanding connectivity while maintaining sleek portability. It features a powerful HDMI™ interface supporting resolutions up to 4K at 60 Hz, delivering crisp visuals for monitors and projectors.

Equipped with two USB-C® 3.2 ports and two USB TypeA 3.2 ports, the hub offers transfer speeds up to 5Gbps for fast data access. The USB-C® PD 3.0 port supports up to 100W upstream charging, ensuring your laptop or device stays powered while connected.

Designed for effortless use, the hub is fully plug-and-play with no driver installation required. Compact and lightweight, it is ideal for professionals, students, and anyone seeking seamless performance across work, study, and entertainment.

THINKING OF DEVELOP

- The **USB-C® 6-in-1 4K Multi-Port Hub (PD)** was strategically developed to navigate the competitive price landscape of the current market without compromising on quality. The original intention was to address aggressive competitor pricing by providing a high-performance entry point into the j5create ecosystem. By streamlining essential connectivity—including **4K60 HDMI™**, **dual USB-C®**, and **dual USB Type-A ports**—this product successfully lowers the barrier to entry for users seeking reliable expansion.
- The primary solution this hub offers is professional-grade durability at an accessible price. While many competing products in this segment utilize all-plastic housings to cut costs, the JCD3001 distinguishes itself through a **premium aluminum exterior**. This choice not only aligns with our existing high-end product lines but also provides superior heat dissipation and a sleek aesthetic that purely plastic alternatives cannot match. Designed for effortless **plug-and-play** use with **100W Power Delivery**, this hub is the ideal solution for professionals and students who require a high-quality, metal-housed expansion tool that remains budget-conscious.

MAIN APPLICATIONS SCENARIO (IMAGE)

- N/A

CONNECTION DIAGRAMS WITH IO PORTS (IMAGE)



SELLING POINTS FOR BOX / WEB / VIDEO (6~12 POINTS)

1. **Ultra-Slim & Lightweight:** Designed for maximum portability, this hub's stylish, ultra-slim profile fits effortlessly into any laptop bag or pocket.
2. **Cinematic 4K60 Visuals:** Enjoy crystal-clear video and smooth motion with HDMI™ support for resolutions up to 4K at 60Hz.
3. **5Gbps High-Speed Data:** Transfer large files, photos, and videos in seconds with USB ports delivering speeds up to 5Gbps.
4. **Power Delivery 3.0:** Charge your laptop while expanding your connectivity via the USB-C® port with Power Delivery 3.0 support.
5. **Effortless Plug-and-Play:** Get to work instantly with no drivers or software installation required for any compatible USB-C® device.
6. **6-in-1 Connectivity Hub:** Turn one USB-C® port into a complete workstation with HDMI™, USB-A, and USB-C® ports.
7. **Sleek Metallic Finish:** The premium housing provides a modern look that complements high-end laptops while offering durable protection.
8. **Reliable Multi-Tasking:** Simultaneously connect peripherals, external displays, and power sources without sacrificing performance or speed.

SLOGANS FOR BOX / WEB / VIDEO

1. **Slim Profile, Massive Power: Your Essential 4K60 Companion.**
2. **Connect and Charge in Style with the Ultra-Slim 6-in-1 Hub.**
3. **Smooth 4K60 Performance Wherever Your Work Takes You.**

FEATURES FOR BOX (5~8 POINTS)

- **Sleek 4K60 Visuals:** Supports 4K60Hz HDMI™ output, delivering smooth visuals perfect for presentations and content creation.
- **Connect Everything Fast:** Features four 5Gbps USB ports for quick file transfers and seamless peripheral connectivity.
- **PD Pass-Through Charging:** Keep your laptop fully charged with up to 100W PD.

System Requirements

- Available USB-C® port that supports
- DisplayPort™ alt mode and PD charging

COMPETITOR COMPARISON CHART (3~5 BRANDS)

Brand	A	B	C	D
PIC				
MODEL	j5create JCD3001	AnXXr (5-in-1)	UGRXXN (ReXXdok 105)	HypXXrive (FIXx 5)
MSRP (\$)	29.99	18.99	17.99	24
Connectivity	6-in-1	5-in-1	5-in-1	5-in-1
HDMI™ Output	4K @ 60 Hz	4K @ 30 Hz	4K @ 30 Hz	4K @ 30 Hz
USB-C® Data	2 x USB-C® (5Gbps)	1 x USB-C®	None	None
USB-A Data	2 x USB-A (5Gbps)	2 x USB-A	3 x USB-A	2 x USB-A
Power Delivery	100W PD 3.0	PD Supported	100W PD	None (Data only)
Housing Material	Premium Aluminum	Plastic / Aluminum Mix	Plastic / Aluminum Mix	Aluminum
Plug & Play	Supported	Supported	Supported	Supported

FEATURES

- Ultra slim and light weight with a stylish design
- Supports HDMI™ resolutions up to 4K 60
- USB ports transfer rates up to 5Gbps
- USB-C® charging port supports upstream charging & power delivery 3.0
- Plug-and-play, no driver installation required

SYSTEM REQUIREMENTS

- Available DisplayPort™ Alt Mode over USB-C® port
- Available USB power delivery over USB-C® to support upstream charging

HARDWARE

Warranty	2-Year Limited
Host Connector	1 - USB-C® 3.2 male
Video Output	1 - HDMI™ Female
Power Source	Bus-powered or self-powered
Network Interface	N/A
Audio Supported	Yes
Ports	2 - USB Type-A 3.2 5Gbps 2 - USB-C® 3.2 5Gbps 1 - USB-C® for PD 3.0 charging up to 100W 1 - HDMI™ 4K@60

PERFORMANCE

Maximum Display Resolution	3840 x 2160
Maximum Display Refresh Rate	60 Hz
Maximum Data Transfer Rate	5 Gbps
Displays Supported	1
Compatible Networks	N/A
Audio Channel	N/A

POWER

Power Delivery	Up to 100W via USB-C®
Power Consumption	≤ 400 mA
Input Current	Up to 5A
Input Voltage	Up to 20V
Output Current	Up to 4.25A
Output Voltage	Up to 20V

PHYSICAL SPECIFICATIONS

Color	Space Grey
Enclosure Type	Aluminum
Cable Length	5.9 in. (150 mm)
Product Height	4.53 in. (115 mm)
Product Width	1.33 in. (34 mm)
Product Depth	0.59 in. (15 mm)
Product Weight	1.69 oz (51g)
Storage Temperature	0 to 155°F (-17 to 68°C)
Storage Humidity	< 85% non-condensing
Operating Temperature	30 to 116°F (-1 to 41°C)
Operating Humidity	< 85% non-condensing

SPECIAL NOTE

- A 4K-capable display is required for obtaining the 3840 x 2160 resolution
- If you are using high-powered USB devices, attach the USB-C® power adapter to the power delivery port to ensure maximum performance. When using your USB-C® power adapter, the multi-adapter powers both the adapter (with attached peripherals) and your laptop.
- To ensure files copy completely, do not remove the USB-C® power adapter while copying files. For maximum performance, use a computer and USB-C® power adapter equipped with PD 3.0

PACKAGE CONTENTS

- 1 - USB-C® 6-in-1 4K Multi-Port Hub (PD) (JCD3001)
- 1 - Quick Installation Guide

*Product appearance and specifications are subject to change without notice.

REGULATORY COMPLIANCE

FCC

This equipment has been tested and found to comply with FCC Part 15, Subpart B, ANSI C63.4-2014, ICES-003 Issue 6, January 2016 (Updated April 2019).

Operation is subject to the following two conditions:

- This device may not cause harmful interference
- This device must accept any interference, including interference that may cause undesired operation of the device.

CE

This equipment is in compliance with the requirements of the following regulations:

EN 55032:2015+AC:2016 Class B, EN 61000-3-2:2014, EN 61000-3-2:2013, EN 55035:2017

RCM

This equipment is in compliance with the requirements of the following regulations:

Standard(s): AS/NZS CISPR 32:2015 Class B

VCCI

This equipment is in compliance with the requirements of the following regulations: CISPR32 © IEC: 2016 Class B

BSMI

中文品名: 4K60 HDMI 輕巧擴充集線器

檢驗標準: CNS 13438 (95 年完整版) 乙類

Disclaimer

Information in this document is subject to change without notice. The manufacturer does not make any representations or warranties (implied or otherwise) regarding the accuracy and completeness of this document and shall in no event be liable for any loss of profit or any commercial damage, including but not limited to special, incidental, consequential, or other damage. No part of this document may be reproduced or transmitted in any form by any means, electronic or mechanical, including photocopying, recording or information recording and retrieval systems without the expressed written permission of the manufacturer.

LIMITED WARRANTY

j5create offers a limited 2-year warranty. User's wear & tear damage is not included. The user shall call or email j5create customer service with the defect information of the product and obtain a return authorization number. Users are responsible for one-way return freight cost and we will take care of one-way freight back. In order to obtain a return authorization number, users should have the following information handy when calling or emailing the service team:

- (i) a copy of the original purchase invoice to verify your warranty
- (ii) a product serial number
- (iii) a description of the problem
- (iv) customer's name, address, and telephone number

j5create does not warrant that the operation of the product will be uninterrupted or error-free. j5create is not responsible for damage arising from failure to follow instructions relating to the product's use. This warranty does not apply to: (a) consumable parts, unless damage has occurred due to a defect in materials or workmanship; (b) cosmetic damage, including but not limited to scratches, dents, and broken plastic on ports; (c) damage caused by use with non-j5create products; (d) damage caused by natural disasters; (e) damage caused by human misuse (lost, accident, abuse, misuse or other external causes); (f) damage caused by operating the product outside the permitted or intended uses described by j5create; (g) damage caused by service (including upgrades and expansions) performed by anyone who is not a representative of j5create or a j5create Authorized Service Provider; (h) a product or part that has been modified to alter functionality or capability without the written permission of j5create; or (i) if any j5create serial number on the product has been removed or defaced. If such a situation occurs, j5create will calculate the cost of materials and repair for your reference. This warranty is given by j5create in lieu of any other warranties expressed or implied.

LIMITATION OF WARRANTY

THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE TO STATE (OR BY COUNTRY OR PROVINCE). OTHER THAN AS PERMITTED BY LAW, J5CREATE DOES NOT EXCLUDE, LIMIT OR SUSPEND OTHER RIGHTS YOU MAY HAVE, INCLUDING THOSE THAT MAY ARISE FROM THE NONCONFORMITY OF A SALES CONTRACT. FOR A FULL UNDERSTANDING OF YOUR RIGHTS YOU SHOULD CONSULT THE LAWS OF YOUR COUNTRY, PROVINCE OR STATE. TO THE EXTENT NOT PROHIBITED BY LAW IN YOUR STATE, PROVINCE, JURISDICTION OR COUNTRY, THIS WARRANTY AND THE REMEDIES SET FORTH ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, REMEDIES AND CONDITIONS, WHETHER ORAL, WRITTEN, STATUTORY, EXPRESS OR IMPLIED.

J5CREATE'S RESPONSIBILITY FOR MALFUNCTIONS AND DEFECTS IN HARDWARE AND/OR SOFTWARE IS LIMITED TO REPAIR OR REPLACEMENT AS SET FORTH IN THIS WARRANTY. J5CREATE'S LIABILITY DOES NOT EXTEND BEYOND THE REMEDIES PROVIDED FOR IN THIS LIMITED WARRANTY, AND J5CREATE DOES NOT ACCEPT LIABILITY FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES, FOR THIRD-PARTY CLAIMS AGAINST YOU FOR DAMAGES, FOR PRODUCTS NOT BEING AVAILABLE FOR USE, OR FOR LOST OR DAMAGED DATA OR SOFTWARE. J5CREATE DOES NOT WARRANT THAT THE OPERATION OF ANY J5CREATE PRODUCT WILL BE UNINTERRUPTED OR ERROR FREE.

J5CREATE'S LIABILITY IN ANY SITUATION WILL BE NO MORE THAN THE AMOUNT YOU PAID FOR THE SPECIFIC PRODUCT THAT IS THE SUBJECT OF A CLAIM. THIS IS THE MAXIMUM AMOUNT FOR WHICH WE ARE RESPONSIBLE.

EXCEPT FOR THE EXPRESS WARRANTIES CONTAINED IN THIS WARRANTY AND TO THE EXTENT NOT PROHIBITED BY LAW, J5CREATE DISCLAIMS ALL OTHER WARRANTIES AND CONDITIONS, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, INCLUDING WITHOUT LIMITATION, WARRANTIES OF MERCHANTABILITY, MERCHANTABLE QUALITY AND FITNESS FOR A PARTICULAR PURPOSE AND WARRANTIES AND CONDITIONS AGAINST HIDDEN OR LATENT DEFECTS. SOME STATES, PROVINCES, JURISDICTIONS OR COUNTRIES DO NOT ALLOW DISCLAIMERS OF IMPLIED WARRANTIES AND CONDITIONS, SO THIS DISCLAIMER MAY NOT APPLY TO YOU.

TO THE EXTENT SUCH WARRANTIES AND CONDITIONS CANNOT BE DISCLAIMED UNDER THE LAWS OF THE UNITED STATES, CANADA (AND ITS PROVINCES) OR OTHERWISE, J5CREATE LIMITS THE DURATION AND REMEDIES OF SUCH WARRANTIES AND CONDITIONS TO THE DURATION OF THIS EXPRESS LIMITED WARRANTY AND, AT J5CREATE'S OPTION, REPAIR OR REPLACEMENT SERVICES. SOME STATES, PROVINCES, JURISDICTIONS OR COUNTRIES MAY NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY OR CONDITION MAY LAST, SO THE LIMITATION DESCRIBED ABOVE MAY NOT APPLY TO YOU.

NO WARRANTIES OR CONDITIONS, WHETHER EXPRESS OR IMPLIED, WILL APPLY AFTER THE LIMITED WARRANTY PERIOD HAS EXPIRED. SOME STATES, PROVINCES, JURISDICTIONS OR COUNTRIES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY OR CONDITION LASTS, SO THIS LIMITATION MAY NOT APPLY TO YOU.

WARRANTY SUPPORT ONLY APPLIES WHEN THE COVERED PRODUCT IS LOCATED WITHIN THE COUNTRY IN WHICH J5CREATE ORIGINALLY SOLD THE SYSTEM, AS REFLECTED IN J5CREATE'S RECORDS. IF YOU NEED SUPPORT FOR THE PRODUCT OUTSIDE OF THE COUNTRY OF ORIGIN (FOR EXAMPLE, WHILE TRAVELING, OR IF THE SYSTEM HAS BEEN RELOCATED TO A NEW COUNTRY), THEN J5CREATE MAY OFFER YOU OTHER SUPPORT OPTIONS FOR AN ADDITIONAL CHARGE.

For more information please visit our website at <http://www.j5create.com>

Copyright© 2026 j5create. All rights reserved. All trade names are registered trademarks of their respective owners. Features and specifications are subject to change without notice. Product may not be exactly as shown in the diagrams.

USB-C is a trademark of USB Implementers Forum, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. HDMI is a trademark of HDMI Licensing Administrator, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Other trademarks and trade names may be used in this document to refer to either the entities claiming the marks and/or names or their products and are the property of their respective owners. All company, product and service names used are for identification purposes only. Use of these names, logos, and brands does not imply endorsement. We disclaim any interest in the marks of others.