

Induction Range, 30", 4 Zones, Self-cleaning

Series 9 | Classic

Black



Blending heritage styling and contemporary performance, including convection oven and an instant-response induction cooktop.

- Four induction cooking zones with immediate heat response and precise control
- Convection oven with 3.5 cu ft total capacity and nine oven functions including Roast and Aero™Pastry
- Self-cleaning function breaks down food residue for an easy clean
- Non-tip full-extension shelves for safe removal of hot dishes

DIMENSIONS

Height	35 ³ / ₄ - 37 ⁵ / ₈ "
Width	29 ⁷ / ₈ "
Depth	25 ¹ / ₄ "

FEATURES & BENEFITS

Outstanding Performance

Discover the flexibility to get creative in the kitchen with nine oven functions including Bake, Roast, and Aero™ Pastry with Pizza Bake.

SPECIFICATIONS

Accessories

2-pc grill system (Broil pan and	•
Broil pan	•
Full Extension Telescopic	2 sets (part 578776)
Hob rear trim (optional)	3" (part 81656)
Kick strip, stainless steel	Part 81660
Pyrolytic proof shelf runners	•

Capacity

Total capacity	3.5cu ft
----------------	----------

Cleaning

Acid resistant graphite enamel	•
Drop down broil element	•

Drop down grill element	•
Flat easy clean glass surface	•
Pyrolytic proof shelf runners	•
Pyrolytic self-clean	•
Removable oven door	•
Removable shelf runners	•

Controls

Audio feedback	•
Automatic cooking/minute	•
Automatic pre-set	•
Celsius/Fahrenheit	•
Electronic clock	•
High resolution display	•
Interior light	•
Laser etched graphics	•
Sabbath mode	•
Toughened fused glass	•
Turned stainless steel clock	•
Turned stainless steel clock dial	•
Turned stainless steel dials with	•
Wifi connectivity	•

Oven features

Automatic rapid pre-heat	•
Combined Warming/Storage	•
Concealed element	•
Electronic oven control	•
Full extension telescopic	2 sets (part 578776)
Internal light	2 x 25W halogen (rear)

Pyrolytic proof shelf runners	•
Pyrolytic self-clean	•
Self cleaning	•
Soft open/close door	•
True Convection	•

Oven functions

Aero™ Bake	•
Aero™ Pastry with Pizza mode	•
Maxi Broil	•
Number of functions	9
Pyrolytic self-clean	•
Rapid proof	•
Roast	•
Self-clean	•

Oven performance

Broil	4050W
Combined warming/Storage	220W
CoolTouch door	Triple glazed
Warming drawer power	220W

Power requirements

Amperage	50A
Supply frequency	60Hz
Supply voltage	120 - 240V

Product dimensions

Depth	25 1/4 "
Height	35 3/4 - 37 5/8 "

Installation cutout dimensions	25 1/4 "
Installation cutout dimensions	30 "
Width	29 7/8 "

Rangetop features

Auto heat reduce	•
Gentle heat	2 settings
Heat settings	9
Induction cooking technology	•
PowerBoost all zones	up to 3000W

Rangetop Performance

Left front zone rating	1850 - 3000W
Left rear zone rating	1850 - 3000W
PowerBoost	•
PowerBoost all zones	up to 3000W
Right front zone rating	1400 - 2200W
Right rear zone rating	2300 - 3700W

Safety

Advanced cooling system	•
Anti-tilt bracket	•
Balanced oven door	•
Catalytic venting system	•
Child lock	•
CoolTouch door	•
Full extension telescopic	•
Non-tip shelves	•
Pan detection system	•
Safety time out	•

Spill containment	1/8 gallon
Spillage auto off	•
Surface hot indicators	•

Warranty

Parts and labor	2 years
SKU	81961

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Â© Fisher & Paykel Appliances Ltd 2019.



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1300 650 590 **W** www.fisherpaykel.com