SD4900P USB-C and USB 3.0 Triple 4K Docking Station

Part number: K36800EU | EAN code: 50085896368002

Expand connectivity and get Ultra HD 4K video for up to three monitors.

The SD4900P USB-C and USB 3.0 Triple 4K Docking Station expands connectivity while delivering Ultra HD video for up to three monitors. Features include triple 4K video output (HDMI or DP++), a unique design with support for USB 3.0 and USB-C laptops and a 3-in-1 card reader.

Features include:

• Triple 4K video output (HDMI or DP++)

• 1m (3.28ft) USB-C to USB-C cable with tethered USB 3.0 adapter included

• Windows, macOS and Chrome OS compatibility

• 60W power delivery

• 3-in-1 card reader

• Multiple expansion ports

• Free Kensington DockWorks™ software

• Zero footprint mounting option

Kensington
The Professionals' Choice™

FOR MORE INFORMATION CONTACT: contact@kensington.com

Kensington®

SD4900P USB-C and USB 3.0 Triple 4K Docking Station

Part number: K36800EU | EAN code: 50085896368002

Triple 4K video output (HDMI or DP++)

Delivers 4X higher resolution than Full HD for Ultra HD images.

1m (3.28ft) USB-C to USB-C Cable with USB 3.0 adapter included

Eliminates the frustration of compatibility issues. Ideal for graphic designers, photographers and multi-user/hot desk office environments.

Windows, macOS and Chrome OS compatible

Works with Windows, macOS and Chrome OS laptops.

60W power delivery

Charges laptop while expanding connectivity (compatible with 60W power splitter, K38310EU for USB 3.0 laptops).

3-in-1 card reader

Reads standard laptop SD cards (SD 4.0 up to UHS-II), smartphone Micro SD cards (SD 3.0, up to UHS-I) and DSLR camera CF cards (v6.0 up to UDMA 7).

Multiple expansion ports

Unlock the power of a full workstation with six USB ports: (1) USB-C 3.1 Gen2 (10Gbps up to 9V/2A), (1) USB-A 3.1 Gen2 (10Gbps up to 5V/2.4A Apple Charging), (4) USB-A 3.1 Gen1 (5Gbps up to 5V/0.9A).

Free Kensington DockWorks™ Software

Enables the best connection, performance and security from your Kensington dock.

Zero footprint mounting option

Adjustable clamp easily attaches to a desktop edge, cubicle wall, monitor arm or other surface for maximum mounting flexibility (K34050WW sold separately).

SD4900P USB-C and USB 3.0 Triple 4K Docking Station

Part number: K36800EU | EAN code: 50085896368002

System requirement

	Operating systems supported	**Windows 7, 10, macOS 10.14 or above, Chrome OS**
	System resource requirement	**DisplayLink video ports:** supported with either USB-C or USB 3.0 connection to host
		Alt Mode video port: host device must support DisplayPort Alt mode over USB-C
	USB-C power delivery	• **Supports USB-C PD 3.0** • **5V/9V/12V/20V up to 3A** • **60W Maximum**

Video connections

	Video connectors and max resolutions	**Alt Mode video port (Video Port-Set 1):** HDMI – up to 3840 x 2160 @ 30Hz DisplayPort++ – up to 3840 x 2160 @ 30Hz
		DisplayLink video ports (Video Port-Sets 2 & 3): HDMI – up to 3840 x 2160 @ 60Hz DisplayPort++ – up to 3840 x 2160 @ 60Hz

Host connectivity

	Host docking connector	**USB-C™ (with power delivery) or USB-A** **(does not support power delivery or USB-C Alt Mode)**

USB connections

	Front panel	• **1 * USB-C, charging up to 5V/3A (Gen2)** • **1 * USB-A 3.1, charging up to 5V/2.4A (Gen2)** • **1 * SD 4.0 Card Slot (up to 2TB)** • **1 * micro SD 4.0 Card Slot (up to 2TB)** • **1 * CF 6.0 Card Slot** **(Only one memory card can be used at one time and not simultaneously)**
	Back panel	• **4 * USB-A 3.1, charging up to 5V/0.9A (Gen1)** • **1 * USB-C upstream port**

Network connections

	Ethernet port	**1 * RJ45**
	Compatible ethernet speeds	**10/100/1000Mbps**

Audio connections

	Audio connectors	**1 * 3.5mm combo audio port for audio in & out**
	Audio channels supported	**Stereo: left and right**

SD4900P USB-C and USB 3.0 Triple 4K Docking Station

Part number: K36800EU | EAN code: 50085896368002

Product dimensions

	Unit dimensions	Width: 200mm (7.87in) Length: 91.17mm (3.59in) Height: 30mm (1.18in)
	Unit weight	450g (1lbs)
	Enclosure colour and material	Black PC+ABS
	Cable length	Tethered cable and up to 1m (3.28ft), USB-A to USB-C adapter included

Packaging dimensions

	Packaging style	brown box
	Packaging dimensions	Width: 215mm (8.5in) Length: 105mm (4.13in) Height: 114mm (4.5in)
	Packaging weight	1380g (3lbs)
	Master carton	4 pcs
	Package content	• Kensington SD4900P Dock • 1 *USB-C to USB-C Cable, 1m (3.28ft) • 1 * AC Power Adapter with US power cable included (K36800NA); • 1 * AC Power Adapter with EU and UK power cables included (K36800EU) • 1 * AC Power Adapter with AU, CN, and JP power cable included (K36800AP & K36800JP) • Quick start guide • Warranty information

Power and environmental

	Power adapter rating	Input: 100-240V Output: 20V DC; 6.75A AC: 50/60Hz; 1.8A
	Operating temperature	0 to 45°C (32 to 113°F)
	Storage temperature	-18 to 60°C (0 to 140°F)
	Relative humidity	20% to 85% non-condensing

SD4900P USB-C and USB 3.0 Triple 4K Docking Station

Part number: K36800EU | EAN code: 50085896368002

Country of origin, regulatory, and warranty

Country of origin	China
Certifications and compliance	FCC, CE, RCM, VCCI, ICES, CB
Warranty	3-year limited warranty

Other features

Security slot	Kensington Security Slot Kensington Nano Security Slot
VESA mount compatible	Mount plate (K33959WW) sold separately
Power splitter compatible	Kensington 60W Power Splitter (K38310EU), sold separately

Kensington

The Professionals' Choice™

FOR MORE INFORMATION CONTACT: contact@kensington.com