



OUTDOOR COOKING

 **HESTAN**



GRILLING IS A PERFECTIONIST'S PURSUIT.

**GUESTS RAVE. BUT DEEP DOWN, YOU KNOW IT
COULD'VE BEEN JUST A LITTLE MORE TENDER.
JUICIER. A PINCH MORE SALT IN THE RUB.
A FEW SECONDS LESS ON THE FLAME.**

**HESTAN OUTDOOR WAS BORN FROM THIS SAME
PERFECTIONIST PASSION. OUR ENGINEERS
EXPERIMENTED, INNOVATED, TWEAKED AND
TINKERED UNTIL THEY CREATED THE
MOST POWERFUL, VERSATILE AND RELIABLE
GRILL AVAILABLE.**

**THE ONLY DRAWBACK WITH THIS LEVEL OF
PERFORMANCE IS YOU CAN'T BLAME ANYTHING
ON THE GRILL. RISE TO THE CHALLENGE.**



“EXECUTION SHOULD ALWAYS EXCEED EXPECTATIONS.”

Grilling is a serious culinary endeavor. Brines. Marinades. Precision. Heat. Hestan delivers the consistent control vital to perfecting everything from shrimp skewers to leg of lamb. It’s American-made durability that weathers year-round use.

Chef Thomas Keller

**MAINTAIN THE PERFECT
FLAME WITH PRECISION
CONTROL OF OUR
POWERFUL TRELLIS™
AND VARIABLE SEAR
BURNERS* (25,000 BTUS).**

*Patent Pending



**5/16" DIAMONDCUT™
STAINLESS STEEL GRATES
AND WARMING RACK* ARE
LASER CUT IN-HOUSE
TO ENSURE EVEN HEAT
DISTRIBUTION, DURABILITY
AND EASY CLEANING.**

*Patent Pending





**MOTION ACTIVATED STADIUM™
UNDER-HOOD LIGHTING* HELPS
YOU KEEP AN EYE ON
EVERYTHING THROUGHOUT
YOUR COOKING EXPERIENCE.**

**HEAVY DUTY HORIZON™
HOOD* OPENS EASILY WITH
SPRING-ASSISTED HINGES
AND SAFELY HOLDS ITS
PLACE AT DESIRED HEIGHT.**

*Patent Pending



**MULTI-PURPOSE INFRARED
ROTISSERIE BURNER*
PROVIDES INTENSE HEAT,
PERFECT FOR ROTISSERIE,
BROILING OR FINISHING.**

*Patent Pending



PRODUCT LINEUP

Grilling is a personal obsession. So Hestan Outdoor offers options for every grill-master (and architect). Built in. Freestanding. Carts. Side burners. Refrigeration. Hestan works with your grilling style and your backyard.



36" Grill



54" Freestanding Deluxe Grill with Worktop / Drawer



54" Freestanding Deluxe Grill with Double Side Burner



36" Grill on Tower Cart with Double Doors*



36" Grill on Tower Cart with Optional Side Burner with Double Drawer / Door*



15" Ice Machine



24" Beer Dispenser Single Faucet



24" Beer Dispenser Double Faucet



24" Double Drawer Refrigerator



24" Dual Zone Solid Door Refrigerator




24" Dual Zone Glass Door Refrigerator




24" Solid Door Refrigerator


*All grills available in 30", 36" and 42" widths.




18" or 24" Single Access Doors




36" Double Access Door*




36" Double Storage Doors*



20" Trash and Recycle Storage Drawer



36" Double Sealed Pantry Storage Doors



36" Double Drawer and Storage Door Combination*



16" Double Drawers



Single or Double Side Burner



Paper Towel Dispenser

*Available in 30", 36" and 42" widths.
For additional options and accessories visit hestanoutdoor.com.

SPECIFICATIONS



Laser Cut Stainless Steel Grate – 5/16” thick



Under-Hood Lighting



Multi-Purpose Ceramic Infrared Rotisserie

BUILT-IN GRILLS





36" Model Shown

Standard Features

- Available in 30”, 36”, and 42” widths.
- Horizon™ hood with spring-assisted hinges to hold at desired heights*
- Motion activated Stadium™ halogen under-hood lighting*
- Multi-purpose built-in ceramic infrared rotisserie / searing / finishing burner* from 12,000 to 18,000 Btu/hour (depending on model) with simple touch on function
- High performance 321SS Trellis™ tubular burner at 25,000 Btu/hour each*
- 5/16” thick DiamondCut™ lasered in-house stainless steel grate*
- High performance variable ceramic infrared sear burner at 25,000 Btu/hour each
- Symmetrical flip to clean radiant tray with monogrammed ceramic briquettes*
- 525 square inch total grilling surface for 30” model. 653 square inch total grilling surface for 36” model. 782 square inch total grilling surface for 42” model.
- Warming rack - 189 square inches for the 30”, 236 square inches for the 36” and 282 square inches for the 42” unit.

- Concealed chain driven whisper quiet rotisserie motor system with a single speed, 6 rpm, 50 in-lbs motor
- Marquise™ accented control panel and hood handle with commercial grade end caps
- 5/16” thick DiamondCut™ lasered in-house stainless steel warming rack with 3 vertical positions. Concealed storage when not in use.
- Hot surface ignition system with lighting assist function
- Lifetime warranty on welded body, DiamondCut™ grates and warming racks, Trellis™ burners, variable sear burners, and rotisserie burner

* = patent pending



Built - In Models	Description	Cutout Dimensions								Total Btu's
		W (in.)	D (in.)	H (in.)	X1 (in.)	X2 (in.)	X3 (in.)	X4 (in.)	Z (in.)	
G_BR30-NG / -LP	30" Grill Built-in	29	23-1/2	12	1-3/16	1-1/2	1/4	13/16	5-1/2	62000
G_BR36-NG / -LP	36" Grill Built-in	35	23-1/2	12	1-3/16	1-1/2	1/4	13/16	5-1/2	89000
G_BR42-NG / -LP	42" Grill Built-in	41	23-1/2	12	1-3/16	1-1/2	1/4	13/16	5-1/2	118000
_ = specify burner configuration A= all Trellis Burners M= Sear and Trellis Burners S= all Sear Burners										

INSULATED JACKETS									
Model Number	Description	W (in.)	D (in.)	H (in.)	X1 (in.)	X2 (in.)	X3 (in.)	X4 (in.)	Z (in.)
AGIJ30	Insulated Jacket, 30"	35	25-1/8	12-13/16	4-3/16	3-1/8	1-1/2	3-13/16	3-7/8
AGIJ36	Insulated Jacket, 36"	41	25-1/8	12-13/16	4-3/16	3-1/8	1-1/2	3-13/16	3-7/8
AGIJ42	Insulated Jacket, 42"	47	25-1/8	12-13/16	4-3/16	3-1/8	1-1/2	3-13/16	3-7/8


GAS REQUIREMENTS : 1/2" NPT gas connection. Minimum gas supply is 7" water column for natural gas and 11" for propane. Operating pressure at the manifold is 4" water column for natural gas and 10" for propane. All units require a regulated gas supply.

ELECTRICAL REQUIREMENTS : 120V, 60Hz, 6 amps



Hestan Outdoor products are approved for outdoor use only. Hestan Commercial Corporation reserves the right to change materials and specifications without notice. Specify type of gas when ordering.

SPECIFICATIONS



Laser Cut Stainless Steel Grate – 5/16” thick



Under-Hood Lighting



Multi-Purpose Ceramic Infrared Rotisserie



Tool Storage Drawer



Pull Out Tank Shelf

DELUXE GRILLS



54” Freestanding Deluxe Grill with Double Side Burner

Standard Features

- Horizon™ hood with spring-assisted hinges to hold at desired heights*
- Motion activated Stadium™ halogen under-hood lighting*
- Multi-purpose built-in ceramic infrared rotisserie / searing / finishing burner* from 12,000 to 18,000 Btu/hour (depending on model) with simple touch on function
- High performance 321SS Trellis™ tubular burner at 25,000 Btu/hour each*
- 5/16” thick DiamondCut™ lasered in-house stainless steel grate*
- High performance variable ceramic infrared sear burner at 25,000 Btu/hour each
- Symmetrical flip to clean radiant tray with monogrammed ceramic briquettes*
- 525 square inch total grilling surface for 30” model. 653 square inch total grilling surface for 36” model. 782 square inch total grilling surface for 42” model
- Available in 48”, 54”, and 60” widths
- 12” built-in double side burners or stainless steel worktop


Options & Accessories

- Natural Gas (NG) or Liquid Propane (LP)
- Twelve (12) Hestan signature color finishes
- High altitude kit
- Gas conversion kits (NG/LP)
- Carbon Fiber Vinyl Cover
- Variable Sear Burner

* = patent pending

Shown with side burner

with 30” grill head



with 36” grill head



with 42” grill head



Colors Available




Shown in optional color

Shown with worktop and storage drawer



Shown in optional color



All Models	Description	Overall Dims			Total Btu's
		W(in.)	x D(in.)	x H(in.)	
C_BR30CX-NG / -LP	48” Freestanding Deluxe Grill with Worktop / Drawer	48-3/4	32-1/2	53-9/16	62000
C_BR30CX2-NG / -LP	48” Freestanding Deluxe Grill with Double Side Burner	48-3/4	32-1/2	53-9/16	92000
C_BR36CX-NG / -LP	54” Freestanding Deluxe Grill with Worktop / Drawer	54-3/4	32-1/2	53-9/16	89000
C_BR36CX2-NG / -LP	54” Freestanding Deluxe Grill with Double Side Burner	54-3/4	32-1/2	53-9/16	119000
C_BR42CX-NG / -LP	60” Freestanding Deluxe Grill with Worktop / Drawer	60-3/4	32-1/2	53-9/16	118000
C_BR42CX2-NG/ -LP	60” Freestanding Deluxe Grill with Double Side Burner	60-3/4	32-1/2	53-9/16	148000

_ = specify burner configuration

A= all Trellis Burners M= Sear and Trellis Burners S= all Sear Burners

GAS REQUIREMENTS : 1/2” NPT gas connection. Minimum gas supply is 7” water column for natural gas and 11” for propane. Operating pressure at the manifold is 4” water column for natural gas and 10” for propane. All units require a regulated gas supply.

Hestan Outdoor products are approved for outdoor use only. Hestan Commercial Corporation reserves the right to change materials and specifications without notice. Specify type of gas when ordering.

SPECIFICATIONS




Laser Cut Stainless Steel Grate – 5/16” thick



Pull Out Tank Shelf



Pull Out Tank Shelf



Tool Storage Drawer



Standard Features

- Available in 30”, 36”, and 42” widths
- Marquise™ paneled fold-down side shelves for extra work space
- 2-door or 1-door + 2-drawer configurations
- Recessed Marquise™ accented panels with commercial grade handles
- Full extension drawer slides with soft close capability
- Soft close door hinges with alignment adjustability
- Commercial grade gray casters with 360 degrees of maneuverability for the smoothest cart movement
- Standard pullout tray with slides to store LP gas tank

Options & Accessories

- Optional 12” side mount double side burner with DiamondCut™ grate and stainless steel cover with 20,000 Btu/hour brass front burner and 10,000 Btu/hour brass rear burner
- Twelve (12) Hestan signature color finishes
- Carbon Fiber Vinyl Cover

30” Tower Cart Options



36” Tower Cart Options



42” Tower Cart Options




Shown in optional color

All Models Shown With Side Burners



Shown in optional color



All Models	Description	Overall Dims				with Side Burner (W in.)	w/ Side Burner and Side Shelf (W in.)
		W(in.)	D(in.)	H(in.)	H1 (in.) cart only		
GCD30	30” Double Door Tower Cart	36-3/4	29-3/8	53-9/16	35-1/8	45-3/8	48-3/4
GCR30	30” Door and Drawer Tower Cart	36-3/4	29-3/8	53-9/16	35-1/8	45-3/8	48-3/4
GCD36	36” Double Door Tower Cart	42-3/4	29-3/8	53-9/16	35-1/8	51-3/8	54-3/4
GCR36	36” Door and Drawer Tower Cart	42-3/4	29-3/8	53-9/16	35-1/8	51-3/8	54-3/4
GCR42	42” Door and Drawer Tower Cart	48-3/4	29-3/8	53-9/16	35-1/8	57-3/8	60-3/4

SPECIFICATIONS




Laser Cut Stainless Steel Grate – 5/16” thick



Bright LED Lighting



Sealed Burner Bowl



Stainless Cover



Model shown AGB121-LP

Model shown AGB122-LP




Standard Features

- Single or double side sealed burner(s) configurations
- Double side burners: 20,000 Btu/hour brass front burner and 10,000 Btu/hour brass rear burner
- Single side burner: 20,000 Btu/hour brass sealed burner
- 5/16” thick DiamondCut™ grate
- Sealed burner bowl with drain tube for easy cleaning
- Electronic spark ignition system with re-ignition capability
- LED lighting on front control panel
- Heavy gauge welded body construction
- Stainless steel drip tray for ease of cleaning
- Stainless steel top cover
- 20V, 60Hz, 1 amp

Options & Accessories

- Natural Gas (NG) or Liquid Propane (LP)
- Twelve (12) Hestan signature color finishes
- High altitude kit
- Gas conversion kits (NG/LP)
- Carbon Fiber Vinyl Cover
- Freestanding Cart Kit

Shown attached to Tower Cart



ELECTRICAL REQUIREMENTS :

120V, 60Hz, 6 amps

GAS REQUIREMENTS :


1/2” NPT gas connection. Minimum gas supply is 7” water column for natural gas and 11” for propane. Operating pressure at the manifold is 4” water column for natural gas and 10” for propane. All units require a regulated gas supply.

All Models	Description	Cutout Dimensions			Total Btu's
		W(in.)	D(in.)	H(in.)	
AGB121-NG / -LP	Single Side Burner, Built-in, 12”	11	13-7/8	12	20,000
AGB122-NG / -LP	Double Side Burner, Built-In or Cart-Attached 12”	11	24-1/4	12	30,000



Hestan Outdoor products are approved for outdoor use only. Hestan Commercial Corporation reserves the right to change materials and specifications without notice. Specify type of gas when ordering.

REFRIGERATION PRODUCTS



15" Ice Machine

- Stainless steel front and sides
- Up to 22 lbs of total ice storage capacity, up to 55 lbs of ice produced per 24 hours
- Air-cooled, self contained, built-in storage bin
- Produces top hat ice cubes
- Front in, front out airflow with heavy duty insulation



24" Beer Dispenser

- Stainless steel front, sides, and interior
- 5.2 cubic ft of total storage capacity
- Fits one ¼ barrel, one slim ¼ slim barrel, or two 1/6 barrels (pony kegs or 5 gal.)
- Single or double faucet with optional carbon fiber vinyl cover
- CO2 tank, hoses, and fittings
- Door lock
- Temperature control from 33°F to 42°F
- LED interior lighting
- Optional caster kit



24" Dual Zone Refrigerator with Wine

- Stainless steel front, sides, & interior
- Solid stainless steel or glass front door (low E, UV-coated glass provides industry leading insulation & protection)
- 5.0 cubic ft of total storage capacity
- Door lock
- Temperature control from 33°F – 42°F (lower refrigerator zone), 45°F – 65°F (upper wine zone)
- Optional caster kit




24" Refrigerator

- Stainless steel front, sides, & interior
- 5.2 cubic ft of total storage capacity
- Door lock
- LED interior lighting
- Adjustable, full-extension pull-out shelves
- Temperature control from 33°F to 42°F
- Optional caster kit



24" Refrigerated Drawers

- Stainless steel front, sides, & interior
- 5.2 cubic ft of total storage capacity
- Drawers with lock
- LED interior lighting
- Heavy duty full extension drawer slides
- Temperature control from 33°F to 42°F
- Optional caster kit



NOTE: See outdoor beer dispenser manual for detailed installation information and faucet tower cutout dimensions.


Models	Description	Electrical Requirements
GRS_24	24" Outdoor Refrigerator, Solid Door with Lock	115V, 60Hz., 1 Phase, 2.3 amps
GRR24	24" Outdoor Refrigerator Drawers with Lock	115V, 60Hz., 1 Phase, 2.3 amps
GRWS_24	24" Outdoor Dual Zone Refrigerator w Wine, Solid Door with Lock	115V, 60Hz., 1 Phase, 2.3 amps
GRWG_24	24" Outdoor Dual Zone Refrigerator w Wine, Glass Door with Lock	115V, 60Hz., 1 Phase, 2.3 amps
GFDS_241	24" Outdoor Single Faucet Beer Dispenser, Solid Door with Lock	115V, 60Hz., 1 Phase, 2.3 amps
GFDS_242	24" Outdoor Double Faucet Beer Dispenser, Solid Door with Lock	115V, 60Hz., 1 Phase, 2.3 amps
GIM_15	15" Outdoor Ice Machine	120V, 60Hz, 3.4 amps
_ = Specify (L) or (R) for Left or Right Hinge model		



Hestan Outdoor products are approved for outdoor use only. Hestan Commercial Corporation reserves the right to change materials and specifications without notice. Specify type of gas when ordering.

STORAGE AND CLEANUP


ACCESS DOORS




Single and Double Access Doors

- Available in 18", 24", 30", 36", and 42" widths
- Heavy gauge welded body construction
- Recessed Marquise™ accented panels with commercial grade handles
- Soft close door hinges with alignment adjustability


STORAGE



Drawers 30", 36" and 16" Double




Storage Cabinets 30", 36", or 42" Double Door or Door Drawer Combo



Magnetic Sealed Pantry Storage 36" only

- Heavy gauge welded body construction
- Motion activated illumination
- Recessed Marquise™ accented panels with commercial grade handles
- Soft close door hinges with alignment adjustability

RECYCLE, CLEAN-UP & TRASH




Trash and Recycle Center Storage Drawer

- Available in 20" width
- Heavy gauge welded body construction
- Slide out trash and recycle bins that are easily removable for emptying and cleaning
- Full extension slides
- Recessed Marquise™ accented panel with commercial grade handle




Paper Towel Dispenser

- Can be mounted horizontally or vertically (left or right hinged)
- Removable paper towel holder - fits standard paper towel roll
- Heavy gauge welded body construction
- Recessed Marquise™ accented panel with commercial grade handle



Countertop Trash Chute

- Heavy gauge welded body construction
- Complimentary to Trash Center
- Easy disposal without pulling out the Trash Center door
- Stainless steel top cover with handle
- Commercial grade cutting board that slides for easy access to chute



NOTES:

- 1) Trash Chute AGTC cutout depends on type of countertop used. Please refer to installation instructions for details.
- 2) Paper Towel Dispenser AGPTD16 can be installed in 3 different orientations using these cutout dimensions. Please refer to installation instructions for details.

Built - In Models	Description	Product Width Options		Cutout Dimensions		
		W (in.)	W (in.)	D (in.)	H (in.)	
AGAD__xx	Single Access Door , with Marquise accent panel	18" or 24"	15-7/8" or 21-7/8"	n/a	19	
AGADxx	Double Access Doors , with Marquise accent panel	30", 36" or 42"	27-7/8", 33-7/8" or 39-7/8"	n/a	19	
AGSDxx	Double Storage Doors , with Marquise accent panel	30", 36" or 42"	27-7/8", 33-7/8" or 39-7/8"	23 -3/8	19	
AGSRxx	Single Storage Drawer , all stainless front with Marquise accent handle	30" or 36"	27-7/8" or 33-7/8"	23 -3/8	8-7/8	
AGDR16	Double Drawers , with Marquise accent panel	16"	13-11/16	23 -3/8	19	
AGSDRxx	Double Drawer and Storage Door Combination w/ Marquise accent panel	30", 36" or 42"	27-7/8", 33-7/8" or 39-7/8"	23 -3/8	19	
AGLP36	Double Sealed Pantry Storage Doors, with Marquise accent panel	36"	33-7/8	24-13/16	18-3/4	
AGTRC20	Trash and Recycle Center Storage Drawer, with Marquise accent panel	20"	17-1/4	24-1/2	25-3/4	
AGTC	Countertop Trash Chute with Cutting Board and Cover	-	6-1/8	8-1/8	n/a	
AGPTD16	Paper Towel Dispenser, with Marquise accent panel	16"	11-1/8	10-1/8	15	

Hestan Outdoor products are approved for outdoor use only. Hestan Commercial Corporation reserves the right to change materials and specifications without notice. Specify type of gas when ordering.

COLOR

Our signature color finishes offer a spectrum from classic to vibrant. All finishes are powder coated on high-grade stainless steel to withstand the elements.



Sol



Tin Roof



Prince



Citra



Stealth



Lush




Matador



Bora Bora



Steeletto



Froth



Pacific Fog



Grove



GRILLING IS AN OBSESSION SHARED BY THE ENGINEERS, DESIGNERS AND WELDERS AT HESTAN. OUR OUTDOOR PRODUCTS ARE THOUGHTFULLY DESIGNED AND DILIGENTLY ENGINEERED TO DELIVER THE UTMOST IN OUTDOOR PERFORMANCE.

EACH AND EVERY GRILL IS BUILT FROM SCRATCH AT HESTAN HEADQUARTERS IN ANAHEIM, CALIFORNIA. WE CUT OUR OWN STEEL. WE FABRICATE OUR HINGES. AND WE MAKE SURE EVERY DETAIL IS ABSOLUTELY PERFECT BEFORE YOUR GRILL LEAVES OUR FLOOR.



hestanoutdoor.com
888.905.7463
3375 E. La Palma Avenue
Anaheim, CA 92806

