

FFID2459VS

DISHWASHER

24" BUILT-IN



AVAILABLE COLORS



Stainless

PRODUCT DIMENSIONS

Height (Min. - Max.)	33-3/4" - 35-3/4"
Width	24"
Depth (Including Door)	24-1/4"

MORE EASY-TO-USE FEATURES

Cleans 12 Place Settings

Cleans 12 place settings in one cycle.

ENERGY STAR® Certified

Maximize your energy and dollar savings with ENERGY STAR® Certified Appliances.

Time Saving 24 - Hour Delay Start

Set your dishwasher to run on your schedule. It can be set to run up to 24 hours in advance.

Quiet Operation Won't Run You Out Of The Room

Run your dishwasher while you're in the same room. It runs at 49 DBAs.

Automatically Adjusts Cycles Taking The Guess Work Out Of Cleaning

DishSense™ Technology automatically adjusts the wash cycle based on how much cleaning your dishes need for an effective clean.

Filtration System

Self-cleaning filter eliminates food particles, keeping dishes clean.

CERTIFICATIONS

ENERGY STAR®



NSF® International Certification



SIGNATURE FEATURES

BladeSpray® Arm

Gives you better water coverage for a thorough clean every time.

National Sanitation Foundation® Certified

Sanitize cycle removes 99.9% of common household bacteria.

Clean Dishes of All Sizes

Clean even your largest dishes and cookie sheets with an adjustable upper rack level to fit oversized dishes and kitchen tools of all shapes and sizes.

Remarkable Dry

Dishes come out remarkably dry every time with EvenDry™.

FFID2459VS DISHWASHER

24" BUILT-IN

FRIGIDAIRE

FEATURES

Control Design	Ready-Select®
Door Latch	Yes
Stay-Put Door Hinge Design	Yes
Low Rinse-Aid Indicator Light	Yes
Interior Color	Stainless Steel
Interior Design	Tall Tub
Wash System	Direct Feed
Wash Levels	5
Wash Speeds	5
Sound Package	UltraQuiet™ I
Filter	Stainless Steel
Filter Trap	Removable
Food Disposer	Hard
dB Level	49
Drying System	Static Vent

CYCLES

Number of Cycles	5
PowerPlus™ (Heavy)	Yes
Normal	Yes
China / Crystal	Yes
Energy Saver	Yes
Rinse Only	Yes
Cycle Indicator Light	Yes
Control Lock	Yes

OPTIONS

Heat	Yes
No Heat Dry	Yes
Hi-Temp Wash	Yes
Delay Start	1-24 Hours

RACK SYSTEM

Rack Design	Standard
Rack Coating	Nylon
Lower Rack -	
SpaceWise® Silverware Basket	Standard
Upper Rack -	
Rack Type	Standard

CERTIFICATIONS

ENERGY STAR®	Yes
--------------	-----

SPECIFICATIONS

Water Inlet Location	Left Bottom Front
Water Usage (Gallons)	4.0 - 8.0
Water Pressure (PSI)	20 - 120
Integral Air Gap on Supply	Yes
Leveling Legs	Yes
Power Supply Connection Location	Right Bottom Front
Voltage Rating	120V / 60 Hz / 15A
Connected Load (kW Rating) @ 120 Volts¹	1.44
Amps @ 120 Volts	15.0
Shipping Weight (Approx.)	83 Lbs.


¹For use on adequately wired 120V, dedicated circuit having 2-wire service with a separate ground wire. Appliance must be grounded for safe operation.

PRODUCT DIMENSIONS

A - Height (Adjustable)	33-3/4" - 35-3/4"
B - Width	23-3/4"
C - Depth (Including Door)	24-1/4"
D - Depth (To Tub Flange)	22-1/2"
Depth with Door Open 90°	50-1/4"

CUTOUT DIMENSIONS

Height (Min.)	34"
Height (Max.)	35-3/4"
Width (Min.)	24"
Depth (Min.)	24"





Note: For planning purposes only. Always consult local and national electric, gas and plumbing codes. Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com / frigidaire.ca.
Specifications subject to change. Accessories information available on the web at frigidaire.com / frigidaire.ca

FRIGIDAIRE

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • 1-800-FRIGIDAIRE • frigidaire.com
CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • frigidaire.ca

FFID2459V 01/19
© 2019 Electrolux Home Products, Inc.



Note: For planning purposes only. Always consult local and national electric, gas and plumbing codes. Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com / frigidaire.ca. Specifications subject to change. Accessories information available on the web at frigidaire.com / frigidaire.ca