




## OWNER'S MANUAL



### TRINITY 36" Garage Modular Cabinet Model # TLSPBK-0605



**Important / Important / Importante**

FOR QUICK & EASY 3D ASSEMBLY INSTRUCTIONS

POUR DES DIRECTIVES D'ASSEMBLAGE 3D RAPIDES ET FACILES

PARA INSTRUCCIONES DE ENSAMBLAJE RÁPIDAS Y SENCILLAS EN 3D

**BILT.**<sup>®</sup>

Intelligent Instructions  
Directives intelligentes  
Instrucciones Inteligentes




DOWNLOAD THE FREE APP | TÉLÉCHARGER L'APPLICATION GRATUITE | DESCARGUE LA APLICACIÓN GRATUITA

# PARTS LIST


Your TRINITY 36" Garage Modular Cabinet should include the following parts. Please inspect box contents to ensure you have received all components.

If you are missing any parts, need assistance with assembly or have questions, please contact TRINITY Customer Service: 800.985.5506 or [customerservice@trinityii.com](mailto:customerservice@trinityii.com). Parts can also be requested online via "Contact Us" section at [www.trinityii.com](http://www.trinityii.com).


You will need a Phillips screwdriver for assembly which is not provided.




**A**  
CABINET BODY (1)




**B**  
TOP PANEL (1)




**C**  
BOTTOM PANEL (1)



**D**  
LEFT DOOR (1)




**E**  
RIGHT DOOR (1)




**F**  
LEFT DOOR HINGE (1)




**G**  
RIGHT DOOR HINGE (1)




**H**  
SHELF (1)



**I**  
SHELF SUPPORT (4)



**J**  
FEET LEVELER (4)



**K**  
KEY (2)



**L**  
BLACK SCREW  
(32) + (2) extra



**M**  
MOUNTING SCREW (4)



**N**  
ANCHOR (4)



**O**  
CONNECTING SCREW (4)


# ASSEMBLY INSTRUCTIONS

## STEP 1

Unfold CABINET BODY (A).




A (1)



## STEP 2

Two people are recommended for ease of assembly. Stand unfolded CABINET BODY (A) upside down on floor.




C (1)

L (15)

Note: There is a 40mm diameter hole on back panel of CABINET BODY (A). When CABINET BODY (A) is upside down, this hole should be in the upper left corner of the back panel.

Turn BOTTOM PANEL (C) upside down. Tilt the front diagonally downward. First, insert the lip into inner side of tab of CABINET BODY (A) at the right side, then insert into the left side.

Follow the order indicated, insert (12) BLACK SCREWS (L) through holes on BOTTOM PANEL (C) and tighten fully with a Phillips screwdriver. Insert (4) BLACK SCREWS (L) through tabs on front of CABINET BODY (A) and tighten fully to BOTTOM PANEL (C).




# ASSEMBLY INSTRUCTIONS

## STEP 3

Screw FEET LEVELERS (J) into each pre-installed nut in four corners of BOTTOM PANEL (C).



J (4)




## STEP 4

Stand the unit right side up.


Tilt front of TOP PANEL (B) diagonally downward. First, insert the lip into inner side of tab of CABINET BODY (A) at the right side, then insert into the left side.

Follow the order indicated, insert (8) BLACK SCREWS (L) through holes on TOP PANEL (B) and tighten fully with a Phillips screwdriver. Insert (4) BLACK SCREWS (L) through tabs on front of CABINET BODY (A) and tighten fully to TOP PANEL (B).



B (1)

L (12)



# ASSEMBLY INSTRUCTIONS

## STEP 5


Note: RIGHT DOOR (E) has a lock on it.

Attach LEFT DOOR (D) to cabinet by sliding LEFT DOOR (D) onto pivot of door hinge which is welded to BOTTOM PANEL (C)


Position LEFT DOOR HINGE (F) at left front corner of TOP PANEL (B). Make sure to insert pivot of DOOR HINGE (F) fully into cylinder on LEFT DOOR (D). Align holes on DOOR HINGE (F) to pre-installed nuts on TOP PANEL (B). Insert BLACK SCREWS (L) through these holes. Tighten fully with a Phillips screwdriver.

Repeat for RIGHT DOOR (E).

Adjust FEET LEVELER (J) as needed to ensure your cabinet is level and stable.




D (1) E (1) F (1) G (1) L (4)




## STEP 6

Attach SHELF SUPPORT (I) by hooking it over position tab at desired height. Make sure all four SHELF SUPPORTS (I) are at the same level.

Tilt SHELF (H) diagonally to move it inside cabinet. Place SHELF (H) on top of all four SHELF SUPPORTS (I).



I (4) H (1)




# USAGE INSTRUCTIONS

## SHELF ADJUSTMENT

Ensure all products have been removed from shelf.

To adjust shelf height position, take shelf out of cabinet, re-attach shelf supports to position tabs at your desired height.


Tilt shelf diagonally to move it inside cabinet. Place shelf on top of all four shelf supports.




## LOCK AND UNLOCK

Insert key into lock on right door. Turn it clockwise 90 degree to lock the door. Turn it counter-clockwise 90 degree to unlock the door.

Before locking the unit, make sure doors are fully closed.



Red indicates locked



Green indicates unlocked

# USAGE INSTRUCTIONS

## STACKING CABINETS

You can make a taller cabinet by stacking two cabinets of same model.

To store long/tall items, the pre-assembled top center and bottom center panels can be removed. Unscrew the center panel from top of the first assembled cabinet.


Lay second assembled cabinet carefully on its backside. Two people are needed. DO NOT attempt this alone. Unscrew center panel and feet levelers from the bottom.

Carefully set the cabinet upright. Position second cabinet on top of the first cabinet. Align the bottom panel of top cabinet to the top panel of bottom cabinet. Make sure bottom frame of top cabinet sits inside top frame of bottom cabinet. Screw **CONNECTING BOLTS (O)** through holes in four corners of top panel of bottom cabinet into pre-installed nuts in four corners of bottom panel of top cabinet.

Move stacked cabinet carefully against wall. There are four small holes on back side of cabinet to be used for securing the cabinets to wall.

If needed, use a pencil to mark off fastening location on wall through these holes. Drill holes in marked locations. Insert a **ANCHOR (N)** completely into each drilled hole.


Fasten **MOUNTING SCREWS (M)** through holes on cabinet onto wall or anchors tightly by a screwdriver.



# SERVICE PARTS LIST – TLSPBK-0605

TRINITY Customer Service provides the following replacement parts:

Part Number	Description	Part Number	Description
1) PBK-16-004-3618	Top Panel	9) XBK-10-001-0XXX	Key
2) PBK-18-018-3618	Cabinet Body	10) XWH-98-001-4264	Feet Leveler
3) PBK-09-011-0001	Right Door Hinge	11) PBK-08-007-1736	Left Door
4) PBK-08-006-1736	Right Door	12) AMA-05-019-3400	Door Handle
5) CSV-11-001-0XXX	Lock	13) XBK-02-001-0003	Magnetic Catch
6) PBK-03-052-3617	Shelf	14) PBK-09-012-0001	Left Door Hinge
7) XSV-02-017-0001	Shelf Support	15) XBK-01-004-0612	Black Screw
8) PBK-16-003-3618	Bottom Panel	16) ZSV-01-035-0925	Connecting Bolt



---

## WARNINGS

1. **Read and understand all instructions.** Failure to follow all instructions may result in injury and/or damage.
2. **The warnings, cautions, and instructions discussed in this manual cannot cover all possible conditions or situations that may occur.** The user must always be aware of their environment and ensure that they use the product in a safe and responsible manner.
3. **Do NOT modify the product in any way.** Unauthorized modification may impair the function and/or safety of the product, and may affect the life of the product. Any modifications will void product warranty.
4. **Check for damaged parts.** Before using this product, carefully check that all parts are in good condition, and that the product will operate properly and perform its intended function. Check for damaged parts and any other conditions that may affect the operation of this product. Replace damaged or worn parts, and never use this product with a damaged part.
5. **Do NOT overload the product.**

Weight capacity of Shelf (evenly distributed)	100 lb
Total weight capacity of Cabinet (evenly distributed)	300 lb

6. **Do NOT stack more than two cabinets together.**

---

## CARE AND MAINTENANCE

- Avoid harsh, abrasive cleaners, and other corrosive chemicals.
- Do not use scouring pad for cleaning.
- This item is not certified for outdoor use.

# PRODUCT REGISTRATION

Thank you for purchasing a TRINITY 36" Garage Modular Cabinet. In order to register your product and receive streamlined customer service, please fill out the following Product Registration Form and (1) fax the form to 310.347.4134 (2) complete the Product Registration Form online at [www.trinityii.com](http://www.trinityii.com) or (3) scan and email the form to [customerservice@trinityii.com](mailto:customerservice@trinityii.com). Include a copy of your original receipt with your submission.

First Name: \_\_\_\_\_ Last Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip Code: \_\_\_\_\_

Email Address: \_\_\_\_\_ Phone: \_\_\_\_\_

Product Model #: TLSPBK-0605 Purchase Date: \_\_\_\_ / \_\_\_\_ / \_\_\_\_

Location of Purchase: \_\_\_\_\_

Please rate the importance of each feature (1=least important; 10=most important)

Quality \_\_\_\_ Price \_\_\_\_ Size/Capacity \_\_\_\_ Appearance \_\_\_\_ Other \_\_\_\_

How did you hear about our product?

- Magazine Ad     Catalog     Salesperson     Word of Mouth  
 Internet     Store Display     Other

Marital Status:             Single                             Married

Household Income:       Below \$50,000     \$50,000-\$150,000     \$150,000+

Education:                 High School     College     Graduate School

Primary Residence:       Own                                 Rent

Comments/Suggestions:



# 1 YEAR LIMITED WARRANTY

## TRINITY 36" Garage Modular Cabinet Model # TLSPBK-0605

Trinity International Industries ("Trinity") warrants to the original consumer purchaser ("Purchaser") of the TRINITY 36" Garage Modular Cabinet ("Product") that each Product shall be free from defects in workmanship and materials for a period of 1 year from the date of original purchase. Trinity's obligation under this warranty shall be limited to repair or replacement of, or adequate compensation for the Product which shall not be greater than the amount of the purchase price of the Product, at the option of Trinity, during the warranty period. All replaced parts and Products become the property of Trinity and must be returned to Trinity.

This warranty excludes normal wear and tear of the Product and its parts or components, and damage arising from any of the following: negligent use or misuse of the Product, use contrary to this User's Manual, or alteration by any one other than Trinity. The warranty period of 1 year shall not be extended or renewed by the repair or replacement of, or compensation for, the Product. Any warranty implied by applicable law is limited in duration to one year from the date of purchase and is subject to the same conditions and limitations as is provided for our express warranty.

Except as set forth herein, and to the extent of applicable there are no warranties on this Product either express or implied, and Trinity disclaims all warranties including, but not limited to, any implied warranties of merchantability, infringement or fitness for a particular purpose. No warranty or guarantee given by any person, firm, or corporation with respect to this product shall be binding on Trinity.

If your Product is defective or otherwise requires service or parts, please call TRINITY Customer Service toll-free at (800) 985-5506, between 5:00 a.m. and 5:00 p.m., PST. Please tell us which model you purchased, the date of the purchase, and the problem with your Product. A copy of your original purchase receipt must accompany your service request.

### LIMITATION OF REMEDIES AND LIABILITY

Trinity (and its employees, officers, members, managers, affiliates and assigns) shall not be liable for any incidental, consequential, special, indirect, remote, special or punitive damages for breach of any warranty, express or implied, including, but not limited to, lost profits, lost savings, loss of anticipated benefits and attorneys' fees, which arise out of the purchase, use or inability to use the Product, whether arising out of contract, negligence, strict tort, product liability, or any other legal theory on which a claim is based. As noted above, to the extent damages are allowed by our express warranty or by applicable law, those damages may not exceed the purchase price paid for the Product. Without limiting the foregoing Purchaser assumes all risk and liability for loss, damage or injury to Purchaser and Purchaser's property and to others and their property arising out of the use, misuse, or inability to use this Product. This limited warranty shall not extend to anyone other than the original purchaser of this product, is nontransferable and states your exclusive remedy.

Some states do not allow the exclusion or limitation of incidental, consequential, special, or punitive damages, so the above limitation or exclusion may not apply to you. The above warranty gives you specific legal rights, and you may have other rights which vary from state to state.

---

## CONTACT US

**QUESTIONS? NEED PARTS?  
WE ARE HERE TO HELP!**

Please feel free to contact us. There are no questions too small, or any problems too big. We're committed to providing our customers with the highest level of service.

### **TRINITY Customer Service**

**TEL: 800.985.5506**

**FAX: 310.347.4134**

**EMAIL: [customerservice@trinityii.com](mailto:customerservice@trinityii.com)**

**Monday through Friday  
5:00 AM – 5:00 PM (PST)**

**[www.trinityii.com](http://www.trinityii.com)**