

刀线，不印刷

材质：Cover of the manual should be
350g matte + silver foil logo


Inner paper is 250g cmyk printing

正反面印刷，装钉成册

说明书外表面要套一个CPE磨砂袋

www.Hover-1.com

HYPE™
X HOVER-1™ *BUGGY*
ELECTRIC SCOOTER SEAT



HYPE™
HOVER-1™ BUGGY
ELECTRIC SCOOTER SEAT



Operation Manual HY-H1-BGY
IMPORTANT: KEEP FOR FUTURE REFERENCE

**Images used in this manual may vary slightly from the product and are for reference purposes only.*




Even if you have ridden a scooter for years, it is important for you and every rider to read this manual before using this product.


 **WARNING**

HELMETS SAVE LIVES!

Always wear a properly fitted helmet that complies with CPSC or CE safety standards when you ride your scooter.



Correct Fitting:
Make sure your helmet covers your forehead.



Incorrect Fitting:
Forehead is exposed and vulnerable to serious injury.

5) Once Hype™ has received the product, it will meet its warranty obligations in accordance with the warranty conditions and will return the product to the sender with carriage and insurance paid.

SERVICE OUTSIDE OF WARRANTY

Hype™ can refuse any service claim made that is not covered by the warranty. If Hype™ agrees to provide a service outside the warranty, the customer will be invoiced for all repair and transport costs. Hype™ will not accept any packages that have not first been approved by Hype™ by means of an RMA (Return Material Authorization).

Contact us with questions at:
support@Hover-1.com
www.Hover-1.com
Hype Wireless
Edison, NJ 08837
844-348-2620
Monday-Friday: 10am-5pm EST

INTRODUCTION

This manual is designed to give you the information you need for the safe operation and maintenance of your new Hover-1 Buggy. Please read it thoroughly before riding your Hover-1 Buggy.

WARNING

Make sure you read this complete manual before riding your Hover-1 Buggy. Failure to do so, or failure to follow its guidelines could lead to serious injury or death.

Section One of this manual involves safety and Hover-1 Buggy care. Understanding and following this Information will help you and your Hover-1 Buggy avoid injury or damage.


Section Two of this manual gives assembly and installation instructions for your Hover-1 Buggy.

Section Three of this manual covers specific safety and operating instructions for your Hover-1 Buggy. Even if you are an experienced rider, you should review this section before your first ride.

Section Four of this manual covers warranty specifications of your Hover-1 Buggy.

HOVER-1 BUGGY DIAGRAM

1. Seat
2. Handle Bars
3. Pedal Mounts
4. Adjustable Strap
5. Seat Frame
6. Locker
7. Frame
8. Foot Rests
9. Front Wheel



SPECIFICATIONS

Compatibility:	Most self-balancing scooters
Max Load:	See max load of your self-balancing scooter
Tire Size:	4" swivel caster
Seat Material:	PP

PROFITS (INCLUDING LOSS OF PROFITS ON CONTRACTS); LOSS OF THE USE OF MONEY; LOSS OF ANTICIPATED SAVINGS; LOSS OF BUSINESS; LOSS OF OPPORTUNITY; LOSS OF GOODWILL; LOSS OF REPUTATION; LOSS OF, DAMAGE TO, COMPROMISE, OR CORRUPTION OF DATA; OR ANY INDIRECT OR CONSEQUENTIAL LOSS OR DAMAGE HOWSOEVER CAUSED INCLUDING THE REPLACEMENT OF EQUIPMENT AND PROPERTY, ANY COSTS OF RECOVERING, PROGRAMMING OR REPRODUCING ANY PROGRAM OR DATA STORED IN OR USED WITH THE PRODUCT AND ANY FAILURE TO MAINTAIN THE CONFIDENTIALITY OF DATA STORED ON THE PRODUCT. THE FOREGOING LIMITATION SHALL NOT APPLY TO DEATH OR PERSONAL INJURY CLAIMS, OR ANY STATUTORY LIABILITY FOR INTENTIONAL AND GROSS NEGLIGENT ACTS AND/OR OMISSIONS. HYPE™ DISCLAIMS ANY REPRESENTATION THAT IT WILL BE ABLE TO REPAIR ANY PRODUCT UNDER THIS WARRANTY OR MAKE A PRODUCT EXCHANGE, AND IS UNABLE TO RECOVER ANY USER SOFTWARE OR DATA ON THE DEVICE.

ASSERTING A WARRANTY CLAIM

1) To make use of the warranty service for hardware issues, you must contact the Hype™ Service Center by phone at 1-844-348-2620 or email at support@Hover-1.com.

2) Hype™ will try to diagnose and solve your problem. If it is determined that a warranty claim exists, you will be given an RMA number (Return Material Authorization) and will be asked to send the product to Hype™.

IMPORTANT: Hype™ will only accept parcels that have an RMA number.

Please observe the following when sending the product:

1) Send the product suitably packaged with carriage and insurance paid. Do not enclose any accessories with the product (cables, chargers, manuals, etc.) unless the Hype™ Service Center specifies otherwise.

2) Mark the RMA number on the outside of the package in such a way that it is visible and clearly legible.

3) You must enclose a copy of the sales receipt as proof of purchase.

4) Please enclose a check for \$49.99 made payable to "DGL GROUP" for return shipping.

(H) Marginal differences compared to the target appearance and workmanship provided these have a negligible effect on the Product's fitness for use.

*Warranties that have not been activated do not cause the warranty period to be extended, nor do they trigger a new warranty period. The warranty period for any replacement parts installed ends with the warranty period for the entire product.

















LIMITATION OF LIABILITY

In no event shall Hype™ be liable for any incidental, indirect, special or consequential damages or liabilities (including, but not limited to incidental or consequential damages for loss of time, inconvenience, loss of use of product, or any other consequential or incidental loss) in connection with the purchase, use, or operation of the product. Hype™ is not liable for property damage, personal injury, or death.

TO THE EXTENT PERMITTED BY LAW, THIS WARRANTY AND THE REMEDIES SET FORTH ABOVE ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, REMEDIES AND CONDITIONS, WHETHER ORAL, WRITTEN, STATUTORY, EXPRESS OR IMPLIED. AS PERMITTED BY APPLICABLE LAW, HYPE™ SPECIFICALLY DISCLAIMS ANY AND ALL STATUTORY OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND WARRANTIES AGAINST HIDDEN OR LATENT DEFECTS. IF HYPE™ CANNOT LAWFULLY DISCLAIM STATUTORY OR IMPLIED WARRANTIES THEN TO THE EXTENT PERMITTED BY LAW, ALL SUCH WARRANTIES SHALL BE LIMITED IN DURATION TO THE DURATION OF THE EXPRESS WARRANTY AND TO THE REPAIR OR REPLACEMENT SERVICE AS DETERMINED BY HYPE™ IN ITS SOLE DISCRETION. NO RESELLER, AGENT, OR EMPLOYEE IS AUTHORIZED TO MAKE ANY MODIFICATION, EXTENSION, OR ADDITION TO THIS WARRANTY. IF ANY TERM(S) IS HELD ILLEGAL OR UNENFORCEABLE, THE LEGALITY AND ENFORCEABILITY OF THE REMAINING TERMS SHALL NOT BE AFFECTED OR IMPAIRED.

EXCEPT AS PROVIDED IN THIS WARRANTY AND TO THE MAXIMUM EXTENT PERMITTED BY LAW, HYPE™ IS NOT RESPONSIBLE FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM ANY BREACH OF WARRANTY OR CONDITION OR PERFORMANCE OF THE PRODUCT, OR UNDER ANY OTHER LEGAL THEORY, INCLUDING BUT NOT LIMITED TO LOSS OF USE; LOSS OF REVENUE; LOSS OF ACTUAL OR ANTICIPATED

PARTS LIST

	(1) Seat		(2) Small Foam pad
	(1) Seat Frame		(1) Wrench
	(1) Frame		(1) Allen Wrench
	(1) Right Handle Bar		(2) Locker
	(1) Left Handle Bar		(2) 8*40 Screw
	(2) Adjustable strap		(4) 8*15 Screw
	(2) Adjustable strap with velcro		(4) 8mm Nut
	(2) Foam Pad		(8) Screw with Washer


ASSEMBLING YOUR HOVER-1 BUGGY

If you have questions or concerns about any of these steps, please feel free to contact our Customer Service Team at support@Hover-1.com. Someone will be in touch to walk you through these steps.

Carefully follow the steps shown on the following pages for assembling the Hover-1 Buggy.

Remove all Hover-1 Buggy contents from the box. Ensure all contents from the "Parts List" section are accounted for.

1. Locate the 4 foam pads and both handle bars. Remove the adhesive backing from each foam pad and center to each side of the pedal mounts as shown below. Ensure all of the foam pads are properly adhered to pedal mounts.



This warranty only covers technical hardware defectiveness during the warranty period and under normal use conditions.

LIMITATION OF WARRANTY

Hype™ does not guarantee uninterrupted or error-free operation of this Product. This Warranty does not apply to damages or circumstances, such as, but not limited to:

(A) Damage that is caused by conditions, malfunctions, or damage not resulting in from defects in material or workmanship. These conditions include, but are not limited to, road hazard, accidents, and improper operation or maintenance;

(B) Product has been tampered with, repaired, modified by non-authorized personnel and/or if the product is equipped with additional parts or accessories that are not approved for the product;

(C) Obsolescence;

(D) Damage (accidental or other) to the Product that is cosmetic, meaning damage that does not impact the operation and functioning of the Product, such as without limitation to rust, change in color, texture or finish, wear and tear, scrapes, scratches, dents, cracks, or gradual deterioration, provided there is no obligatory legal liability;

(E) Damage to the Product caused by war, terrorism, fire, water, chemical, electrochemical, accident, natural disaster, intentional or accidental misuse, abuse, neglect or improper maintenance, use under abnormal conditions, accidental drops;

(F) Any contamination, condition or other circumstance, which Hype™, in its sole discretion, considers a danger to health and safety, including, but not limited to any contact between the Product and a biohazard, bodily fluids, infectious materials/substance, chemicals, hazardous substances, diseases, radiation, or other;

(G) Fraud, theft, misplacement, unexplained disappearance, or willful acts;

WARRANTY

Hype™ offers a 90 day limited warranty covering the hardware of Hover-1™ Buggy (referred to as "Product" here on out), limited to those residing in the 50 US States and Canada. This warranty gives you specific legal rights and you may also have other rights which vary from state to state. The warranty does not cover any issues, damages or circumstances related to your self-balancing scooter.


Hype™ warrants the Product to be free from defects in materials and workmanship under normal use for 90 days, as sold to the original purchaser, from the date of retail purchase by the original end-user purchaser. A copy of the sales receipt from the date of original purchase of the Product will be required for validity. If a hardware defect arises and a valid claim is received within the warranty period, at its option and to the extent permitted by law, Hype™ will:

(1) repair the hardware defect (free of charge) by using new or refurbished parts that are equivalent to new in performance and reliability; or (2) exchange the product (free of charge) with a product that is new or refurbished, that is substantially equivalent to the original product if the product sent in cannot be repaired within a reasonable time or at a reasonable cost. This warranty is for replacement for like-items only and does not cover items out of production if the company no longer stocks them. When a product or part is exchanged, any replacement item becomes your property and the replaced item becomes Hype™'s property. Requests cannot be made for repairs to be carried out on site. This warranty is not assignable or transferable.


The original purchaser may call the Hover-1™ customer service number at 1-844-348-2620 or send an email to support@Hover-1.com for service request. Upon Hype™'s replacement or repair of a Product under warranty, the original end-user purchaser will have the remaining warranty under the original warranty period (without any postponement during repair or replacement).

Important: Do not modify the Product. Modifying the Product will void this warranty. Only Hype™ or a party authorized by Hype™ should perform service on this Product.


2. Locate the provided 8*35 Screw and 8mm Nut. Attach the left and right handle bars to the seat frame as shown below.




3. Insert the frame into the seat frame. Adjust the frame and the seat frame to your preferred size. Secure the frame in place using the locker.



4. Align the holes of the seat with the seat frame. Secure the seat in place using the allen wrench, 8*12 Screws and 8mm Nut.



5. Your Hover-1 Buggy is now completely assembled and should look like the below image.



RIDING YOUR HOVER-1 BUGGY

Ensure your Hover-1 Buggy is fully assembled and correctly installed onto your scooter with all straps and screws secured in place. Ensure your scooter is properly maintained as well. Failure to do so may result in serious bodily harm or death and damage to the unit.

After reviewing the pre-ride checklist, follow the steps below to begin riding your Hover-1 Buggy.

1. Turn on your scooter.
2. Sit comfortably in the Hover-1 Buggy seat.
2. Place your feet onto the foot rests.
3. Firmly grip both handle bars and slowly push them downward simultaneously to move forward.
4. When riding, slowly pull both handle bars upwards simultaneously to brake.
5. To reverse, slowly pull both handle bars upwards simultaneously.
6. To turn right, push the right handle bar down while holding the left handle bar in neutral position.
7. To turn left, push the left handle bar down while holding the right handle bar in neutral position.

1. This product is strictly forbidden to use on roads and highways. You must wear a safety helmet, knee and elbow pads and other necessary protective gear when riding your Hover-1 Buggy.

2. Due to the particularity of the product, the assembly pieces are to be checked before every ride to avoid an accident while riding.

3. Do not make a sharp turns as you may drift and over-turn the Hover-1 Buggy which can result in injury to yourself and/or damage the unit.


INSTALLING YOUR HOVER-1 BUGGY

If you have questions or concerns about any of these steps, please feel free to contact our Customer Service Team at support@Hover-1.com. Someone will be in touch to walk you through these steps.


Carefully follow the steps shown on the following pages for installing the Hover-1 Buggy onto your electric scooter. Read the remainder of this manual before riding your Hover-1 Buggy.

Your Hover-1 Buggy should be completely assembled prior to installing it onto your electric scooter. Please refer to the "Assembling your Hover-1 Buggy" section for assembling procedures.


1. Place the pedal mounts onto the foot pedals of your self-balancing scooter with the front wheel facing forward. Ensure the pedal mounts are centered on the foot pedals of your scooter as much as possible.



2. Secure your Hover-1 Buddy to your self-balancing scooter using both adjustable straps with Velcro. With the facing outward, attach one hook of each adjustable strap to the back of each pedal mount.



3. Wrap both adjustable straps under your self-balancing scooter and attach the second hook of each adjustable strap to the front of each pedal mount.



- Slow down at all street intersections and look to the left and right before crossing.
- Obey all traffic signals.
- Always use proper hand signals for turning and stopping. Give signals 100ft before stopping or turning and always return both hands to the handle bars before stopping or turning.
- Watch for cars pulling out into traffic and for the sudden opening of car doors.
- Avoid potholes, drainage grates or other hazards.
- Cross railroad tracks at a right angle.
- Be careful when riding on soft road edges, gravel, sand and uneven surfaces. Ride slowly and avoid quick turns when riding on these surfaces.
- Never hitch onto other vehicles.
- Do not "stunt" ride or race in traffic.
- Do not weave in and out of traffic or swerve from side to side.
- A crash can put extraordinary stress on Hover-1 Buggy components, possibly causing them to fatigue prematurely. Components suffering from stress fatigue can fail suddenly, causing loss of control, or serious injury.

CAUTION: RIDING IN WET WEATHER

Braking does not work as well under wet conditions as they do when dry. It is recommended that you do not ride your Hover-1 Buggy in wet weather, as there are electronic components of scooter that may be damaged if exposed to water.

SAFETY PRECAUTIONS


The first rule in safe riding is to use common sense. A Hover-1 Buggy is vulnerable; it cannot protect you in a crash, against impact, or loss of control the way driving a car can. A Hover-1 Buggy can tip over sideways or pitch you over the front wheel. It moves faster than a typical scooter. It does not have bumpers or airbags as a car does. This section is a guide of safe riding practices for operation. Make sure you are using your Hover-1 Buggy properly.

Different localities and countries have different laws governing riding on public roads, and you should check with local officials to ensure you are complying with these laws.

Hype is not liable for tickets or violations given to riders who do not follow these regulations.


- For your safety, always wear a helmet that meets CPSC or CE safety standards. In the event of an accident, a helmet can protect you from serious injury and in some cases, even death.
- Obey all local laws, stop signs, pedestrian crosswalks, etc.
- If riding with friends and multiple Hover-1 Buggys, ride single file in a straight line.
- Have a satisfactory signaling device (bell, horn, etc.) to warn drivers and pedestrians of your approach.
- Ride defensively; expect the unexpected.
- Give pedestrians the right-of-way.
- Do not ride too close to pedestrians and alert them if you intend to pass them from behind.

4. Align the holes of plate with the seat frame, secure the plate using the allen wrench, Screw with Washer.



5. Adjust both adjustable straps so that they are secured tightly around your scooter.

6. Your Hover-1 Buddy should be properly installed onto your scooter as shown below.



BEFORE RIDING

WARNING

Any scooter that does not work properly can cause you to lose control and fall. Inspect the entire device thoroughly before every ride, and do not ride it until any problems have been corrected.

HOVER-1 BUGGY OPERATION

It is important that you fully understand all elements of your Hover-1 buggy. If these elements are not used correctly, you will not have full control of your Hover-1 Buggy. Before you ride fast, or outside of a controlled environment, learn the functions of the various mechanisms on your Hover-1 Buggy.

Practice using the elements of your Hover-1 Buggy at slower speeds in a flat, open area before taking the Hover-1 Buggy on public roads.

WARNING

Do not ride a Hover-1 Buggy with a part that is damaged; replace the damaged part before riding.

PRE-RIDE HOVER-1 BUGGY CHECKLIST

Ensure that your Hover-1 Buggy and scooter are in proper working order each and every time you ride. If a part of the Hover-1 Buggy does not function correctly, please contact our Customer Support Center.

- Ensure your tire pressure is at the suggested PSI level for your scooter before riding.
- Ensure the battery of your scooter is fully charged before riding your Hover-1 Buggy.
- Ensure that the screws on the Hover-1 Buggy are locked firmly before each ride.
- Check to ensure the tires of your scooter are not worn.
- Check to ensure all connections are maintained on your scooter.