

## EX3260 SVGA 3LCD Projector



# Reliable, portable projector with fast, easy setup and performance.

More accurate, vivid color, even in well-lit rooms - 3,300 lumens of equal color and white brightness<sup>1</sup>

**SVGA resolution (800 x 600)** — ideal for projecting everyday presentations and graphics

 $\begin{tabular}{ll} \textbf{Fast, easy setup with Epson} - get up and running in no time with easy image adjustments and convenient control \\ \end{tabular}$ 

**Remarkable color accuracy** — up to 3x Higher Color Brightness<sup>2</sup> and up to 3x Wider Color Gamut<sup>3</sup> with Epson over DLP projectors

**Works with the latest laptops and media players** — supports HDMI<sup>®</sup>, the standard in connectivity, for digital video and audio in one cable

Portability you need for presentations on the go — carrying case included

**USB Plug 'n Play** — use the included USB cable to instantly project content from a PC or  $\mathrm{Mac}^{\mathrm{@}}$ 









### EX3260 SVGA 3LCD Projector

#### **Specifications**

Projection System 3LCD, 3-chip technology Projection Method Front/rear/ceiling mount Driving Method Poly-silicon TFT Active Matrix Pixel Number 480,000 dots (800 x 600) x 3 Color Brightness<sup>1</sup> Color Light Output: 3,300 lumens

White Brightness¹ White Light Output: 3,300 lumens

Aspect Ratio 4:3

Native Resolution 800 x 600 (SVGA)

Resize Support 1024 x 768 (XGA), 1152 x 864 (SXGA), 1280 x 800 (WXGA), 1280 x 960 (SXGA2), 1280 x 1024 (SXGA3), 1440 x 900 (WXGA+), 1400 x 1050 (SXGA+)

Lamp Type 210 W UHE Lamp Life<sup>9</sup> Up to 6,000 hours (Normal Mode) and up to 10,000 hours (ECO Mode)

Throw Ratio Range 1.48 (Zoom:Wide), 1.77 (Zoom:Tele) **Size (Projected Distance)** 30' – 350' (0.88 – 10.44 m) Keystone Correction Auto Vertical: ± 30 degrees Kevstone Correction Manual Horizontal: ± 30 degrees (Easy-Slide Horizontal Image Correction)

USB Plug 'n Play Projects audio and video, PC and

Mac compatible

Contrast Ratio Up to 15,000:1 Color Reproduction Up to 1.07 billion colors

**Projection Lens** 

Type Digital zoom (Manual)/Focus (Manual)

F-number 1.44 Focal Length 16.7 mm

Zoom Ratio Digital zoom 1.0 - 1.35

Display Performance NTSC: 480 lines PAL: 576 lines (Depends on observation of the multi-burst pattern)

Input Signal NTSC/NTSC4.43/PAL/M-PAL/N-PAL/PAL60/SECAM

Speaker 2 W (mono)

**Operating Temperature** 41 ° to 95 °F (5 ° to 35 °C) Power Supply Voltage  $100 - 240 \text{ V} \pm 10\%$ , 50/60 Hz

**Power Consumption** Normal Mode: 296 W ECO Mode: 211 W **Fan Noise** 

Normal Mode: 37 dB ECO Mode: 28 dB

Security Kensington-style lock provision, Password

#### **Interfaces**

HDMI x 1

Computer/component video: D-sub 15 pin x 1 S-video: Mini DIN x 1

Composite video: RCA (Yellow) x 1 Audio in: RCA x 1 (White/Red)

USB connector Type A x 1: PC-free USB and other,

Wireless LAN

USB connector Type B x 1: USB Plug 'n Play



#### Dimensions (W x D x H)

Including Feet 11.9' x 9.9' x 3.6' Excluding Feet 11.9' x 9.8' x 3.4'

Weight 5.51 lb

#### **Remote Control**

Features Source search selection, power, volume, e-zoom, A/V Mute, freeze, menu, page up and down, help, auto, mouse functions

#### **Operating Angle**

Right/left: ± 30 degrees Upper/lower: +15 degrees

Operating Distance 19.7 ft (6 m)

#### **Eco Features**

RoHS compliant Recyclable product<sup>6</sup>

Epson America, Inc. is a SmartWay® Transport Partner7

#### **Support**

#### Epson Connection<sup>SM</sup>

Pre-sales support: U.S. and Canada 800-463-7766 Internet website: www.epson.com

Service Programs 1-vear projector limited warranty. Epson Road Service program, PrivateLine® dedicated toll-free support and 90-day limited lamp warranty

#### What's in the Box

EX3260 projector, power cable, computer cable (VGA), USB cable, projector remote control, batteries, User Manual CD, Quick Setup Sheet

#### **Ordering Information**

EX3260 Projector V11H842020 Genuine Epson Lamp (ELPLP96) V13H010L96 Replacement Air Filter (ELPAF32) V13H134A32 Soft Carrying Case (ELPKS69) V12H001K69 Universal Projector Ceiling Mount ELPMBPJF Duet™ Screen ELPSC80F ES3000 Screen (ELPSC26H) V12H002S3Y ES1000 Screen V12H002S4Y Wireless LAN Module (ELPAP10) V12H731P02

1 Color brightness (color light output) and white brightness (white light output) will vary depending on usage conditions. Color light output measured in accordance with IDMS 15.4; white light output measured in accordance with ISO 21118. | 2 Color brightness (color light output) in brightest mode, measured by a third-party lab in accordance with IDMS 15.4. Color brightness will vary depending on usage conditions. Top-selling Epson 3LCD projectors versus top-selling 1-chip DLP projectors based on PMA Research sales data for Dec. 2015 through Nov. 2016. | 3 Gamut volume in brightest mode, measured by a third-party lab in 3D in the CIE L'arb\* coordinate space. Top-selling Epson 3LCD projectors versus top-selling 1-chip DLP projectors based on PMA Research sales data for Dec. 2015 through Nov. 2016. | 4 Based on TFCinfo: U.S. Projector Brand Customer Perception and Preference Study, Multimedia Projectors 2017. | 5 Lamp life will vary depending upon mode selected, environmental conditions and usage. Lamp brightness decreases over time. | 6 For convenient and reasonable recycling options, visit www.epson.com/recycle 7 SmartWay is an innovative partnership of the U.S. Environmental Protection Agency that reduces greenhouse gases and other air pollutants and improves fuel efficiency.

#### Better Products for a Better Future™ eco.epson.com



3840 Kilroy Airport Way, Long Beach, CA 90806 185 Renfrew Drive, Markham, Ontario L3R 6G3

www.epson.com www.epson.ca

Specifications and terms are subject to change without notice. EPSON is a registered trademark, EPSON Exceed Your Vision is a registered logomark and Better Products for a Better Future is a trademark of Seiko Epson Corporation. PrivateLine is a registered trademark, Duet is a trademark and Epson Connection is a service mark of Epson America, Inc. Mac is a trademark of Apple Inc., registered in the U.S. and other countries. SmartWay is a registered trademark of the U.S. Environmental Protection Agency. All other product and brand names are trademarks and/or registered trademarks of their respective companies. Epson disclaims any and all rights in these marks. Copyright 2017 Epson America, Inc. Com-SS-Oct-13 CPD-55072 11/17

**Epson Canada Limited** 

#### Contact: