

Applicant: BESTRICH INDUSTRY LIMITED
Address: SUITE 902, ONE MIDTOWN, 11 HOI SHING ROAD, TSUEN WAN, N.T.
Product Name: Welspo Baby Balance Bikes for 1 Year Old Boys Girls 12-36Months Kids Cute Toddler First Bicycle Infant Walker Children No Pedal 3 Wheels Mini Bike Riding Toys (Pink)
Welspo Baby Balance Bikes for 1 Year Old Boys Girls 12-36 Months Kids Cute Toddler First Bicycle Infant Walker Children No Pedal 3 Wheels Mini Bike Riding Toys (Green)
Welspo Baby Balance Bikes for 1 Year Old Boys Girls 12-36 Months Kids Cute Toddler First Bicycle Infant Walker Children No Pedal 3 Wheels Mini Bike Riding Toys (Blue)
SKU ID: SP0775P-BRFBA, SP0775-BRFBA, SP0775B-BRFBA, SP0775B-LVFBA, SP0775-LVFBA, SP0775P-LVFBA, SP0775-MXFBA, SP0775P-MXFBA, SP0775B-MXFBA
Model No: B401
ASIN: B0BD7PCRHZ, B08QMT4QS8, B0BD7Q74B1, B0CTHMN48Z, B0CWTPS418, B0CXDSRM5B, B0DDQ16MLJ, B0DDTJD9FX, B0DDTGG92S
TR No: TR175801401799455
Trademark: Welspo
Manufacturer: Ningbo Boso Kids Products Co., Ltd.
Manufacturer Address: 2nd Floor, No. 1 Building 3, No. 62 Xunhai rd, Chunxiao street, Beilun, Ningbo, Zhejiang
Country of Destination: US, EU, UK, MX
Receipt Date of Sample: 2025-09-18
Date of Testing: 2025-09-18 ~ 2025-09-29
Sample Submitted: The sample(s) was (were) submitted by applicant and identified.
Test Result: Refer to the data listed in following pages

Test Item	Conclusion
1. EN 71-3:2019+A1:2021-Migration of certain elements	Pass
2. EN 71-3:2019+A2:2024-Migration of certain elements	Pass
3. CPSIA, § 108, 16 CFR 1307- Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates	Pass
4. ASTM F963-23 Section 4.3.5.1 & Section 4.3.5.2 - Soluble Heavy Elements	Pass
5. 16 CFR Part 1303 / CPSIA section 101(f) - Total Lead Content (surface coating)	Pass
6. 15 U.S.C. § 1278a / CPSIA section 101(a)(2) - Total lead content (Substrate)	Pass
7. ASTM F963-23 Section 4.3.8 - Phthalates	Pass
8. EN 71-1:2014+A1:2018 Mechanical and Physical Properties	Pass
9. EN 71-2:2020 Flammability	Pass
10. ASTM F963-23 Standard Consumer Safety Specification for Toy Safety - Physical and Mechanical	Pass
11. ASTM F963-23 Standard Consumer Safety Specification for Toy Safety - Flammability Test of Materials Other Than Textile Materials	Pass

Test Report

No.: 70.452.25.16220.01



Date: 2025-09-29

12. 16 CFR 1501 Small part	Pass
13. Tracking label per Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 Tracking labels for children's products	Pass

Remarks: 1. MDL = Method Detection Limit

2. ND = Not Detected (<MDL)

3. <= Less than

4. 1 mg/kg = 1 ppm = 0.0001%

**TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch
Testing Center**

Prepared by:

Jenny Yao
Technical Engineer

Authorized by:

Tang Wei
Technical Manager



Note:

- (1) The TÜV SÜD Certification and Testing (China) Co., Ltd. "General Terms & Conditions" applied. Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question. It does not imply a general statement regarding the quality of products from regular production. For further details, please see "Testing, Certification, Validation and Verification Regulations", chapter A-3.3. For full version, please visit: EN : <https://www.tuvsud.cn/zh-cn/resource/terms-and-conditions---en> ; SCN: <https://www.tuvsud.cn/zh-cn/terms-and-conditions> ; TCN: <https://www.tuvsud.com/zh-tw/terms-and-conditions>
- (2) Sample and (or) material information is provided by the client. TÜV SÜD assumes no responsibility for verifying the accuracy, appropriateness and (or) completeness of the information provided by the client.
- (3) The testing results are only valid for the sample tested.
- (4) The test report shall not be reproduced except in full, without the written approval of the laboratory.
- (5) Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given based on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd.
Shanghai Branch, Testing Center
Building B,C, No. 1999 and Building D, No. 2059,
Duhui Road, Minhang District, Shanghai

Phone: +86 21 60376300

Fax: +86 21 60376350

<https://www.tuvsud.com>

Regd. Office:


TÜV SÜD Certification and Testing (China) Co., Ltd.
Shanghai Branch, TÜV SÜD Group

Floor 11-12, No 151, Hengtong Road, Jing'an District, Shanghai

Page 2 of 41

Description of Tested Subject:

Sample	Description	Photo
001	<p>Welspo Baby Balance Bikes for 1 Year Old Boys Girls 12-36Months Kids Cute Toddler First Bicycle Infant Walker Children No Pedal 3 Wheels Mini Bike Riding Toys (Pink)</p> <p>US ASIN: B0BD7PCRHZ · MX ASIN: B0DDTD9FX, EU ASIN: B0CXDSRM5B, US SKU: SP0775P-BRFBA, MX SKU: SP0775P-MXFBA, EU SKU: SP0775P-LVFBA</p>	 

Sample	Description	Photo
		
		


Sample	Description	Photo
		
		

Sample	Description	Photo
018	<p>Welspo Baby Balance Bikes for 1 Year Old Boys Girls 12-36 Months Kids Cute Toddler First Bicycle Infant Walker Children No Pedal 3 Wheels Mini Bike Riding Toys (Green)</p> <p>US ASIN: B08QMT4QS8 · MX ASIN: B0DDQ16MLJ, EU ASIN: B0CWTPS418, US SKU: SP0775-BRFBA, MX SKU: SP0775-MXFBA, EU SKU: SP0775-LVFBA</p>	 

Sample	Description	Photo
		
		

Sample	Description	Photo
		
		

Sample	Description	Photo
019	<p>Welspo Baby Balance Bikes for 1 Year Old Boys Girls 12-36 Months Kids Cute Toddler First Bicycle Infant Walker Children No Pedal 3 Wheels Mini Bike Riding Toys (Blue)</p> <p>US ASIN: B0BD7Q74B1 · MX ASIN: B0DDTG92S, EU ASIN: B0CTHMN48Z, US SKU: SP0775B-BRFBA, MX SKU: SP0775B-MXFBA, EU SKU: SP0775B-LVFBA</p>	 

Sample	Description	Photo
		
		

Sample	Description	Photo
		
		

T. No	Sample	Description
T1	001	Welspo Baby Balance Bikes for 1 Year Old Boys Girls 12-36 Months Kids Cute Toddler First Bicycle Infant Walker Children No Pedal 3 Wheels Mini Bike Riding Toys (Pink) US ASIN: B0BD7PCRHZ, MX ASIN: B0DDTJD9FX, EU ASIN: B0CXDSRM5B, US SKU: SP0775P-BRFBA, MX SKU: SP0775P-MXFBA, EU SKU: SP0775P-LVFBA
T2	002	Grey plastic (body)
T3	003	Grey soft plastic (wheel)
T4	004	Orange plastic (on wheel)
T5	005	Pink plastic (on wheel)
T6	006	Orange soft plastic (handle)
T7	007	Grey soft plastic (handle)
T8	008	Orange soft plastic (saddle)
T9	009	Grey soft plastic (saddle)
T10	010	Black soft plastic (sticker)
T11	011	Green coating (on metal frame)
T12	012	Grey coating (on metal frame)
T13	013	Silvery metal without coating (frame)
T14	014	Blue plastic (body)
T15	015	Light orange plastic (on wheel)
T16	016	Light orange soft plastic (handle)
T17	017	Blue soft plastic (saddle)
T18	018	Welspo Baby Balance Bikes for 1 Year Old Boys Girls 12-36 Months Kids Cute Toddler First Bicycle Infant Walker Children No Pedal 3 Wheels Mini Bike Riding Toys (Green) US ASIN: B08QMT4QS8, MX ASIN: B0DDQ16MLJ, EU ASIN: B0CWTPS418, US SKU: SP0775-BRFBA, MX SKU: SP0775-MXFBA, EU SKU: SP0775-LVFBA
T19	019	Welspo Baby Balance Bikes for 1 Year Old Boys Girls 12-36 Months Kids Cute Toddler First Bicycle Infant Walker Children No Pedal 3 Wheels Mini Bike Riding Toys (Blue) US ASIN: B0BD7Q74B1, MX ASIN: B0DDTGG92S, EU ASIN: B0CTHMN48Z, US SKU: SP0775B-BRFBA, MX SKU: SP0775B-MXFBA, EU SKU: SP0775B-LVFBA

Test Result(s):

1. EN 71-3:2019+A1:2021-Migration of certain elements

Test with reference to EN71-3:2019+A1:2021, determination by ICP-MS.

Parameter	MDL [mg/kg]	Limit in scraped- off toy [mg/kg]	Result(s) [mg/kg]	
			002	003
Soluble Aluminum	5.00	28130	ND	ND
Soluble Antimony	5.00	560	ND	ND
Soluble Arsenic	5.00	47	ND	ND
Soluble Barium	5.00	18750	ND	ND
Soluble Boron	5.00	15000	ND	ND
Soluble Cadmium	5.00	17	ND	ND
Soluble Chromium III	0.04	460	ND	ND
Soluble Chromium VI	0.04	0.053	ND	ND
Soluble Cobalt	5.00	130	ND	ND
Soluble Copper	5.00	7700	ND	ND
Soluble Lead	5.00	23	ND	ND
Soluble Manganese	5.00	15000	ND	ND
Soluble Mercury	5.00	94	ND	ND
Soluble Nickel	5.00	930	ND	ND
Soluble Selenium	5.00	460	ND	ND
Soluble Strontium	5.00	56000	ND	ND
Soluble Tin	2.50	180000	ND	ND
Organic Tin	7.50	12	ND	ND
Soluble Zinc	5.00	46000	ND	39.7
Conclusion			Pass	Pass

Parameter	MDL [mg/kg]	Limit in scraped-off toy [mg/kg]	Result(s) [mg/kg]	
			004	005
Soluble Aluminum	5.00	28130	ND	ND
Soluble Antimony	5.00	560	ND	ND
Soluble Arsenic	5.00	47	ND	ND
Soluble Barium	5.00	18750	ND	ND
Soluble Boron	5.00	15000	ND	ND
Soluble Cadmium	5.00	17	ND	ND
Soluble Chromium III	0.04	460	ND	ND
Soluble Chromium VI	0.04	0.053	ND	ND
Soluble Cobalt	5.00	130	ND	ND
Soluble Copper	5.00	7700	ND	ND
Soluble Lead	5.00	23	ND	ND
Soluble Manganese	5.00	15000	ND	ND
Soluble Mercury	5.00	94	ND	ND
Soluble Nickel	5.00	930	ND	ND
Soluble Selenium	5.00	460	ND	ND
Soluble Strontium	5.00	56000	ND	ND
Soluble Tin	2.50	180000	ND	ND
Organic Tin	7.50	12	ND	ND
Soluble Zinc	5.00	46000	ND	ND
Conclusion			Pass	Pass

Parameter	MDL [mg/kg]	Limit in scraped-off toy [mg/kg]	Result(s) [mg/kg]	
			006	007
Soluble Aluminum	5.00	28130	ND	ND
Soluble Antimony	5.00	560	ND	ND
Soluble Arsenic	5.00	47	ND	ND
Soluble Barium	5.00	18750	ND	ND
Soluble Boron	5.00	15000	ND	ND
Soluble Cadmium	5.00	17	ND	ND
Soluble Chromium III	0.04	460	ND	ND
Soluble Chromium VI	0.04	0.053	ND	ND
Soluble Cobalt	5.00	130	ND	ND
Soluble Copper	5.00	7700	ND	ND
Soluble Lead	5.00	23	ND	ND
Soluble Manganese	5.00	15000	ND	ND
Soluble Mercury	5.00	94	ND	ND
Soluble Nickel	5.00	930	ND	ND
Soluble Selenium	5.00	460	ND	ND
Soluble Strontium	5.00	56000	ND	ND
Soluble Tin	2.50	180000	ND	ND
Organic Tin	7.50	12	ND	ND
Soluble Zinc	5.00	46000	ND	ND
Conclusion			Pass	Pass

Parameter	MDL [mg/kg]	Limit in scraped-off toy [mg/kg]	Result(s) [mg/kg]	
			008	009
Soluble Aluminum	5.00	28130	ND	ND
Soluble Antimony	5.00	560	ND	ND
Soluble Arsenic	5.00	47	ND	ND
Soluble Barium	5.00	18750	ND	ND
Soluble Boron	5.00	15000	ND	ND
Soluble Cadmium	5.00	17	ND	ND
Soluble Chromium III	0.04	460	ND	ND
Soluble Chromium VI	0.04	0.053	ND	ND
Soluble Cobalt	5.00	130	ND	ND
Soluble Copper	5.00	7700	ND	ND
Soluble Lead	5.00	23	ND	ND
Soluble Manganese	5.00	15000	ND	ND
Soluble Mercury	5.00	94	ND	ND
Soluble Nickel	5.00	930	ND	ND
Soluble Selenium	5.00	460	ND	ND
Soluble Strontium	5.00	56000	ND	ND
Soluble Tin	2.50	180000	ND	ND
Organic Tin	7.50	12	ND	ND
Soluble Zinc	5.00	46000	15.1	22.7
Conclusion			Pass	Pass

Parameter	MDL [mg/kg]	Limit in scraped-off toy [mg/kg]	Result(s) [mg/kg]	
			010	011
Soluble Aluminum	5.00	28130	5.20	229.4
Soluble Antimony	5.00	560	ND	ND
Soluble Arsenic	5.00	47	ND	ND
Soluble Barium	5.00	18750	10.7	410.6
Soluble Boron	5.00	15000	ND	5.02
Soluble Cadmium	5.00	17	ND	ND
Soluble Chromium III	0.04	460	0.200	0.201
Soluble Chromium VI	0.04	0.053	ND	ND
Soluble Cobalt	5.00	130	ND	ND
Soluble Copper	5.00	7700	ND	ND
Soluble Lead	5.00	23	ND	ND
Soluble Manganese	5.00	15000	ND	ND
Soluble Mercury	5.00	94	ND	ND
Soluble Nickel	5.00	930	ND	ND
Soluble Selenium	5.00	460	ND	ND
Soluble Strontium	5.00	56000	5.25	ND
Soluble Tin	2.50	180000	ND	ND
Organic Tin	7.50	12	ND	ND
Soluble Zinc	5.00	46000	8.35	ND
Conclusion			Pass	Pass

Note: - Mass of trace amount of sample 010 is 51.00 mg

Parameter	MDL [mg/kg]	Limit in scraped-off toy [mg/kg]	Result(s) [mg/kg]	
			012	014
Soluble Aluminum	5.00	28130	459.5	ND
Soluble Antimony	5.00	560	ND	ND
Soluble Arsenic	5.00	47	ND	ND
Soluble Barium	5.00	18750	591.8	ND
Soluble Boron	5.00	15000	ND	ND
Soluble Cadmium	5.00	17	ND	ND
Soluble Chromium III	0.04	460	0.453	ND
Soluble Chromium VI	0.04	0.053	ND	ND
Soluble Cobalt	5.00	130	ND	ND
Soluble Copper	5.00	7700	ND	ND
Soluble Lead	5.00	23	ND	ND
Soluble Manganese	5.00	15000	ND	ND
Soluble Mercury	5.00	94	ND	ND
Soluble Nickel	5.00	930	ND	ND
Soluble Selenium	5.00	460	ND	ND
Soluble Strontium	5.00	56000	16.6	ND
Soluble Tin	2.50	180000	ND	ND
Organic Tin	7.50	12	ND	ND
Soluble Zinc	5.00	46000	9.66	ND
Conclusion			Pass	Pass

Parameter	MDL [mg/kg]	Limit in scraped-off toy [mg/kg]	Result(s) [mg/kg]	
			015	016
Soluble Aluminum	5.00	28130	6.29	ND
Soluble Antimony	5.00	560	ND	ND
Soluble Arsenic	5.00	47	ND	ND
Soluble Barium	5.00	18750	ND	ND
Soluble Boron	5.00	15000	ND	ND
Soluble Cadmium	5.00	17	ND	ND
Soluble Chromium III	0.04	460	ND	ND
Soluble Chromium VI	0.04	0.053	ND	ND
Soluble Cobalt	5.00	130	ND	ND
Soluble Copper	5.00	7700	ND	ND
Soluble Lead	5.00	23	ND	ND
Soluble Manganese	5.00	15000	ND	ND
Soluble Mercury	5.00	94	ND	ND
Soluble Nickel	5.00	930	ND	ND
Soluble Selenium	5.00	460	ND	ND
Soluble Strontium	5.00	56000	ND	ND
Soluble Tin	2.50	180000	ND	ND
Organic Tin	7.50	12	ND	ND
Soluble Zinc	5.00	46000	ND	ND
Conclusion			Pass	Pass

Date: 2025-09-29

Parameter	MDL [mg/kg]	Limit in scraped- off toy [mg/kg]	Result(s) [mg/kg]
			017
Soluble Aluminum	5.00	28130	5.00
Soluble Antimony	5.00	560	ND
Soluble Arsenic	5.00	47	ND
Soluble Barium	5.00	18750	ND
Soluble Boron	5.00	15000	ND
Soluble Cadmium	5.00	17	ND
Soluble Chromium III	0.04	460	ND
Soluble Chromium VI	0.04	0.053	ND
Soluble Cobalt	5.00	130	ND
Soluble Copper	5.00	7700	ND
Soluble Lead	5.00	23	ND
Soluble Manganese	5.00	15000	ND
Soluble Mercury	5.00	94	ND
Soluble Nickel	5.00	930	ND
Soluble Selenium	5.00	460	ND
Soluble Strontium	5.00	56000	ND
Soluble Tin	2.50	180000	ND
Organic Tin	7.50	12	ND
Soluble Zinc	5.00	46000	ND
Conclusion			Pass

Remark:

1. The test results of the sample 002 is transferred from sample 002 of report 70.452.25.16023.
2. The test results of the sample 003 is transferred from sample 003 of report 70.452.25.16023.
3. The test results of the sample 004 is transferred from sample 004 of report 70.452.25.16023.
4. The test results of the sample 005 is transferred from sample 005 of report 70.452.25.16023.
5. The test results of the sample 006 is transferred from sample 006 of report 70.452.25.16023.
6. The test results of the sample 007 is transferred from sample 007 of report 70.452.25.16023.
7. The test results of the sample 008 is transferred from sample 008 of report 70.452.25.16023.
8. The test results of the sample 009 is transferred from sample 009 of report 70.452.25.16023.
9. The test results of the sample 010 is transferred from sample 010 of report 70.452.25.16023.
10. The test results of the sample 011 is transferred from sample 011 of report 70.452.25.16023.
11. The test results of the sample 012 is transferred from sample 012 of report 70.452.25.16023.

2. EN 71-3:2019+A2:2024-Migration of certain elements

Test with reference to EN71-3:2019+A2:2024, determination by ICP-MS.

Parameter	MDL [mg/kg]	Limit in scraped-off toy [mg/kg]	Result(s) [mg/kg]	
			002	003
Soluble Aluminum	5.00	28130	ND	ND
Soluble Antimony	5.00	560	ND	ND
Soluble Arsenic	5.00	47	ND	ND
Soluble Barium	5.00	18750	ND	ND
Soluble Boron	5.00	15000	ND	ND
Soluble Cadmium	5.00	17	ND	ND
Soluble Chromium III	0.04	460	ND	ND
Soluble Chromium VI	0.04	0.053	ND	ND
Soluble Cobalt	5.00	130	ND	ND
Soluble Copper	5.00	7700	ND	ND
Soluble Lead	5.00	23	ND	ND
Soluble Manganese	5.00	15000	ND	ND
Soluble Mercury	5.00	94	ND	ND
Soluble Nickel	5.00	930	ND	ND
Soluble Selenium	5.00	460	ND	ND
Soluble Strontium	5.00	56000	ND	ND
Soluble Tin	2.50	180000	ND	ND
Organic Tin	7.50	12	ND	ND
Soluble Zinc	5.00	46000	ND	39.7
Conclusion			Pass	Pass

Parameter	MDL [mg/kg]	Limit in scraped-off toy [mg/kg]	Result(s) [mg/kg]	
			004	005
Soluble Aluminum	5.00	28130	ND	ND
Soluble Antimony	5.00	560	ND	ND
Soluble Arsenic	5.00	47	ND	ND
Soluble Barium	5.00	18750	ND	ND
Soluble Boron	5.00	15000	ND	ND
Soluble Cadmium	5.00	17	ND	ND
Soluble Chromium III	0.04	460	ND	ND
Soluble Chromium VI	0.04	0.053	ND	ND
Soluble Cobalt	5.00	130	ND	ND
Soluble Copper	5.00	7700	ND	ND
Soluble Lead	5.00	23	ND	ND
Soluble Manganese	5.00	15000	ND	ND
Soluble Mercury	5.00	94	ND	ND
Soluble Nickel	5.00	930	ND	ND
Soluble Selenium	5.00	460	ND	ND
Soluble Strontium	5.00	56000	ND	ND
Soluble Tin	2.50	180000	ND	ND
Organic Tin	7.50	12	ND	ND
Soluble Zinc	5.00	46000	ND	ND
Conclusion			Pass	Pass

Parameter	MDL [mg/kg]	Limit in scraped-off toy [mg/kg]	Result(s) [mg/kg]	
			006	007
Soluble Aluminum	5.00	28130	ND	ND
Soluble Antimony	5.00	560	ND	ND
Soluble Arsenic	5.00	47	ND	ND
Soluble Barium	5.00	18750	ND	ND
Soluble Boron	5.00	15000	ND	ND
Soluble Cadmium	5.00	17	ND	ND
Soluble Chromium III	0.04	460	ND	ND
Soluble Chromium VI	0.04	0.053	ND	ND
Soluble Cobalt	5.00	130	ND	ND
Soluble Copper	5.00	7700	ND	ND
Soluble Lead	5.00	23	ND	ND
Soluble Manganese	5.00	15000	ND	ND
Soluble Mercury	5.00	94	ND	ND
Soluble Nickel	5.00	930	ND	ND
Soluble Selenium	5.00	460	ND	ND
Soluble Strontium	5.00	56000	ND	ND
Soluble Tin	2.50	180000	ND	ND
Organic Tin	7.50	12	ND	ND
Soluble Zinc	5.00	46000	ND	ND
Conclusion			Pass	Pass

Parameter	MDL [mg/kg]	Limit in scraped-off toy [mg/kg]	Result(s) [mg/kg]	
			008	009
Soluble Aluminum	5.00	28130	ND	ND
Soluble Antimony	5.00	560	ND	ND
Soluble Arsenic	5.00	47	ND	ND
Soluble Barium	5.00	18750	ND	ND
Soluble Boron	5.00	15000	ND	ND
Soluble Cadmium	5.00	17	ND	ND
Soluble Chromium III	0.04	460	ND	ND
Soluble Chromium VI	0.04	0.053	ND	ND
Soluble Cobalt	5.00	130	ND	ND
Soluble Copper	5.00	7700	ND	ND
Soluble Lead	5.00	23	ND	ND
Soluble Manganese	5.00	15000	ND	ND
Soluble Mercury	5.00	94	ND	ND
Soluble Nickel	5.00	930	ND	ND
Soluble Selenium	5.00	460	ND	ND
Soluble Strontium	5.00	56000	ND	ND
Soluble Tin	2.50	180000	ND	ND
Organic Tin	7.50	12	ND	ND
Soluble Zinc	5.00	46000	15.1	22.7
Conclusion			Pass	Pass

Parameter	MDL [mg/kg]	Limit in scraped-off toy [mg/kg]	Result(s) [mg/kg]	
			010	011
Soluble Aluminum	5.00	28130	5.20	229.4
Soluble Antimony	5.00	560	ND	ND
Soluble Arsenic	5.00	47	ND	ND
Soluble Barium	5.00	18750	10.7	410.6
Soluble Boron	5.00	15000	ND	5.02
Soluble Cadmium	5.00	17	ND	ND
Soluble Chromium III	0.04	460	0.200	0.201
Soluble Chromium VI	0.04	0.053	ND	ND
Soluble Cobalt	5.00	130	ND	ND
Soluble Copper	5.00	7700	ND	ND
Soluble Lead	5.00	23	ND	ND
Soluble Manganese	5.00	15000	ND	ND
Soluble Mercury	5.00	94	ND	ND
Soluble Nickel	5.00	930	ND	ND
Soluble Selenium	5.00	460	ND	ND
Soluble Strontium	5.00	56000	5.25	ND
Soluble Tin	2.50	180000	ND	ND
Organic Tin	7.50	12	ND	ND
Soluble Zinc	5.00	46000	8.35	ND
Conclusion			Pass	Pass

Note: - Mass of trace amount of sample 010 is 51.00 mg

Parameter	MDL [mg/kg]	Limit in scraped-off toy [mg/kg]	Result(s) [mg/kg]	
			012	014
Soluble Aluminum	5.00	28130	459.5	ND
Soluble Antimony	5.00	560	ND	ND
Soluble Arsenic	5.00	47	ND	ND
Soluble Barium	5.00	18750	591.8	ND
Soluble Boron	5.00	15000	ND	ND
Soluble Cadmium	5.00	17	ND	ND
Soluble Chromium III	0.04	460	0.453	ND
Soluble Chromium VI	0.04	0.053	ND	ND
Soluble Cobalt	5.00	130	ND	ND
Soluble Copper	5.00	7700	ND	ND
Soluble Lead	5.00	23	ND	ND
Soluble Manganese	5.00	15000	ND	ND
Soluble Mercury	5.00	94	ND	ND
Soluble Nickel	5.00	930	ND	ND
Soluble Selenium	5.00	460	ND	ND
Soluble Strontium	5.00	56000	16.6	ND
Soluble Tin	2.50	180000	ND	ND
Organic Tin	7.50	12	ND	ND
Soluble Zinc	5.00	46000	9.66	ND
Conclusion			Pass	Pass

Parameter	MDL [mg/kg]	Limit in scraped-off toy [mg/kg]	Result(s) [mg/kg]	
			015	016
Soluble Aluminum	5.00	28130	6.29	ND
Soluble Antimony	5.00	560	ND	ND
Soluble Arsenic	5.00	47	ND	ND
Soluble Barium	5.00	18750	ND	ND
Soluble Boron	5.00	15000	ND	ND
Soluble Cadmium	5.00	17	ND	ND
Soluble Chromium III	0.04	460	ND	ND
Soluble Chromium VI	0.04	0.053	ND	ND
Soluble Cobalt	5.00	130	ND	ND
Soluble Copper	5.00	7700	ND	ND
Soluble Lead	5.00	23	ND	ND
Soluble Manganese	5.00	15000	ND	ND
Soluble Mercury	5.00	94	ND	ND
Soluble Nickel	5.00	930	ND	ND
Soluble Selenium	5.00	460	ND	ND
Soluble Strontium	5.00	56000	ND	ND
Soluble Tin	2.50	180000	ND	ND
Organic Tin	7.50	12	ND	ND
Soluble Zinc	5.00	46000	ND	ND
Conclusion			Pass	Pass

Date: 2025-09-29

Parameter	MDL [mg/kg]	Limit in scraped- off toy [mg/kg]	Result(s) [mg/kg]
			017
Soluble Aluminum	5.00	28130	5.00
Soluble Antimony	5.00	560	ND
Soluble Arsenic	5.00	47	ND
Soluble Barium	5.00	18750	ND
Soluble Boron	5.00	15000	ND
Soluble Cadmium	5.00	17	ND
Soluble Chromium III	0.04	460	ND
Soluble Chromium VI	0.04	0.053	ND
Soluble Cobalt	5.00	130	ND
Soluble Copper	5.00	7700	ND
Soluble Lead	5.00	23	ND
Soluble Manganese	5.00	15000	ND
Soluble Mercury	5.00	94	ND
Soluble Nickel	5.00	930	ND
Soluble Selenium	5.00	460	ND
Soluble Strontium	5.00	56000	ND
Soluble Tin	2.50	180000	ND
Organic Tin	7.50	12	ND
Soluble Zinc	5.00	46000	ND
Conclusion			Pass

Remark:

1. The test results of the sample 002 is transferred from sample 002 of report 70.452.25.16023.
2. The test results of the sample 003 is transferred from sample 003 of report 70.452.25.16023.
3. The test results of the sample 004 is transferred from sample 004 of report 70.452.25.16023.
4. The test results of the sample 005 is transferred from sample 005 of report 70.452.25.16023.
5. The test results of the sample 006 is transferred from sample 006 of report 70.452.25.16023.
6. The test results of the sample 007 is transferred from sample 007 of report 70.452.25.16023.
7. The test results of the sample 008 is transferred from sample 008 of report 70.452.25.16023.
8. The test results of the sample 009 is transferred from sample 009 of report 70.452.25.16023.
9. The test results of the sample 010 is transferred from sample 010 of report 70.452.25.16023.
10. The test results of the sample 011 is transferred from sample 011 of report 70.452.25.16023.
11. The test results of the sample 012 is transferred from sample 012 of report 70.452.25.16023.

3. CPSIA, § 108, 16 CFR 1307- Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates

Test with reference to CPSC-CH-C1001-09.4, determination by GC-MS.

Parameter	CAS No.	Unit	MDL	Limit	Result(s)	
					002+004+005	003+006+007
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	ND	ND
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	ND	ND
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	ND	ND
Diisobutylphthalate, (DIBP)	84-69-5	%	0.005	0.1	ND	ND
Di-n-hexyl phthalate (DHEXP)	84-75-3	%	0.005	0.1	ND	ND
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.005	0.1	ND	ND
Di-isobutyl phthalate, (DINP)	28553-12-0 /68515-48-0	%	0.005	0.1	ND	ND
Di-n-pentyl phthalates (DPENP)	131-18-0	%	0.005	0.1	ND	ND
Conclusion					Pass	Pass

Parameter	CAS No.	Unit	MDL	Limit	Result(s)	
					008+009+010	011+012
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	ND	ND
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	ND	ND
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	ND	ND
Diisobutylphthalate, (DIBP)	84-69-5	%	0.005	0.1	ND	ND
Di-n-hexyl phthalate (DHEXP)	84-75-3	%	0.005	0.1	ND	ND
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.005	0.1	ND	ND
Di-isobutyl phthalate, (DINP)	28553-12-0 /68515-48-0	%	0.005	0.1	ND	ND
Di-n-pentyl phthalates (DPENP)	131-18-0	%	0.005	0.1	ND	ND
Conclusion					Pass	Pass

Parameter	CAS No.	Unit	MDL	Limit	Result(s)	
					014+015	016+017
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	ND	ND
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	ND	ND
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	ND	ND
Diisobutylphthalate, (DIBP)	84-69-5	%	0.005	0.1	ND	ND
Di-n-hexyl phthalate (DHEXP)	84-75-3	%	0.005	0.1	ND	ND
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.005	0.1	ND	ND
Di-isobutyl phthalate, (DINP)	28553-12-0 /68515-48-0	%	0.005	0.1	ND	ND
Di-n-pentyl phthalates (DPENP)	131-18-0	%	0.005	0.1	ND	ND
Conclusion					Pass	Pass

Remark:

1. The test results of the sample 002+004+005 is transferred from sample 002+004+005 of report 70.452.25.16023.
2. The test results of the sample 003+006+007 is transferred from sample 003+006+007 of report 70.452.25.16023.
3. The test results of the sample 008+009+010 is transferred from sample 008+009+010 of report 70.452.25.16023.
4. The test results of the sample 011+012 is transferred from sample 011+012 of report 70.452.25.16023.

4. ASTM F963-23 Section 4.3.5.1 & Section 4.3.5.2 - Soluble Heavy Elements

Test with reference to ASTM F963-23 Section 8.3, determination by ICP-MS.

Parameter	MDL [mg/kg]	Limit [mg/kg]	Result(s) [mg/kg]	
			002	003
Soluble Antimony	5.0	60	ND	ND
Soluble Arsenic	5.0	25	ND	ND
Soluble Barium	5.0	1000	ND	ND
Soluble Cadmium	5.0	75	ND	ND
Soluble Chromium	5.0	60	ND	ND
Soluble Lead	5.0	90	ND	ND
Soluble Mercury	5.0	60	ND	ND
Soluble Selenium	5.0	500	ND	ND
Conclusion			Pass	Pass

Date: 2025-09-29

Parameter	MDL [mg/kg]	Limit [mg/kg]	Result(s) [mg/kg]	
			004	005
Soluble Antimony	5.0	60	ND	ND
Soluble Arsenic	5.0	25	ND	ND
Soluble Barium	5.0	1000	ND	ND
Soluble Cadmium	5.0	75	ND	ND
Soluble Chromium	5.0	60	ND	ND
Soluble Lead	5.0	90	ND	ND
Soluble Mercury	5.0	60	ND	ND
Soluble Selenium	5.0	500	ND	ND
Conclusion			Pass	Pass

Parameter	MDL [mg/kg]	Limit [mg/kg]	Result(s) [mg/kg]	
			006	007
Soluble Antimony	5.0	60	ND	ND
Soluble Arsenic	5.0	25	ND	ND
Soluble Barium	5.0	1000	ND	ND
Soluble Cadmium	5.0	75	ND	ND
Soluble Chromium	5.0	60	ND	ND
Soluble Lead	5.0	90	ND	ND
Soluble Mercury	5.0	60	ND	ND
Soluble Selenium	5.0	500	ND	ND
Conclusion			Pass	Pass

Parameter	MDL [mg/kg]	Limit [mg/kg]	Result(s) [mg/kg]	
			008	009
Soluble Antimony	5.0	60	ND	ND
Soluble Arsenic	5.0	25	ND	ND
Soluble Barium	5.0	1000	ND	ND
Soluble Cadmium	5.0	75	ND	ND
Soluble Chromium	5.0	60	ND	ND
Soluble Lead	5.0	90	ND	ND
Soluble Mercury	5.0	60	ND	ND
Soluble Selenium	5.0	500	ND	ND
Conclusion			Pass	Pass

Parameter	MDL [mg/kg]	Limit [mg/kg]	Result(s) [mg/kg]	
			010	011
Soluble Antimony	5.0	60	ND	ND
Soluble Arsenic	5.0	25	ND	ND
Soluble Barium	5.0	1000	7.5	287
Soluble Cadmium	5.0	75	ND	ND
Soluble Chromium	5.0	60	ND	ND
Soluble Lead	5.0	90	ND	ND
Soluble Mercury	5.0	60	ND	ND
Soluble Selenium	5.0	500	ND	ND
Conclusion			Pass	Pass

Note: - Mass of trace amount of sample 010 is 51.00 mg

Parameter	MDL [mg/kg]	Limit [mg/kg]	Result(s) [mg/kg]	
			012	014
Soluble Antimony	5.0	60	ND	ND
Soluble Arsenic	5.0	25	ND	ND
Soluble Barium	5.0	1000	414	ND
Soluble Cadmium	5.0	75	ND	ND
Soluble Chromium	5.0	60	ND	ND
Soluble Lead	5.0	90	ND	ND
Soluble Mercury	5.0	60	ND	ND
Soluble Selenium	5.0	500	ND	ND
Conclusion			Pass	Pass

Parameter	MDL [mg/kg]	Limit [mg/kg]	Result(s) [mg/kg]	
			015	016
Soluble Antimony	5.0	60	ND	ND
Soluble Arsenic	5.0	25	ND	ND
Soluble Barium	5.0	1000	ND	ND
Soluble Cadmium	5.0	75	ND	ND
Soluble Chromium	5.0	60	ND	ND
Soluble Lead	5.0	90	ND	ND
Soluble Mercury	5.0	60	ND	ND
Soluble Selenium	5.0	500	ND	ND
Conclusion			Pass	Pass

Parameter	MDL [mg/kg]	Limit [mg/kg]	Result(s) [mg/kg]
			017
Soluble Antimony	5.0	60	ND
Soluble Arsenic	5.0	25	ND
Soluble Barium	5.0	1000	ND
Soluble Cadmium	5.0	75	ND
Soluble Chromium	5.0	60	ND
Soluble Lead	5.0	90	ND
Soluble Mercury	5.0	60	ND
Soluble Selenium	5.0	500	ND
Conclusion			Pass

Remark: 1. Adjusted analytical result.

Remark:

1. The test results of the sample 002 is transferred from sample 002 of report 70.452.25.16023.
2. The test results of the sample 003 is transferred from sample 003 of report 70.452.25.16023.
3. The test results of the sample 004 is transferred from sample 004 of report 70.452.25.16023.
4. The test results of the sample 005 is transferred from sample 005 of report 70.452.25.16023.
5. The test results of the sample 006 is transferred from sample 006 of report 70.452.25.16023.
6. The test results of the sample 007 is transferred from sample 007 of report 70.452.25.16023.
7. The test results of the sample 008 is transferred from sample 008 of report 70.452.25.16023.
8. The test results of the sample 009 is transferred from sample 009 of report 70.452.25.16023.
9. The test results of the sample 010 is transferred from sample 010 of report 70.452.25.16023.
10. The test results of the sample 011 is transferred from sample 011 of report 70.452.25.16023.
11. The test results of the sample 012 is transferred from sample 012 of report 70.452.25.16023.

5. 16 CFR Part 1303 / CPSIA section 101(f) - Total Lead Content (surface coating)

Test with reference to CPSC-CH-E1003-09.1, determination by ICP-OES.

Sample	Unit	MDL	Limit	Result(s)	Conclusion
011+012	mg/kg	10.0	90	ND	Pass

Remark:

1. The test results of the sample 011+012 is transferred from sample 011+012 of report 70.452.25.16023.

6. 15 U.S.C. § 1278a / CPSIA section 101(a)(2) - Total lead content (Substrate)

Test with reference to CPSC-CH-E1001-08.3 or CPSC-CH-E1002-08.3, determination by ICP-OES.

Sample	Unit	MDL	Limit	Result(s)	Conclusion
002+004+005	mg/kg	10.0	100	ND	Pass
003+006+007	mg/kg	10.0	100	ND	Pass
008+009+010	mg/kg	10.0	100	ND	Pass
013	mg/kg	10.0	100	ND	Pass
014+015	mg/kg	10.0	100	ND	Pass
016+017	mg/kg	10.0	100	ND	Pass

Remark:

1. The test results of the sample 002+004+005 is transferred from sample 002+004+005 of report 70.452.25.16023.
2. The test results of the sample 003+006+007 is transferred from sample 003+006+007 of report 70.452.25.16023.
3. The test results of the sample 008+009+010 is transferred from sample 008+009+010 of report 70.452.25.16023.
4. The test results of the sample 013 is transferred from sample 013 of report 70.452.25.16023.

7. ASTM F963-23 Section 4.3.8 - Phthalates

Test with reference to CPSC-CH-C1001-09.4, determination by GC-MS.

Parameter	CAS No.	Unit	MDL	Limit	Result(s)	
					002+004+005	003+006+007
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	ND	ND
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	ND	ND
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	ND	ND
Diisobutylphthalate, (DIBP)	84-69-5	%	0.005	0.1	ND	ND
Di-n-hexyl phthalate (DHEXP)	84-75-3	%	0.005	0.1	ND	ND
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.005	0.1	ND	ND
Di-isobutyl phthalate, (DINP)	28553-12-0 /68515-48-0	%	0.005	0.1	ND	ND
Di-n-pentyl phthalates (DPENP)	131-18-0	%	0.005	0.1	ND	ND
Conclusion					Pass	Pass

Parameter	CAS No.	Unit	MDL	Limit	Result(s)	
					008+009+010	011+012

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd.

Shanghai Branch, Testing Center

Building B,C, No. 1999 and Building D, No. 2059,
Duhui Road, Minhang District, Shanghai

Phone: +86 21 60376300

Fax: +86 21 60376350

<https://www.tuvsud.com>

Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd.

Shanghai Branch, TÜV SÜD Group

Floor 11-12, No 151, Hengtong Road, Jing'an District, Shanghai

Page 34 of 41

Date: 2025-09-29

Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	ND	ND
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	ND	ND
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	ND	ND
Diisobutylphthalate, (DIBP)	84-69-5	%	0.005	0.1	ND	ND
Di-n-hexyl phthalate (DHEXP)	84-75-3	%	0.005	0.1	ND	ND
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.005	0.1	ND	ND
Di-isobutyl phthalate, (DINP)	28553-12-0 /68515-48-0	%	0.005	0.1	ND	ND
Di-n-pentyl phthalates (DPENP)	131-18-0	%	0.005	0.1	ND	ND
Conclusion					Pass	Pass

Parameter	CAS No.	Unit	MDL	Limit	Result(s)	
					014+015	016+017
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	ND	ND
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	ND	ND
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	ND	ND
Diisobutylphthalate, (DIBP)	84-69-5	%	0.005	0.1	ND	ND
Di-n-hexyl phthalate (DHEXP)	84-75-3	%	0.005	0.1	ND	ND
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.005	0.1	ND	ND
Di-isobutyl phthalate, (DINP)	28553-12-0 /68515-48-0	%	0.005	0.1	ND	ND
Di-n-pentyl phthalates (DPENP)	131-18-0	%	0.005	0.1	ND	ND
Conclusion					Pass	Pass

Remark:

1. The test results of the sample 002+004+005 is transferred from sample 002+004+005 of report 70.452.25.16023.
2. The test results of the sample 003+006+007 is transferred from sample 003+006+007 of report 70.452.25.16023.
3. The test results of the sample 008+009+010 is transferred from sample 008+009+010 of report 70.452.25.16023.
4. The test results of the sample 011+012 is transferred from sample 011+012 of report 70.452.25.16023.

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd.

Shanghai Branch, Testing Center

Building B,C, No. 1999 and Building D, No. 2059,
Duhui Road, Minhang District, Shanghai

Phone: +86 21 60376300

Fax: +86 21 60376350

<https://www.tuvsud.com>**Regd. Office:**

TÜV SÜD Certification and Testing (China) Co., Ltd.

Shanghai Branch, TÜV SÜD Group

Floor 11-12, No 151, Hengtong Road, Jing'an District, Shanghai

Page 35 of 41

8. EN 71-1:2014+A1:2018 Mechanical and Physical Properties

Sample		001,018,019
Labelled age range		12-36months
Requested age range		1-3 years
Age range for testing		From 1 to 3 years
Clause	Requirement	Evaluation
4	General Requirements	--
4.1	Material cleanliness	P
4.2	Assembly	P
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	P
4.8	Points and metallic wires	P
4.9	Protruding parts	P
4.10	Parts moving against each other	NA
4.11	Mouth-actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	P
4.16	Heavy immobile toys	NA
4.17	Projectile Toys	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	NA
4.21	Toys containing a non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo Balls	NA
4.25	Toys attached to food	NA
4.26	Toy Disguise Costumes	NA
4.27	Flying toys	NA
5	Toys intended for children under 36 months	--
5.1	General requirements	P
5.2	Soft-filled toys and soft-filled parts of a toy	P
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA

Clause	Requirement	Evaluation
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
6	Packaging	P
7	Warnings, markings and instructions for use	--
7.1	General	P
7.2	Toys not intended for children under 36 months	NA
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectiles toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toys kites	NA
7.10	Roller skates, inline skates, skateboards and certain other ride-on toys	P
7.11	Toys intended to be strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teether	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	P
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic/Electrical experiment sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.26	Improvised projectiles	NA

Abbreviation:

P = Pass, F = Fail, NA = Not Applicable, NR = Not Requested.

Labelling requirement (Washing/Cleaning instruction, CE marking, Importer/Manufacturer name and address, Product identification) according to the Directive 2009/48/EC-Safety of toys.

	On Package	On Product
Washing/Cleaning instruction	Not Applicable	Not Applicable

A toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned.

	On Package	On Product
CE Marking	Present (Dimension: more than 5mm)	Present (Dimension: more than 5mm)
(EU) Manufacturer's Name and Address	Present	Present
(EU) Importer's Name and Address	Present	Present
Product Identification	Present	Present

The following marking shall be fulfilled.

- The CE marking is subject to the general principles set out in Article 30 of Regulation (EC) No 765/2008. The CE marking shall be affixed visibly, legibly and indelibly to the toy, to an affixed label to the packaging, or to the counter display.
- The manufacturer's name and address, importer's name and address in the EU shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.
- The toys shall bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

9. EN 71-2:2020 Flammability

Sample		001,018,019
Clause	Requirement	Evaluation
4.1	General Requirements	P
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft-filled toys	NA

Abbreviation:

P = Pass, F = Fail, NA = Not Applicable, NR = Not Requested.

10. ASTM F963-23 Standard Consumer Safety Specification for Toy Safety - Physical and Mechanical

Sample	001,018,019
Labelled age range	12-36months
Requested age range	1-3 years
Age range for testing	From 1 to 3 years

Clause	Requirement	Evaluation
4	Safety Requirements	--
4.1	Material Quality	P
4.3.7	Stuffing Materials	P
4.4	Electrical/Thermal Energy	NA
4.5	Sound-Producing toys	NA
4.6	Small Objects	P
4.7	Accessible Edges	P
4.8	Projections	P
4.9	Accessible Points	P
4.10	Wires or Rods	NA
4.11	Nails and Fasteners	P
4.12	Plastic Film	P
4.13	Folding Mechanisms and Hinges	NA
4.14	Cords, Straps, and Elastics	NA
4.15	Stability and Over-load Requirements	P
4.16	Confined Spaces	NA
4.17	Wheels, Tires, and Axles	P
4.18	Holes, Clearance, and Accessibility of Mechanisms	P
4.19	Simulated Protective Devices	NA
4.20	Pacifiers	NA
4.21	Projectile Toys	NA
4.22	Teethers and Teething Toys	NA
4.23	Rattles	NA
4.24	Squeeze toys	NA
4.25	Battery-Operated toys	NA
4.26	Toys Intended to be Attached to a Crib or Playpen	NA
4.27	Stuffed and Beanbag-Type Toys	P
4.28	Stroller and Carriage toys	NA
4.29	Art Materials	NA
4.30	Toy Gun Marking	NA
4.31	Balloons	NA
4.32	Certain Toys with Nearly Spherical Ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-Shaped Objects	NA
4.37	Yo Yo Elastic Tether Toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapment in Handles and Steering Wheels	NA
4.40	Expanding Materials	NA
4.41	Toy chests	NA

Clause	Requirement	Evaluation
5	Labeling Requirements	--
5.1.2	Tracking Label	P
5.2	Age Grading Labeling	P
5.3	Safety Labeling Requirements	NA
5.4	Aquatic Toys	NA
5.5	Crib and Playpen Toys	NA
5.6	Mobiles	NA
5.7	Stroller and Carriage Toys	NA
5.8	Toys Intended to be Assembled By an Adult	NA
5.9	Simulated Protective Devices	NA
5.10	Toys with Functional Sharp Edges or Points	NA
5.11	Small Objects, Small Balls, Marbles, and Balloons	NA
5.12	Art Materials	NA
5.13	Electric Toys	NA
5.14	Battery-Operated Toys	NA
5.15	Promotional Materials	P
5.16	Magnets	NA
6	Instructional Literature	--
6.1	Definition and Description	P
6.2	Crib and Playpen Toys	NA
6.3	Mobiles	NA
6.4	Toys Intended to be Assembled By an Adult	NA
6.5	Battery-Operated Toys	NA
6.6	Battery-powered Ride-on Toys	NA
6.7	Toys in Contact with Food	NA
6.8	Toy Chests	NA
6.9	Instructional material for toys which require a manufacturer-supplied specialty or custom tool	NA
7	Producer's Markings	--
7.1	Name and Address of the Producer or Distributor	P
7.2	Battery-Powered Ride-on Toys	NA
7.3	Toy Chests	NA

Abbreviation:

P = Pass, F = Fail, NA = Not Applicable, NR = Not Requested.

11. ASTM F963-23 Standard Consumer Safety Specification for Toy Safety - Flammability Test of Materials Other Than Textile Materials

As per Section 4.2 of ASTM F963-23 Standard Consumer Safety Specification for Toy Safety

Sample	001,018,019
Result: Ignited but Self-Extinguished before Burn Rate Could be Determined	

Note:

The submitted samples were tested, the above result only showed the most severe burn rate of the samples.

12. 16 CFR 1501 Small part

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd.

Shanghai Branch, Testing Center

Building B,C, No. 1999 and Building D, No. 2059,
Duhui Road, Minhang District, Shanghai

Phone: +86 21 60376300

Fax: +86 21 60376350

<https://www.tuvsud.com>

Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd.

Shanghai Branch, TÜV SÜD Group

Floor 11-12, No 151, Hengtong Road, Jing'an District, Shanghai

Page 40 of 41

Sample			001,018,019
Test item	Method	Requirements	Conclusion
Small part	With reference to U.S. Code of Federal Regulations Title 16 Commercial Practices Part 1501 and 16 CFR 1500.51~52.	The submitted sample(s) shall be free from small parts.	Pass

Abbreviation:

P = Pass, F = Fail, NA = Not Applicable, NR = Not Requested.

13. Tracking label per Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 Tracking labels for children's products

Sample		001,018,019
Section	Requirement	Evaluation
Tracking labels for children's products	A permanent and distinguishing mark or code on the product and its packaging, to the extent practicable, allows the manufacturer and purchaser to ascertain the name of the manufacturer or private labeler, location and date of production of the product.	P#1

Abbreviation:

P = Pass, F = Fail, NA = Not Applicable, NR = Not Requested.

Note:

The tracking label assessment was based on the submitted samples and the information provided by the applicant. There was no verification on the validity of such information.

Remark:

#1= Permanency of tracking on product was not assessed, due to artwork of tracking label was provided during testing.

-End of Test Report-