QUICK REFERENCE GUIDE > WODV230 N

# Double Oven, 30", 10 Function, Self-cleaning

Series 7 | Professional

Stainless Steel



Choose maximum capacity, combining two independent ovens so you can cook multiple dishes simultaneously.


- 4.1 + 4.1 cu ft total capacity across two oven cavities
- 10 functions in each oven including Roast and Aero™ Pastry
- High-temperature self-cleaning function breaks down food residue for an easy clean
- Non-tip, full-extension shelves for safe removal of hot dishes

### **DIMENSIONS**

 Height
 48 1/2"

 Width
 29 3/4"

 Depth
 23 5/16"



### **FEATURES & BENEFITS**

### COOKING FLEXIBILITY

This built-in oven has 10 functions with pre-set temperatures, including Roast, Pastry Bake and Maxi Broil allowing you to use a variety of cooking styles.

### **EVEN COOKING**

A digital microprocessor monitors the temperature to ensure precise heat and a four-way convection system creates even heat distribution throughout the oven, ideal for multi-shelf cooking.

### SIZED TO SUIT

This is one of the largest built-in ovens on the market providing

8.2 cu ft total capacity across two oven cavities allowing you to fit a large casserole dish, the family roast and a pie for dessert.

### SELF CLEANING

The self-clean function breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth. For best results, wipe down the inside of your oven door before you use the self-clean function.

### INFORMATION AT A GLANCE

Halo illuminated dials provide information at a glance. White – heating up; orange – temperature is reached; red – self-cleaning mode. Three halogen lights and the large oven window creates excellent visibility of what's cooking.

### SAFE AND SOUND

The CoolTouch door with triple glazing and cooling system is safe to touch from the outside, protecting your hands and the surrounding cabinetry.

### **SPECIFICATIONS**

Accessories	
Full extension sliding shelves	5 sets
Roast dish, splatter guard and	1

# Capacity Shelf positions 8 Total capacity 8.2cu ft Total gross capacity (bottom 4.1cu ft Total gross capacity (top 4.1cu ft Usable capacity 7.2cu ft Usable gross capacity (bottom 3.6cu ft Usable gross capacity (top 3.6cu ft

### Cleaning

QUICK REFERENCE GUIDE > WODV230\_N

Acid resistant graphite enamel	•	Pastry Bake	•
Pyrolytic self-clean	•	Pastry Bake with Pizza mode •	
Removable oven door	•	Roast	•
Removable shelf runners	•	Self-clean	•
		True convection	•
Controls		Warm	•
Audio feedback	•		
Automatic cooking/minute	•	Performance	
Automatic pre-set	•	AeroTech™ technology	•
Celsius/Fahrenheit	•	Automatic rapid pre-heat	•
Concealed element	•	Broil power	4400W
Delay start	•		
Electronic clock	•	Power requirements	
Electronic oven control	•	Amperage	16.7 - 19.4A
Halogen lights	•	Supply frequency	60Hz
LED display	•	Supply voltage	208 - 240V
Multi-language interface	•		
Precise electronic temperature	•	Product dimensions	
Sabbath mode	•	Depth	23 5/16"
Turned stainless capacitive	•	Height	48 1/2"
		Width	29 3/4"
Functions			
Bake	•	Safety	
Broil	•	ADA compliant	•
Convection Broil	•	Control panel key lock	•
Convection bake	•	CoolTouch door	•
Convection pastry	•	Full extension sliding shelves	•
Maxi Broil	•	Non-tip shelves	•
Maxi Grill	•	Safety thermostat	•
Number of functions	10		

Warranty	
Parts and labor	2 years
SKU	81831

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

QUICK REFERENCE GUIDE > WODV230\_N

Date: 15.11.2022 > 3

# Other product downloads available at fisherpaykel.com



Quick Start Guide



User Guide



Service & Warranty



Installation Guide



Data Sheet Double Oven



## A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

**T** 1.888.936.7872 **W**www.fisherpaykel.com