



# ***SOCCER ROBOTS***



## User Manual for BOT2000 v2360-01

\*Photos on manual are for reference only, please take the actual product as the standard.

**WARNING:**  
CHOKING HAZARD - small parts.  
Not for children under 3 years.

# Product Contents




Robot (red) x1



Robot (blue) x1



Remote Controller  
(red) x1




Remote Controller  
(blue) x1



Ball guard set x1



Ball guard set x1



Goal x2




Barricade x3



Ball x2

# Remote


## Remote Functions



## Remote Batteries


Requires 2 1.5VAAA non-rechargeable batteries (not included).

1. Use a screwdriver (not included) to open the battery cover.
2. Install 2 x1.5V AAA non-rechargeable batteries.
3. Close the battery cover and retighten the screws.



# Robot

## Battery Installation




1. The robot requires 3 x 1.5V AAA batteries (not included).
2. Firstly, open the battery box by hand by pulling on the 2 locking tabs on the side of the battery box.
3. Install 3x 1.5VAAA batteries according to the diagram.
4. Firmly close the battery cover, making sure the 2 locking tabs on the sides have clicked into place.


### Notes for battery usage:

1. When replacing non-rechargeable batteries, only replace with the same battery type.
5. Do not mix new and old batteries or different types of batteries.
6. The battery should be installed in the correct polarity. Replace batteries according to the diagram on the battery compartment.
7. Remove used batteries from toy.
8. The power terminal shall not be short-circuited.
9. Toy should not be connected to more power sources than recommended.
10. The batteries and charger must be checked whether its wires, plugs, casing and other parts are damaged before use. If damaged, do not use until repaired.


## Preparation before operation



Attach the left and right ball guards.



Power on the remote.




Power on the robot. The eye will light up when the power is ON.

# Operating Procedure

## Forward

Press the forward button to move the robot forward in a straight line.


Figure 1



## Backward

Press the back button to move the robot backward in a straight line.

Figure 2



## Turn Left

Press the left button to move the robot left.

Figure 3



## Turn Right

Press the right button to move the robot right.


Figure 4



## 360° Spin


Press and hold the left button and the robot will rotate 360 degrees to the left.

Figure 5



Press and hold the right button and the robot will rotate 360 degrees to the right.

Figure 6



## Kicking


Press the left foot button to make the robot kick with its left foot.

Figure 7



Press the right foot button to make the robot kick with its right foot.

Figure 8



# Customer Service

## Contact Information

Website: [www.gpx.com](http://www.gpx.com)

Email Support: [prodinfo@dpiinc.com](mailto:prodinfo@dpiinc.com)

Email Parts: [partsinfo@dpiinc.com](mailto:partsinfo@dpiinc.com)

Phone Support: 1-888-999-4215

## Warranty

See included 30 Day Warranty for warranty information. Warranty and the most up-to-date version of this User's Guide can also be found at:

[www.gpx.com](http://www.gpx.com)

## International Support

To download this User's Guide in English, Spanish, and French, or to get answers to frequently asked questions, visit the support section at: [www.gpx.com](http://www.gpx.com)

Para descargar este Manual del Usuario en inglés, español y francés, o para obtener respuestas a preguntas frecuentes, visite la sección de apoyo en: [www.gpx.com](http://www.gpx.com)

Pour télécharger ce guide de l'utilisateur en anglais, espagnol ou français, ou pour obtenir des réponses à des questions fréquemment posées, consultez la rubrique d'assistance sur: [www.gpx.com](http://www.gpx.com)



***Protect for Today  
Sustain for Tomorrow***

Copyright © 2019 Digital Products International (DPI, Inc.) All other trademarks appearing herein are the property of their respective owners. Specifications are subject to change without notice.