Superior Image Quality Meets Classic Elegant Design

Delicate touches make a monitor truly great, VS228H Full HD LED monitor, with 50,000,000:1 high contrast ratio and HDMI interface, is optimized for the finest image and color quality. This approach extends to the sturdy stand and slim profile without compromising style in ensuring stability and durability.

Add to comparison

Superior Image Quality Meets Classic Elegant Design

Delicate touches make a monitor truly great, VS228H Full HD LED monitor, with 50,000,000:1 high contrast ratio and HDMI interface, is optimized for the finest image and color quality. This approach extends to the sturdy stand and slim profile without compromising style in ensuring stability and durability.

True-to-life Pictures Powered by LED

50,000,000:1 ASUS Smart Contrast Ratio

Dynamically enhances the display's contrast by adjusting the luminance
of the backlight to achieve the darkest black and brightest white – delivering lifelike images.

Full HD with HDMI

Enter a spectacular world of colors with Full HD 1080p (1920x1080) support and HDMI port.

Versatile viewing positions with Smart View Technology

When you would like to watch movies upward lying down, Smart View Technology can adjust color parameters to deliver the same image quality and colors with straight viewing.

Aspect Control function

Aspect Control function allows users to select a preferred display mode among Full and 4:3 for true-to-life gaming or movie watching without any data loss or image distortion.

Splendid™ Video Intelligence Technology

The exclusive Splendid Video Intelligence Technology optimizes video performance and image fidelity by enhancing color, brightness, contrast, and sharpness. 6 preset video modes (Scenery, Theater, Game, Night View, sRGB and Standard) can be selected via a hotkey.

Stylish and User-friendly Design for Modern Sophistication

Convenient key controls for functional set-up in the multi-language OSD.

Easily detachable base for wall mount.

VESA Wall Mount Standard (100 x 100 mm).

25° (forward 5°, backwards 20°)Tilting Angle.

KENSINGTON Security Lock.

Green in Mind

Greener Materials

Mercury-free LED-backlit panel

Corrugated cardboard packaging with at least 80% recycled content

Slim-flat packaging allows more cartons to be fitted per cargo, reducing transportation costs and CO_2 emission

Energy and Planet Saving

37.2k Wh electricity saving

23.6kg reduction in CO_2emissions, equivalent to:
1.9 trees planted
2 years of oxygen for a family of four

Warranty

Corporate Stable Model

As the first monitor series to enter our renowned Corporate Stable Model program, the VS series is guaranteed to remain in stable supply for a minimum of 1 year. This ensures guaranteed replacement should you need more of the same models.

ASUS Rapid Replacement Warranty

Along with a 3 year warranty for the display panel and system, you get the complimentary ASUS Rapid Replacement service that covers free 2-way shipping and offers free cross-shipping that swaps any defective unit with a replacement.

Display

Panel Size : Wide Screen 21.5"(54.6cm) 16:9

True Resolution : 1920x1080

Full HD 1080P : Yes

Pixel Pitch : 0.248mm

Brightness(Max) : 250 cd/㎡

ASUS Smart Contrast Ratio (ASCR) : 50000000:1

Viewing Angle (CR≧10) : 170°(H)/160°(V)

Response Time : 5ms

Display Colors : 16.7M

Video Feature

SPLENDID Video Intelligence Technology

SPLENDID Video Preset Modes : 6 Modes

Skin-Tone Selection : 3 Modes

Color Temperature Selection : 4 Modes

HDCP support

Convenient Hotkey

SPLENDID Video Preset Mode Selection

Auto. Adjustment

Brightness Adjustment

Contrast Adjustment

Input Selection

I/O Ports

Signal Input : HDMI , D-Sub, DVI-D

Earphone jack : 3.5mm Mini-Jack

Signal Frequency

Analog Signal Frequency : 30~80 KHz(H)/ 55~75 Hz(V)

Digital Signal Frequency : 30~80 KHz(H)/ 55~75 Hz(V)

Power Consumption

Power On Mode:<25W

Power Savinf Mode: <0.5W

Power Off Mode: <0.5W

Mechanical Design

Chassis Colors : Black

Tilt : +25°~-5°

VESA Wall Mounting : 100x100mm

Security

Kensington lock

Dimensions

Phys. Dimension with Stand(WxHxD): 514.1x385.5x200mm

Box Dimension (WxHxD):566x 443 x130 mm

Weight

Net Weight (Esti.): 3.1kg

Gross Weight (Esti.):5.2kg

Accessories

DVI cable

VGA cable

Power cord

Quick start guide

Warranty Card

Regulation Approval

EPEAT Gold Certified, Energy Star , UL/cUL, CB, CE, ErP, FCC, CCC, BSMI, Gost-R, C-Tick, VCCI, PSB, EK, J-MOSS, RoHS, WEEE, Windows Vista and Windows 7 WHQL