![IOGEAR]

GUV301

Video Capture Adapter - HDMI to USB-C

Capture and Stream Live or Recorded Video Easily record and stream high-quality audio and video directly from your HDMI-enabled camera to your Mac or Windows computer via its USB-C or Thunderbolt 3 port with the IOGEAR Video Capture Adapter. Transfer recorded videos and broadcast live to social and online video platforms such as YouTube or any platform that supports Open Broadcast Software (OBS).

Effortless Transfers & Streaming The IOGEAR Video Capture Adapter supports USB video class (UVC) streaming devices such as digital video and still-image cameras, webcams, and analog video converters for Plug-n-Play usability without a power supply. The Adapter requires no software or drivers and is ready to use with your computer.

1080p High-Definition Video Record and stream 1080p video @60Hz for clear HD quality video content captured from events, meetings, presentations, and much more.

- Capture high-quality audio/video up to 1080p @60Hz
- Connect an HDMI-enabled video camera to a USB-C computer/tablet
- Stream audio/video directly from connected camera
- Supports USB Video Device UVC/UAC v1.1
- No drivers or external power adapter required
- Open Broadcast Software (OBS) support

Input Source   **Output**

USB-C

OR

OR

USB-A

Requirements

- Windows 7 and above with UVC (USB Video Class) v1.1 support
- Mac OSX 10.13 and above with UVC support
- **System requirements:**
  CPU:Intel® Core™ i3 2.8 GHz or higher
  Memory: 4GB or more
  One USB-A or USB-C 3.1 port
  Stream software with UVC device support
- Stream Software Support*:
  Youtube, Facebook, and Twitch
  OBS: https://obsproject.com
  Xsplit: https://www.xsplit.com

Package Contents

- GUV301 x 1
- USB-C to USB-A adapter x 1
- Quick Start Guide x 1
- Warranty Card x 1

Specifications

Function	GUV301
Connectors	
Video Input	1 x HDMI female (1920 x 1080 24p/25p/30p/50p/59.54p/60p or 1920 x 1080 50i/59.94i/60i or 1280 x 768 30p/60p or 1280 x 720 30p/50p/59.94p/60p)
Video Output	USB-C G1 (1080P@60Hz)
Environment	
Operation Temperature	0?40 degree Celsius
Storage Temperature	-20?60 degree Celsius
Humidity	0?80% RH, Non-condensing
Operating System Requirements	
Mac	Mac OSX 10.10 and above with UVC support
Windows	Windows 7 and above with UVC v1.1 support
Other	Stream Software Support: OBS/Xsplit/CameraFi

Dimensions	GUV301
Unit Dimensions	
Height	
Depth	
Length	
Unit Package Dimensions	
Width	
Height	
Depth	
Master Carton	
Width	
Height	
Depth	
Master Carton Qty.	12
Weight	
Master Carton Wt.	
Inner Pack Wt.	
Unit Pack Wt.	
Unit Wt.	