800 Series Dryer with Home Connect® - WQB245AXUC



WQB245AXUC Pearl Steel

The 800 Series dryer is a perfect companion to the 800 series washer, matching in quality, performance and design.

Features & Benefits

With the Home Connect® app, control and monitor your appliance remotely and receive helpful notifications on your smart device, including when a cycle is complete.

The heat pump dryer with Self-cleaning Condenser™ rinses lint with every cycle and simplifies dryer maintenance.

Reduce wrinkles and minimize ironing with new Steam Restore feature.

The 4.0 cu. ft. drum has a large capacity to fit a variety of loads.









| General Properties | |
|----------------------------------|--|
| | Heat Pump |
| Dryer type | · |
| Drum material | Stainless Steel |
| Interior light | Yes (LED) |
| Ventless drying (no ducting) | Yes |
| Stackable | Yes with Stacking Kit Accessory |
| Silence level | 62 dBA |
| Programs (No.), [Special] | (14) [Steam Restore, Sportswear] |
| Options (No.), [Special] | (8) [Smart Dry, Dryness Level] |
| Home Connect® (Wi-Fi enabled) | Yes |
| Energy consumption | 125 kWh/yr |
| ENERGY STAR® certified | Yes |
| Capacity | |
| Capacity | 4.0 cu. ft. |
| Design Elements | |
| Door ring | Chrome |
| Control type | Premium LED touch |
| Dial | Illuminated jog dia |
| Bosch logo on door glass | Yes |
| Technical Details | |
| Energy source | Electric |
| Watts | 900 W |
| Circuit breaker | 15 A* |
| Volts | 208/220-240 V |
| Current | 4 A |
| Frequency | 60 Hz |
| Power Cord (included) [Type] | (Yes) [240V; NEMA 6-15 3-prong] |
| Power cord length | 63" (Full Length) |
| Drain hose length | 78" (Full Length) |
| Door hinge | Right Side (Reversible) |

| Dimensions & Weight | |
|--------------------------------------|----------------------------|
| Overall appliance dimensions (HxWxD) | 33 1/4" x 23 1/2" x 26" |
| Net weight | 121 lbs |
| Minimum stack height | 67 3/4" |

†ADA compliance

- Meets ADA height and access requirements when installed on pedestal.
- Meets ADA operable parts requirements for controls and lint filter.

Accessories

Dryer Stacking Kits





WTZ2Z50XUC Kit w/Shelf

WTZ2751XUC Kit w/out Shelf

Power Adapters



4-Prong





WTZPA20UC

WTZPA30US 3-Prong

Bosch Dryers are supplied with WTZPA20UC adapter to fit a standard 4-Prong, 30A, Dryer receptacle (NEMA 14-30R) to power both Bosch Washers and Dryers.

Note: - 3-Prong Adapter may be ordered directly from Bosch (not supplied with Washer or Dryer).

- Use of two individual NEMA 6-15R or 6-20R receptacles/circuits may be used as alternative means to power Washer and Dryer.



WTZPW2XD Dryer Pedestal



WMZ20600 Drying Rack

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST). Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.


^{*}Stated circuit breaker size is if the appliance is plugged into an individual 240/208V, 15A minimum branch circuit.

To be fully ADA compliant, these units must be installed according to ADA guidelines. Please check current ADA requirements for guidance on installation.



800 Series Dryer with Home Connect® - WQB245AXUC

Installation Details




Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.



800 Series Dryer with Home Connect® - WQB245AXUC


Installation Details



- A: Dryer
- B: Washer
- C: Power Adapter
 All references to NEMA 14-30R
 Dryer receptacles in this document
 have the orientation with the
 ground pin up.

Use of two individual NEMA 6-15R or 6-20R receptacles may be used as alternative means to power Washer and Dryer.

Dimensions reflect use of stacking kits.



Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.


Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.



800 Series Dryer with Home Connect® - WQB245AXUC

Installation Details

Closet: Stacked Washer and Heat Pump Dryer



Minimum clearance requirements (Stacked, Stand Alone or Side by Side): A: Both sides (left and right) – 1/2"

B: Top – 61/4" **C**: Rear – 3"

D: Front – ½"

Minimum door undercut (louvered area): E: Undercut height (Top and Bottom) – 1¼" Louvered areas of equal total sizes and split between upper and lower portions of door are permitted.


F: Undercut width (Top and Bottom):

– 24" minimum for Stacked and Stand Alone

– 48" minimum for Side by Side

For shortest drying times keep closet door open while dryer is operating. When closet doors are closed, open areas only allow minimal drying results (expect long drying times).

Under Counter



Minimum opening dimensions: A: Depth – 28" B: Width – 231/6" C: Height – 341/2"

Front of appliance fully open. No doors or coverings.

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST). Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.