

Krane & Bauer Slide II Earbuds

SOUND

Advanced Sound Features
Adaptive Active Noise Cancellation
Transparency Mode

Frequency Range
20 - 20,000 Hz

CONNECTIVITY

Bluetooth Version
Bluetooth 5.4

Bluetooth Codecs
aptX™ Adaptive
AAC
SBC

Microphones
6 x MEMS, omni-directional (beam
directional for speech)

Physical Connections
1 x USB-C (charging case)

On-Device Controls
Yes

Multipoint
Yes (Up To 2 Devices)

Certifications / Fast Pairing
Made for iPhone (MFi)
Google Fast Pair
Microsoft Swift Pair

Fit
True Wireless In ear

Materials

Aluminium
Specialized toughened glass
Polymer
Silicone

Weight (g)

Earphones: 6 g
Charging case: 53 g (without earphones)

Loudspeaker

Electro-dynamic, 9.2 mm diameter

Impedance

32 Ohm +/-3.2 @ 1KHz

Sensitivity

108 dB +/- 2 dB 1kHz @ 1mW (0.178V)

SAR

Max. power < 12 dBm

Sound codecs

aptXTM Adaptive
AAC
SBC

LED indicators

Battery LED

Microphones

Six MEMS, omni-directional
(beam directional for speech)

Noise reduction

Adaptive active noise cancellation

Battery type

Rechargeable lithium-ion battery
Capacity right: 70 mAh

Capacity left: 70 mAh

Charging case

Capacity 380 mAh

2.5 charges with up to 20 hours playtime – one charge in earbuds and 2.5 additional in a fully charged charging case in AAC playback.

We recommend charging the case every 14 days – even when not in use!

Power supply

5V USB charging by USB-C connector

Charging time

Earphones: 1.5 hours in charging case for a full charge; charging for 20 minutes gives up to 1.75 hours playback.

USB-C: 1 hour 45 minutes to fully charge charging case

Charge unit

USB-C charger 5V DC / 600 mA

USB-C or wireless Qi charger

Buttons

Right earbud:

Play / Pause

Volume up

Incoming call

End call

Left earbud:

Volume down

ANC / Transparency

Own voice

CONNECTIVITY

Bluetooth

Bluetooth 5.4

10 m operating range

Remembers the last 8 paired devices (connects to one)

Multipoint Connectivity.

(Connects to two devices)

General Specifications

Driver size (mm):

10.2 mm/ 0.402" Dynamic Driver + 5.1 mm x 2.8 mm Balanced Armature

Number of Microphones: 6

Audio Specifications

Driver sensitivity at 1kHz/1mW (dB): 104

Dynamic frequency response range (Hz): 20 Hz - 40 kHz

Impedance (ohms): 32

Dimensions

Charging Case Weight (g): 71.8

Charging Case Weight (oz): 2.5

Earpiece Weight (g): 5.6

Weight (g): 83

Weight (oz): 2.9

Control and Connection Specifications

Bluetooth profiles: A2DP V1.4, AVRCP V1.6.2, HFP V1.8

Bluetooth frequency: 2.4 GHz – 2.4835 GHz

Bluetooth transmitted modulation: GFSK, $\pi/4$ -DQPSK, 8DPSK

Bluetooth transmitter power: <13 dBm (EIRP)

Bluetooth version: 5.4

Battery

Charging case battery life (max hours):
40

Charging time (hours from empty): 2

Maximum music play time with ANC off
(hours): 12

Maximum music play time with ANC on
(hours): 7

Maximum play time (hours): 44

Speed Charging time (hours): 2

Maximum talk time (hours): 8

- Secure fit for sports and fitness
- Intuitive glass touch controls
- First-class call quality with 6 built-in microphones
- Adjustable own voice for calls
- Multipoint connectivity for two devices
- Beautifully crafted aluminium charging case
- Up to 20 hours of total playtime with ANC

Certifications

Made for iPhone (MFi)

Microsoft Swift Pair

Google Fast Pair

In the box

Charging case

Earbuds: Left and Right

USB-A/USB-C cable for charging, 0.5 m

Silicone tips, 4 sizes

Quick start guide

Accessories

- A set of silicone ear gels
- Earbud either left or right
- Charging case
- Long USB cable 1,25 m (USB-A to USB-C)
- Four sets of silicone ear tips, sizes XS, S, M, L.

Features

- Adaptive active noise cancellation
- Customizable ambient presets
- Waterproof earbuds (IP57)