

USB-C® Dual HDMI™ Mini Dock

Ethernet / USB™ 3.1 Hub / PD 2.0
Windows® and macOS® Compatible

MODEL: JCD381



The USB-C® Dual HDMI™ Mini Dock provides extra connectivity for your USB-C® computer, featuring data transfer, power delivery and video displays. Easily add two additional USB™ computer peripherals, two HDMI™ monitors, and a Gigabit Ethernet connection through your USB-C® port. When connected to a power source, the USB-C® input charging port allows you to continue charging your laptop or smartphone. Its compact and lightweight design, making it great for use on the go.

FEATURES

- Easily add a 4K or two 2K displays via HDMI™
- USB-C® power delivery 2.0 provides charging power to the connected devices
- Connect or charge your USB™ devices with 2 x USB™ ports
- SuperSpeed USB™ 3.0 provides up to 5 Gbps transfer rates, which is 10x faster than USB™ 2.0
- Hot-swappable USB™ enables you to add or remove monitors without rebooting your system
- Reliable network connectivity via the Gigabit Ethernet port

SYSTEM REQUIREMENTS

- Windows® 10
macOS® X 10.8 or later
- Available USB-C® port that supports USB™ Power Delivery 2.0 or 3.0. (USB™ 3.0 is recommended)
Please refer to the manufacturer of your hardware for more information on your device.
- For office applications / Web:
 - CPU: Intel® Core™ i3 Dual Core 2.8 GHz
 - RAM: 2 GB memory or higher
- For one 2K (2048 x 1152 @ 60 Hz) full-screen video playback:
 - CPU: Intel® Core™ i5 Quad Core
 - RAM: 4 GB memory or higher
- For two 2K or one 4K (3840 x 2160 @ 30 Hz) full-screen video playback:
 - CPU: Intel® Core™ i7 Quad Core
 - RAM: 8 GB memory or higher

HARDWARE

Warranty	2 Year Limited
Host Connector	1 - USB-C® Male
Video Output	2 - HDMI™ Female
Power Source	Bus-powered or Self-powered
Network Interface	RJ45 (Gigabit Ethernet)
Audio Supported	Yes
Ports	1 - USB-C® Power Delivery 2.0 2 - USB™ Type-A 3.0 1 - RJ45 Gigabit Ethernet 1 - 4k HDMI™ 1 - HDMI™

PERFORMANCE

Maximum Display Resolution	Dual Displays: 3840 x 2160 and 2048 x 1152 / 1920 x 1080 Single Display: 3840 x 2160
Maximum Display Refresh Rate	4K @ 30 Hz 2K / 1080p @ 60 Hz
Maximum Data Transfer Rate	5 Gbps
Displays Supported	2
Compatible Networks	10/100/1000 Mbps
Audio Channel	2.1 via HDMI™

POWER

Power Delivery	Up to 60W via USB-C®
Power Consumption	≤ 450mA
Input Current	3A
Input Voltage	20V
Output Current	3A
Output Voltage	20V

PHYSICAL SPECIFICATIONS

Color	Champagne Metallic
Enclosure Type	Aluminum
Cable Length	7.8 in. (198.12mm)
Product Height	2.1 In. (54 mm)
Product Width	5.1 In. (130 mm)
Product Depth	0.6 In. (15 mm)
Product Weight	4.00 oz (113.5 g)
Storage Temperature	14 to 140°F (-10 to 65°C)
Storage Humidity	< 85% non-condensing
Operating Temperature	32 to 98°F (0 to 37°C)
Operating Humidity	< 85% non-condensing

SPECIAL NOTES

- The adapter can connect to a USB-C® port that doesn't support Power Delivery but it will not pass power through the connected device
- A 4K-capable display is required for obtaining the 3840 x 2160 resolution
- One of the HDMI™ ports can output resolutions up to 4K, while the other can output resolutions up to 1080p or 2K (2048 x 1152) when both are in use.
- If you are using a high-powered USB™ device, attach a USB-C® power adapter to the power delivery port to ensure maximum performance. When using the USB-C® power adapter, the multi-adapter powers both the adapter (with attached peripherals) and your laptop.

PACKAGE CONTENTS

- 1 - JCD381 USB-C® Dual HDMI™ Mini Dock
- 1 - Quick Installation Guide

*Product appearance and specifications are subject to change without notice.

REGULATORY COMPLIANCE

FCC

This equipment has been tested and found to comply with FCC Part 15, Subpart B, ANSI C63.4-2014, ICES-003 Issue 6, January 2016 (Updated April 2019).

Operation is subject to the following two conditions:

- This device may not cause harmful interference
- This device must accept any interference, including interference that may cause undesired operation of the device.

CE

This equipment is in compliance with the requirements of the following regulations: EN 55032:2015+AC:2016 Class B, EN 55024:2010+A1:2015

RCM

Standard(s): AS/NZS CISPR 32:2015 Class B and CISPR 32:2015+C1:2016 Class B

BSMI

檢驗標準：CNS 13438 (95 年完整版)

試驗結果：符合

Disclaimer

Information in this document is subject to change without notice. The manufacturer does not make any representations or warranties (implied or otherwise) regarding the accuracy and completeness of this document and shall in no event be liable for any loss of profit or any commercial damage, including but not limited to special, incidental, consequential, or other damage. No part of this document may be reproduced or transmitted in any form by any means, electronic or mechanical, including photocopying, recording or information recording and retrieval systems without the expressed written permission of the manufacturer.

LIMITED WARRANTY

j5create offers a limited 2-year warranty. User's wear & tear damage is not included. The user shall call or email j5create customer service with the defect information of the product and obtain a return authorization number. Users are responsible for one-way return freight cost and we will take care of one-way freight back. In order to obtain a return authorization number, users should have the following information handy when calling or emailing the service team:

- (i) a copy of the original purchase invoice to verify your warranty
- (ii) a product serial number
- (iii) a description of the problem
- (iv) customer's name, address, and telephone number

j5create does not warrant that the operation of the product will be uninterrupted or error-free. j5create is not responsible for damage arising from failure to follow instructions relating to the product's use. This warranty does not apply to: (a) consumable parts, unless damage has occurred due to a defect in materials or workmanship; (b) cosmetic damage, including but not limited to scratches, dents, and broken plastic on ports; (c) damage caused by use with non-j5create products; (d) damage caused by natural disasters; (e) damage caused by human misuse (lost, accident, abuse, misuse or other external causes); (f) damage caused by operating the product outside the permitted or intended uses described by j5create; (g) damage caused by service (including upgrades and expansions) performed by anyone who is not a representative of j5create or a j5create Authorized Service Provider; (h) a product or part that has been modified to alter functionality or capability without the written permission of j5create; or (i) if any j5create serial number on the product has been removed or defaced. If such a situation occurs, j5create will calculate the cost of materials and repair for your reference. This warranty is given by j5create in lieu of any other warranties expressed or implied.

LIMITATION OF WARRANTY

THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE TO STATE (OR BY COUNTRY OR PROVINCE). OTHER THAN AS PERMITTED BY LAW, J5CREATE DOES NOT EXCLUDE, LIMIT OR SUSPEND OTHER RIGHTS YOU MAY HAVE, INCLUDING THOSE THAT MAY ARISE FROM THE NONCONFORMITY OF A SALES CONTRACT. FOR A FULL UNDERSTANDING OF YOUR RIGHTS YOU SHOULD CONSULT THE LAWS OF YOUR COUNTRY, PROVINCE OR STATE. TO THE EXTENT NOT PROHIBITED BY LAW IN YOUR STATE, PROVINCE, JURISDICTION OR COUNTRY, THIS WARRANTY AND THE REMEDIES SET FORTH ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, REMEDIES AND CONDITIONS, WHETHER ORAL, WRITTEN, STATUTORY, EXPRESS OR IMPLIED.

J5CREATE'S RESPONSIBILITY FOR MALFUNCTIONS AND DEFECTS IN HARDWARE AND/OR SOFTWARE IS LIMITED TO REPAIR OR REPLACEMENT AS SET FORTH IN THIS WARRANTY. J5CREATE'S LIABILITY DOES NOT EXTEND BEYOND THE REMEDIES PROVIDED FOR IN THIS LIMITED WARRANTY, AND J5CREATE DOES NOT ACCEPT LIABILITY FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES, FOR THIRD-PARTY CLAIMS AGAINST YOU FOR DAMAGES, FOR PRODUCTS NOT BEING AVAILABLE FOR USE, OR FOR LOST OR DAMAGED DATA OR SOFTWARE. J5CREATE DOES NOT WARRANT THAT THE OPERATION OF ANY J5CREATE PRODUCT WILL BE UNINTERRUPTED OR ERROR FREE.

J5CREATE'S LIABILITY IN ANY SITUATION WILL BE NO MORE THAN THE AMOUNT YOU PAID FOR THE SPECIFIC PRODUCT THAT IS THE SUBJECT OF A CLAIM. THIS IS THE MAXIMUM AMOUNT FOR WHICH WE ARE RESPONSIBLE.

EXCEPT FOR THE EXPRESS WARRANTIES CONTAINED IN THIS WARRANTY AND TO THE EXTENT NOT PROHIBITED BY LAW, J5CREATE DISCLAIMS ALL OTHER WARRANTIES AND CONDITIONS, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, INCLUDING WITHOUT LIMITATION, WARRANTIES OF MERCHANTABILITY, MERCHANTABLE QUALITY AND FITNESS FOR A PARTICULAR PURPOSE AND WARRANTIES AND CONDITIONS AGAINST HIDDEN OR LATENT DEFECTS. SOME STATES, PROVINCES,

JURISDICTIONS OR COUNTRIES DO NOT ALLOW DISCLAIMERS OF IMPLIED WARRANTIES AND CONDITIONS, SO THIS DISCLAIMER MAY NOT APPLY TO YOU.

TO THE EXTENT SUCH WARRANTIES AND CONDITIONS CANNOT BE DISCLAIMED UNDER THE LAWS OF THE UNITED STATES, CANADA (AND ITS PROVINCES) OR OTHERWISE, J5CREATE LIMITS THE DURATION AND REMEDIES OF SUCH WARRANTIES AND CONDITIONS TO THE DURATION OF THIS EXPRESS LIMITED WARRANTY AND, AT J5CREATE'S OPTION, REPAIR OR REPLACEMENT SERVICES. SOME STATES, PROVINCES, JURISDICTIONS OR COUNTRIES MAY NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY OR CONDITION MAY LAST, SO THE LIMITATION DESCRIBED ABOVE MAY NOT APPLY TO YOU.

NO WARRANTIES OR CONDITIONS, WHETHER EXPRESS OR IMPLIED, WILL APPLY AFTER THE LIMITED WARRANTY PERIOD HAS EXPIRED. SOME STATES, PROVINCES, JURISDICTIONS OR COUNTRIES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY OR CONDITION LASTS, SO THIS LIMITATION MAY NOT APPLY TO YOU.

WARRANTY SUPPORT ONLY APPLIES WHEN THE COVERED PRODUCT IS LOCATED WITHIN THE COUNTRY IN WHICH J5CREATE ORIGINALLY SOLD THE SYSTEM, AS REFLECTED IN J5CREATE'S RECORDS. IF YOU NEED SUPPORT FOR THE PRODUCT OUTSIDE OF THE COUNTRY OF ORIGIN (FOR EXAMPLE, WHILE TRAVELING, OR IF THE SYSTEM HAS BEEN RELOCATED TO A NEW COUNTRY), THEN J5CREATE MAY OFFER YOU OTHER SUPPORT OPTIONS FOR AN ADDITIONAL CHARGE.

For more information please visit our website at <http://www.j5create.com>

USB-C and USB are trademarks of USB Implementers Forum, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. HDMI is a trademark of HDMI Licensing Administrator, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Windows is a trademark of Microsoft Corp., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. macOS is a trademark of Apple Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Other trademarks and trade names may be used in this document to refer to either the entities claiming the marks and/or names or their products and are the property of their respective owners. All company, product and service names used are for identification purposes only. Use of these names, logos, and brands does not imply endorsement. We disclaim any interest in the marks of others.

Copyright© 2021 j5create. All rights reserved. All trade names are registered trademarks of their respective owners. Features and specifications are subject to change without notice. Product may not be exactly as shown in the diagrams.