


RAVPOWER

Travel Essentials Power
User Guide

What's in the Box



RP-PB077 x 1




RP-SH001 X 1



RP-PC019 x 1



RP-PC085 x 1



Charging cable x 1

RP-PB077

Specifications

Capacity	10000mAh 38 Wh
Input	Quick Charge: DC 5V/2A,9V/2A,12V/1.5A iSmart: 5V/2.4A Max
Output	Quick Charge: DC 5~6.5V/3A, 6.5~9V/2A, 9~12V/1.5A iSmart: 5V/2.4A Max
Dimensions	14.5 x 7 x 1.4 cm/ 5.7 x 2.8 x 0.6 in
Weight	210 g/7.4 oz



Charge Your Devices

Plug in to automatically charge. Not charging? Press the Power Button.

Recharge Your Power Bank

Use a 2A adapter to achieve the fastest recharge.



Press the Power Button to check the battery level

○ Flashing / ● LED on / ○ LED off

Indicator	Battery Level
○ ○ ○ ○	< 5%
● ○ ○ ○	5% - 25%
● ● ○ ○	26%-50%
● ● ● ○	51%-75%
● ● ● ●	76%-100%

Caution


- Use RAVPower, original, or certified USB cables
- Recharge at least once every six months
- Keep away from extreme temperatures
- Do not expose to liquids
- Don't dismantle
- No dropping
- To prevent fire or other electrical hazards, do not break, bend, stretch or interconnect the USB cables, or put heavy objects on top

RP-SH001

Important


Metal Sheets of this car phone mount uses high performance 3M VHB adhesive. For the best results, do not touch the adhesive surface after the protective paper is removed.

Install the Metal Sheet



1. Place the metal sheet between the phone and the case, or remove its protective paper and stick it onto the phone case.

Install the Mount onto Your Car



1. Align with the vent blade.
2. Push into place.

Magnet Warning

This product contains strong magnet, which will not damage phones or tablets with solid state hard drives. But we strongly recommend you to keep it away from credit cards, pacemakers, or hard drives.

RP-PB162

RAVPOWER
www.ravpower.com

NORTH AMERICA

E-mail : support@ravpower.com(US)
support.ca@ravpower.com(CA)
Tel : 1-888-456-8468 (Monday-Friday: 9:00-17:00 PST)
Address : 46724 Lakeview Blvd, Fremont, CA 94538

EUROPE

E-mail:
support.uk@ravpower.com(UK)
support.de@ravpower.com(DE)
support.fr@ravpower.com(FR)
support.es@ravpower.com(ES)
support.it@ravpower.com(IT)
EU Importer : ZBT International Trading GmbH,
Halstenbeker Weg 98C, 25462 Rellingen, Deutschland

ASIA PACIFIC

E-mail : support.jp@ravpower.com(JP)
JP Importer: 株式会社SUNVALLEY JAPAN
Address: 〒104-0032 東京都中央区八丁堀 3 丁目18-6 PMO京橋東 9 F

MANUFACTURER


Shenzhen NearbyExpress Technology Development Co., Ltd.
Address: 333 Bulong Road, Shenzhen, China, 518129

FCC Compliance

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must withstand any interference received, including interference that may cause undesired operation.




RP-PC019



Specifications

Model	RP-PC019
Input	AC 100-240V, 50/60Hz, 0.6A Max
Output	DC 5V/4.8A (Each 2.4A Max)


Charge Your Device



Caution

- Keep away from extreme temperatures
- Do not expose to liquids
- Don't dismantle
- No dropping


RP-PC085



Specifications

Model	RP-PC085
Input	DC 12V-24V
Output	DC 5V/2.4A (Max)
Weight	19g/0.67oz

Using Your Car Charger



1. Plug in
2. Charge your device

Caution

- Keep away from extreme temperatures
- Do not expose to liquids
- Don't dismantle
- No dropping

Customer Service

1-Year Worry-free Warranty

尺寸：80*130mm

折页

材质：128克铜版纸