P/N: CL-W285-PL12SW-B

TH120 ARGB Sync

Release the full CPU Horsepower

Features

•Support MB RGB LED 5V Sync, ASUS, Gigabyte, MSI

●16.8 million color RGB spectrum

● Top of the line liquid cooler, equipped with power and performance. No Refills Needed.

- 120mm powerful fan offers the best cooling performance
- Special LED Water Block Design
- User-friendly design for installation
- Universal Socket Compatibility









Specification

Compatibility(CPU Socket)		Intel LGA 1200/1156/1155/1151/1150/1700 AMD FM2/FM1/AM4/AM3+/AM3/AM2+/AM2
Water Block	Material	Copper
Pump	Speed	3300 R.P.M
	Rated Voltage	12 V & 5V
	Rated Current	0.37A & 0.12A
	Power Input	4.44W & 0.6 W
Fan	Dimension	120 x 120 x 25 mm
	Speed	1500 R.P.M
	Noise Level	28.2 dB-A
	Rated Voltage	12 V & 5V
	Rated Current	0.24A & 0.14 A (one fan)
	Power Input	2.88W & 0.7 W (one fan)
	Max. Air Flow	59.28 CFM
	Max. Pressure	1.31 mm-H2O
	Connector	2510 - 4 Pin, 5 V ARGB header - 3 Pin
Radiator	Dimension	153 x 120 x 27 mm
	Material	Aluminum
Tube	Length	400 mm
	Material	Rubber
Weight		1430 g

TH120 ARGB Sync

• Detailed Features:

- ●Support MB RGB LED 5V Sync, ASUS, Gigabyte, MSI
- ●16.8 million color RGB spectrum
- •High performance copper base plate accelerates the heat conductivity.
- Special LED Water Block Design
- •High reliability low profile pump provides quick liquid circulation.
- •Low evaporation tube decreases the loss of coolant effectively.
- ●120mm powerful fan offers the best cooling performance
- Universal Socket Compatibility

Intel: LGA1156/1155/1151/1150

AMD: FM2, FM1, AM4, AM3+, AM3, AM2+, AM2

Appearance



High Performance Water Block



High Efficiency Radiator



Powerful Cooling Fan

TH120 ARGB Sync


Appearance



Special LED Water Block Design



Support LED mod and speed analog control



Universal Socket Compatible