Miele

KWT 6322 UG
Built-under wine storage unit
with FlexiFrame and Push2open for greater versatility and top-quality design.

EAN: 4002515539699 / Material number: 10028620 /
Old Material Number: 36632200USA

- Simultaneous wine storage in separate temperature zones
- Odorless refrigeration section thanks to Active AirClean filters
- Present the storage of your wine in the perfect light — LED lighting
- Optimum wine protection through UV filters in tinted glass front
- Secure storage of wine bottles with pull-out racks

Appliance category	
Wine storage unit	•
Design	
Built-in	•
Built-in integrated	•
Built-in built-under	•
Door hinge side	right
Convertible hinging	•
Can be installed side-by-side	•
Design	
Front color	Obsidian Black glass
Wine compartment lighting	LED illumination
User convenience	
Active AirClean filter	•
DynaCool	•
SoftClose door closing damper	•
Total number of shelves	5
Number of shelves	4
Number of FlexiFrame Wire Racks	3
NoteBoard	Yes
Low-vibration storage	•
Control	
Electronic temperature display and control	TouchControl
Independent temperature control of fridge and freezer compartments	No
No. of temperature zones	2
Min. temperature setting range in °F (°C)	5
Max. temperature setting range in °F (°C)	20
Safety	
Lock function	•
Acoustic door alarm	•
Acoustic temperature alarm	•
Optical door alarm	•
Technical data	
Niche width in inches (mm), min.	23 5/8 (600)
Niche width in inches (mm), max.	23 5/8 (600)
Niche height in inches (mm), min.	32 3/8 (820)
Niche height in inches (mm), max.	34 3/8 (870)
Niche depth in in.(mm)	22 7/8 (580)
Appliance width in in.(mm)	23 5/8 (597)
Appliance height in in.(mm)	32 3/8 (820)
Appliance depth in in.(mm)	22 3/4 (577)
Weight in lbs.(kg)	109 (49.0)
Wine compartment in L	3.32 (94)
Total usable capacity in cu. ft. (l)	3.32 (94)
0.75 l Bordeaux bottle capacity (no. of bottles)	34 bottles
Storage time in case of fault in h	0
Current consumption in milliampere (mA)	2000

KWT 6322 UG
Built-under wine storage unit
with FlexiFrame and Push2open for greater versatility and top-quality design.

EAN: 4002515539699 / Material number: 10028620 /
Old Material Number: 36632200USA

| Voltage in V	115
Fuse rating in A	10
Number of phases	1
Frequency in Hz	60
Wire length in ft (m)	7 (2.4)

KWT 6322 UG
Built-under wine storage unit
with FlexiFrame and Push2open for greater versatility and top-quality design.


KWT6312UGS, KWT6322UG, KWT6322UG-1,
KWT6322UG edt/cs (installation drawings)

KWT6312UGS, KWT6322UG, KWT6322UG-1,
KSK6300, Side by Side (installation drawing)

KWT6322UG, KWT6322UG-1, KWT6322UG edt/cs,
Interior dimensions (Installation drawings)

KWT6312UGS, KWT6322UG, KWT6322UG-1,
KWT6322UG edt/cs (installation drawings)