

## **PIXMA TR7120 DISCLAIMERS:**

**SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL VIEWSCREEN AND OUTPUT IMAGES ARE SIMULATED.**

1. Wireless printing requires a working network with wireless 802.11b/g/n/a/ac capability, operating at 2.4GHz or 5GHz. Wireless performance may vary based on terrain and distance between the printer and wireless network clients.

2. Requires an Internet connection and the Canon PRINT app, available for free on the App Store and at Google Play. Compatible with Apple devices running iOS 11 or later, and Android™ mobile devices running Android 4.4 or later. Your device must be connected to the same working network with wireless 802.11 b/g/n/a/ac capability as your printer. Requires a compatible social media account and is subject to that social media account's Terms of Service. Certain exceptions may apply.

3. Document print speeds are the averages of ESAT in Office Category Test for the default simplex mode, ISO/IEC 24734. Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer. Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc. See [www.usa.canon.com/ipm](http://www.usa.canon.com/ipm) for additional details.

4. AirPrint functionality requires a compatible iPad, iPhone, or iPod Touch device running iOS 7.0 or later, and an AirPrint-enabled printer connected to the same network as your iOS device. A printer connected to the USB port of your Mac, PC, AirPort Base station, or Time Capsule is not supported.

5. Requires Android mobile device with Android 4.4 operating system or later with the Mopria Print Service pre-loaded with that device and the compatible PIXMA printer on the same wireless network. The Mopria experience is also available on Android 4.4 mobile devices with a download of the Mopria Print Service from Google Play.

6. Paper types NOT supported for borderless printing are as follows: Envelope, High Resolution Paper, T-Shirt Transfer and Photo Stickers. The maximum borderless printing size is 8.5"x11".

7. The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems; Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7 SP1 (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X El Capitan v10.11 and Mac OS X El Capitan v10.10.5. Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 1024x768 resolution. The Easy-PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.1.0, available for free on the App Store and at Google Play. Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running iOS 11 and mac OS v10.13 or later), DLP save data, Poster Artist export data, EasyPhoto+ export data, Easy-PhotoPrint Editor export data.

8. Based on accelerated testing by Canon in dark storage under controlled temperature, humidity and gas conditions, simulating storage in an album with plastic sleeves. Canon cannot guarantee

the longevity of prints; results may vary depending on printed image, drying time, display/storage conditions, and environmental factors. See [www.usa.canon.com/chromalife100](http://www.usa.canon.com/chromalife100) for additional details.

9. Requires a smart device with the Canon PRINT app installed and connected to the desired active wireless network to complete cableless setup.

10. Requires an active smart assistant account linked and accompanying app enabled, the smart device and printer to be actively connected with permission to the Canon Inkjet Cloud Printing Center, and the required action(s), skill(s), or applet(s) available/enabled to the compatible printer. Voice commands cannot be displayed as text on Amazon smart devices with screens.

11. Operation can only be guaranteed on a PC with pre-installed Windows 11, Windows 10, Windows 8.1, Windows 7 SP1.

12. Internet Connection required during software installation. For full compatibility macOS v11.7.6 or later is recommended.

13. Some functions may not be available with these Operating Systems. Please refer to the manual or website for details.

14. Print and/or copy speed is based on internal testing. Print and/or copy speed may vary depending on the number of copies selected, as well as the settings for size, type, and orientation of paper, and whether two-sided is selected. In addition, first-print speeds may vary based on warm-up time and other restrictions.

15. Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.

16. Canon Print Service is a print plug-in for Android smart devices, which enables printing from Android v4.4 - v5.0 devices to many Canon printers via a Wi-Fi network. The plug-in does not work as a standalone app. Available for free at Google Play.

17. Requires an Internet connection and the Creative Park app, available for free on the App Store and at Google Play. Requires a active 'Canon ID' available for free, and subject to 'Canon ID' Terms of Service. Visit [myid.canon](http://myid.canon) for more information. Certain exceptions may apply.

18. The online version of PosterArtist requires a personal computer with Internet access and a compatible Canon printer. The service is not available on some operating systems or browsers. See [usa.canon.com/PosterArtist](http://usa.canon.com/PosterArtist) for details.

19. Warranty programs are subject to certain conditions and restrictions. See [www.usa.canon.com/support](http://www.usa.canon.com/support) for details.

20. Duty Cycle is defined as the maximum number of printed pages for a single peak month.

21. Resolution may vary based on printer driver setting. Color ink droplets can be placed with a horizontal pitch of 1/4800 inch at minimum.

22. Product box dimensions may be measured in vertical box configuration.

23. Functions and features may vary by printer model. Scanning requires Chrome OS 89 or later.