




AR2544R

AURORA COMPUTER DESK

ASSEMBLY INSTRUCTIONS



WARNING

1. Do not use this product unless all screws and bolts are securely tightened.
2. Check that all screws and bolts are tight every three months or as needed.
3. Dispose of packing material properly. Do not use plastic cover as head covering. It may cause suffocation.
4. Do not use this product as a stepladder.
5. Use this product for its intended purpose only.

LIMITED WARRANTY

OSP Designs Warrants, to the original purchaser its products to be free from defects in material and workmanship for a period of 90 days. Defects and damage from misuse, abuse, negligence, alteration, accident, vandalism, rusting, acts of nature or any other event beyond the control of OSP Designs is not covered. The warranty does not cover cosmetic damage that may result from normal use. Liability for incidental or consequential damages is excluded. The user assumes all risk of injury resulting from use of this product. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

To make a warranty claim, contact Customer Service, provide model number, sales receipt and description of the problem. It is the customer's responsibility to prepay freight on any components returned to the factory. OSP Designs will pay return freight on components covered under terms of warranty.



Our quality standards are among the highest in the industry. Sometimes, no matter how hard we try, there are times when hardware is missing. Our Parts Department will do everything possible to promptly remedy the problem. Contact us via email parts@officestar.net, by Fax 1-909-930-5629, or toll free parts number 1-800-950-7262, Monday through Friday 8:00 a.m. - 5:00 p.m. Pacific Time. OSP Designs P.O. Box 3520 Ontario, California 91761 USA



DRAWER INSTALLATION

If you need to remove the drawer with ball bearing slides from the unit, follow the steps below to prevent any damage to the slides or the drawer.


1. If you need to remove the drawer, please pull the drawer all the way out, then push the plastic release lever of the ball bearing slide up on one side and down on the other side, and then pull the drawer completely out. See detail #A.



Detail #A


2. To place the drawer back, simply push the ball bearing cart all the way to the end of the slide (in both sides), and align the slide runners on the drawer with the slide tracks on the unit and push it carefully inside until it stops. See detail #B.

Note: If they do not align properly, remove and repeat step 2




Detail #B


PARTS LIST




(A) Top Panel (1 PC)




(B) Left Side Panel (1 PC)




(C) Right Side Panel (1 PC)




(D) Left Wood Leg (1 PC)




(E) Right Wood Leg (1 PC)




(F) Metal Post (2 PCS)




(G) Left Bottom Panel (1 PC)



(H) Right Bottom Panel (1 PC)




(I) Back Panel (1 PC)




(J) Cross Bar (1 PC)


PARTS LIST




(K) Drawer Bottom (1 PC)



(L) Left Drawer Side (1 PC)
















(M) Right Drawer Side (1 PC)




(N) Drawer Back (1 PC)


HARDWARE LIST

NO	DRAWING	DESCRIPTION	SIZE	QUANTITY
1		Cam Bolt		8 PCS + 1 Extra
2		Cam Lock		8 PCS + 1 Extra
3		Wooden Dowel	8 x 40 mm	2 PCS
4		Bolt	1/4" x 35 mm	4 PCS + 1 Extra
5		Bolt	1/4" x 25 mm	4 PCS + 1 Extra
6		Bolt	1/4" x 13 mm	8 PCS + 1 Extra
7		Allen Wrench	4 mm	1 PC
8		Wood Screw	M4.2 x 32 mm	18 PCS + 3 Extra
9		Wood Screw	M3.5 x 13 mm	12 PCS + 2 Extra
10		Glide		2 PCS
11		Knob		1 PC
12		Screw	5/32" x 38 mm	1 PC
13		Anti-Tip Kit		1 Set


STEP 1




STEP 2




STEP 3




STEP 4




STEP 5




STEP 6




STEP 7




STEP 8




STEP 9



STEP 10



STEP 11



SEE DRAWER
INSTALLATION PAGE

IMPORTANT: FULLY TIGHTEN ALL BOLTS & SCREW BEFORE USING

ANTI-TIP KIT INSTALLATION

