

Installation Instructions

ASSEMBLY INSTRUCTIONS:

- * Before assembling, make sure that you lay out and identify all parts listed in the parts list.
- * All bolts should be hand tightened before use. Never use power tools or excessive force during assembly and tightening of bolts.
- * Please place the umbrella on a flat protected surface during assembly.


NOTES FOR USE:

- * The first time to open the umbrella before you need to first reason under the umbrella cloth umbrella bone
- * Please can not untie the knot of the umbrella rope


CARE INSTRUCTIONS:



- * Powder-coated steel is durable and will last for many years of seasonal use. It is recommended to touch up or repair any scratches to the paint surface to prevent rust.
- * If you see rust, carefully sand the area using fine sandpaper and apply a rust-resistant paint that closely matches the frame color.
- * When using an umbrella with a table, always make sure the protective ring is in the umbrella hole and the umbrella is secured using a sturdy umbrella base.
- * Never use any umbrella at a table during windy conditions.

Customer Service: contactus24service@gmail.com
Phone: (951)213-4742



PARTS LIST




| | | | |
|--|------------|---|-------------|
|  Stand A | A 1 |  Corner Protector | G 4 |
|  Stand B | B 1 |  Base Frame | H 4 |
|  Foot Tube | C 1 |  Sand Bag (Fabric) | J 2 |
|  Screw | D 4 |  Base Cover (Fabric) | K 1 |
|  Spacer | E 4 |  Umbrella Body | L1 1 |
|  Wrench | F 1 |  Pole | M 1 |


ASSEMBLY INSTRUCTIONS


STEP 1 :

| | |
|---|-------|
|  | A X 1 |
|  | B X 1 |




STEP 2 :

| | |
|---|-------|
|  | C X 1 |
|  | D X 4 |
|  | E X 4 |
|  | F X 1 |





STEP 3 :

| | |
|---|-------|
|  | G X 4 |
|---|-------|




ASSEMBLY INSTRUCTIONS

STEP 4 :




STEP 5 :



STEP 6 :





For proper stability of your offset umbrella. The recommended minimum weight of the sand to be placed into each sand bag is 67.5lbs for a total of 135lbs.




ASSEMBLY INSTRUCTIONS



STEP 7 :



STEP 8 :




STEP 9 :




ASSEMBLY INSTRUCTIONS

STEP 10 :




STEP 11 :



CAUTION: Fully tighten the two bolts.

STEP 12 :





Call us First !
DO NOT RETURN TO STORE

For immediate help with assembly or product information

call our number:

(951) 213-4742

Or E-mail:

Contactus24service@gmail.com

Our staff is ready to provide assistance

M-F 9:00 AM to 5:00 PM PST