

Induction Range, 30", 4 Zones, Self-cleaning

Series 9 | Classic

Black



Blending heritage styling and contemporary performance, including convection oven and an instant-response induction cooktop.

- Four induction cooking zones with immediate heat response and precise control
- Convection oven with 3.5 cu ft total capacity and nine oven functions including Roast and Aero™Pastry
- Self-cleaning function breaks down food residue for an easy clean
- Non-tip full-extension shelves for safe removal of hot dishes

DIMENSIONS

Height	35 ³ / ₄ - 37 ⁵ / ₈ "
Width	29 ⁷ / ₈ "
Depth	25 ¹ / ₄ "

FEATURES & BENEFITS

Outstanding Performance

Discover the flexibility to get creative in the kitchen with nine oven functions including Bake, Roast, and Aero™ Pastry with Pizza Bake.

SPECIFICATIONS

Accessories

2-pc grill system (Broil pan and	•
Broil pan	•
Full Extension Telescopic	2 sets (part 578776)
Hob rear trim (optional)	3" (part 81656)
Kick strip, stainless steel	Part 81660
Pyrolytic proof shelf runners	•

Capacity

Total capacity	3.5cu ft
----------------	----------

Cleaning

Acid resistant graphite enamel	•
Drop down broil element	•

Drop down grill element	•
Flat easy clean glass surface	•
Pyrolytic proof shelf runners	•
Pyrolytic self-clean	•
Removable oven door	•
Removable shelf runners	•

Controls

Audio feedback	•
Automatic cooking/minute	•
Automatic pre-set	•
Celsius/Fahrenheit	•
Electronic clock	•
High resolution display	•
Interior light	•
Laser etched graphics	•
Sabbath mode	•
Toughened fused glass	•
Turned stainless steel clock	•
Turned stainless steel clock dial	•
Turned stainless steel dials with	•
Wifi connectivity	•

Oven features

Automatic rapid pre-heat	•
Combined Warming/Storage	•
Concealed element	•
Electronic oven control	•
Full extension telescopic	2 sets (part 578776)
Internal light	2 x 25W halogen (rear)

Pyrolytic proof shelf runners	•	Installation cutout dimensions	25 1/4 "	Spill containment	1/8 gallon
Pyrolytic self-clean	•	Installation cutout dimensions	30 "	Spillage auto off	•
Self cleaning	•	Width	29 7/8 "	Surface hot indicators	•
Soft open/close door	•				
True Convection	•				
Oven functions		Rangetop features		Warranty	
Aero™ Bake	•	Auto heat reduce	•	Parts and labor	2 years
Aero™ Pastry with Pizza mode	•	Gentle heat	2 settings		
Maxi Broil	•	Heat settings	9		
Number of functions	9	Induction cooking technology	•	SKU	81964
Pyrolytic self-clean	•	PowerBoost all zones	up to 3000W		
Rapid proof	•	Rangetop Performance		The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Â© Fisher & Paykel Appliances Ltd 2019.	
Roast	•	Left front zone rating	1850 - 3000W		
Self-clean	•	Left rear zone rating	1850 - 3000W		
		PowerBoost	•		
		PowerBoost all zones	up to 3000W		
Oven performance		Right front zone rating	1400 - 2200W		
Broil	4050W	Right rear zone rating	2300 - 3700W		
Combined warming/Storage	220W	Safety			
CoolTouch door	Triple glazed	Advanced cooling system	•		
Warming drawer power	220W	Anti-tilt bracket	•		
Power requirements		Balanced oven door	•		
Amperage	50A	Catalytic venting system	•		
Supply frequency	60Hz	Child lock	•		
Supply voltage	120 - 240V	CoolTouch door	•		
Product dimensions		Full extension telescopic	•		
Depth	25 1/4 "	Non-tip shelves	•		
Height	35 3/4 - 37 5/8 "	Pan detection system	•		
		Safety time out	•		



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1300 650 590 **W** www.fisherpaykel.com