





For those who crave perfection and the extraordinary, let the kitchen inspire you to new creations.

Contents

Wall Ovens	6
Cooktops	10
Ranges	16
Ventilation	20
Specialty Products	24
Microwave Ovens	
Warming Drawers	
Espresso Machine	
Refrigeration	28
Under Counter Refrigeration	32
Dishwashers and Compactors	36



Like **Chef Mark McEwan**, we believe in perfect results every time.

Chef McEwan knows that when you expect perfection, your guests will too. Using food as the ultimate palate for his boundless creativity and energy, Chef McEwan continues to partner with Jenn-Air® in redefining luxury and joins the ranks of the truly innovative with groundbreaking standards and culinary excellence.

Known for building kitchen appliances that showcase uncompromising innovation and precise craftsmanship, we will never settle for the ordinary when the extraordinary can be achieved.

With an earned reputation of sophisticated styling, innovative technology and exceptional performance, Jenn-Air® appliances have offered high performance with enduring style since the introduction of the first self-ventilated cooktop in 1961. All designed to help you create a beautiful kitchen and take your cooking and entertaining to impressive new levels.



Jenn-Air® crafts its appliances with the kind of inspirational quality that enhances the entire cooking experience. The planning, the process and the tools themselves open up endless culinary possibilities for people to experience the true romance of cooking.

From cooktops, wall ovens, and professional style ranges, to dishwashers, refrigerators and entertaining essentials, Jenn-Air® brand allows you to create a beautiful space that reflects your unique style.

Discover the appliance series designed for you.

Whether you prefer sleek, bold or somewhere in between, you will find the series of appliances that is perfect for your kitchen. Every series features appliances designed to perform as beautifully as they look, with innovative technology, sophisticated lines and thoughtful details that make cooking and entertaining a pleasure.



Pro-Style® Stainless Series

This bold commercial-style series offers details inspired by professional kitchens, like a stainless steel finish, diamond-etched handles and heavy-duty knobs and grates.



Euro-Style Stainless Series

This clean-lined series offers a stainless steel finish and refined touches like curved handles that integrate beautifully into surrounding cabinetry.



Floating Glass Series

This series offers a sleek, glossy alternative to stainless steel finishes that will make a sophisticated statement in any kitchen space.



Features to elevate your cooking.

The Jenn-Air® wall oven looks good and it makes you look even better. Precisely cooks food to perfection, delivering superb results.

“With just the push of a button, I can expect perfect results every time.”

Mark McEwan



Exclusive 7" (17.8 cm) Touch-Anywhere LCD Display

This sleek LCD control panel features the next generation of dynamic touch-screen technology, which allows you to navigate effortlessly through settings and the Jenn-Air® Culinary Center. Full colour pictures give you confidence that the oven will produce the results you desire.



V2™ Vertical Dual-Fan Convection System

Jenn-Air® wall ovens provide outstanding performance, while allowing you to choose the appropriate mode for a personalized culinary outcome. Two powerful convection elements and two variable-speed fans combine to help you achieve consistently ideal results.



Jenn-Air® Culinary Center

The Jenn-Air® Culinary Center provides an unparalleled level of precision and control. Full colour LCD pictures guide your cooking by helping you select your meat, doneness and cookware. So every meal is cooked to perfection.



Connected Wall Oven

Connect from anywhere. You can pre-heat, check the cooking status and monitor your oven remotely with state-of-the-art Wi-Fi connectivity and smartphone app. A revolution that connects you with your kitchen, any time, any place.

WALL OVENS



DOUBLE WALL OVENS			SINGLE WALL OVENS		
30" (76.2 cm)		27" (68.6 cm)	30" (76.2 cm)		27" (68.6 cm)
MODEL #	JJW3830D	JJW2830D	JJW3430D	JJW2430D	JJW2427D
OVEN FEATURES					
Oven Capacity (each oven, cu. ft.)	5.0 (.14 cu. m)	5.0 (.14 cu. m)	4.3 (.12 cu. m)	5.0 (.14 cu. m)	4.3 (.12 cu. m)
V2™ Vertical Dual-Fan Convection System	•	—	—	•	—
2-Speed MultiMode® Convection System	—	•	•	—	•
8-Pass Reflective Broil Element Output (Watts)	4,000	4,000	4,000	4,000	4,000
12-Pass Convection Element(s) Output (Watts)	6,800 total	3,200	3,200	6,800 total	3,200
CustomClean™ Self-Cleaning with Adjustable Levels and Automatic Lock	•	•	•	•	•
Halogen Theater Lighting	•	—	—	•	—
Chef's Light	•	—	—	•	—
CONTROL FEATURES					
7" (17.8 cm) Full Colour Touch-Anywhere LCD Display	•	—	—	•	—
Jenn-Air® Culinary Center	•	—	—	•	—
4.3" (10.9 cm) Full Colour Menu-Driven LCD Display	—	•	•	—	•
No Preheat	•	—	—	•	—
Wi-Fi Connectivity	•	—	—	•	—
EXTERIOR DESIGN FEATURES					
Flush-to-Cabinet Design	Yes, requires flush install kit	Yes, requires flush install kit	Yes, requires flush install kit	Yes, requires flush install kit	Yes, requires flush install kit
Soft, Auto-Close Door	•	—	—	•	—
Style Options (add letter to end of model number)					
Pro-Style® Stainless ^A	P	P	—	P	—
Euro-Style Stainless ^B	S	S	S	S	S
Black Floating Glass ^B	B	B	B	B	B
Optional Flush Kits	P (W10837579) S (W10837579) B (W10837578)	P (W10791229) S (W10791229) B (W10791233)	S (W10791228) B (W10791232)	P (W10837579) S (W10837579) B (W10837578)	P (W10791229) S (W10791229) B (W10791233)
					S (W10791228) B (W10791232)

A. Includes stainless steel handles with diamond-etched grip.
B. Includes slightly curved, colour-coordinating handles.

COMBINATION
MICROWAVE/WALL OVENS



	30" (76.2 cm)	30" (76.2 cm)	27" (68.6 cm)
MODEL #	JMW3430D	JMW2430D	JMW2427D
CONVECTION MICROWAVE OVEN FEATURES			
Microwave Capacity (cu. ft.)	1.4 (.03 cu. m)	1.4 (.03 cu. m)	1.4 (.03 cu. m)
Power Output (watts)	900	900	900
Stainless Steel Interior	•	•	•
Stoppable Glass Turntable	•	•	•
Broil Element Output (Watts)	1,600	1,600	1,600
Convection Element Output (Watts)	1,200	1,200	1,200
Speed Cook	•	•	•
OVEN FEATURES			
Oven Capacity (cu. ft.)	5.0 (.14 cu. m)	5.0 (.14 cu. m)	4.3 (.12 cu. m)
V2™ Vertical Dual-Fan Convection System	•	—	—
2-Speed MultiMode® Convection System	—	•	•
8-Pass Reflective Broil Element Output (Watts)	4,000	4,000	4,000
12-Pass Convection Element(s) Output (Watts)	6,800 total	3,200	3,200
CustomClean™ Self-Cleaning with Adjustable Levels and Automatic Lock	•	•	•
Halogen Theater Lighting	•	—	—
Chef's Light	•	—	—
CONTROL FEATURES			
7" (17.8 cm) Full Colour Touch-Anywhere LCD Display	•	—	—
4.3" (10.9 cm) Full Colour Menu-Driven LCD Display	—	•	•
Jenn-Air® Culinary Center	•	—	—
No Preheat	•	—	—
WiFi Connectivity	•	—	—
EXTERIOR DESIGN FEATURES			
Flush-to-Cabinet Design	Yes, requires flush install kit	Yes, requires flush install kit	Yes, requires flush install kit
Soft, Auto-Close Door	•	—	—
Style Options (add letter to end of model number)			
Pro-Style® Stainless ^A	P	P	—
Euro-Style Stainless ^B	S	S	S
Black Floating Glass ^B	B	B	B
Optional Flush Kits	P (W10837591) S (W10837591) B (W10837589)	P (W10801482) S (W10801482) B (W10801484)	S (W10801481) B (W10801483)

A. Includes stainless steel handles with diamond-etched grip.
B. Includes slightly curved, colour-coordinating handles.

STEAM AND CONVECTION OVEN



	BUILT-IN 24" (60.96 cm)
MODEL #	JB57524B
OVEN FEATURES	
Oven Capacity (cu. ft.)	1.3 (.04 cu. m)
Water Container Capacity	1.5 Litre
Convection Element	1,200 W
No-Preheat Option	•
Temperature Probe	•
Steam Cleaning	•
Stainless Steel Interior	•
Halogen Oven Light	•
COOKING MODES	
Preset Foods	•
Manual	•
Steam	•
Convection Bake	•
Steam Plus Convection	•
Steam Reheat	•
SPECIALTY COOKING & FOOD PREPARATION MODES	
Proofing	•
Steam Defrost	•
SousVide Reheating	•
Preservation	•
Yogourt	•
Disinfect	•
CONTROL FEATURES	
4.8" (12.2 cm) Glass Touch Controls with LCD Display	•
EXTERIOR DESIGN FEATURES	
Flush-to-Cabinet Design	•
Trim Kits for 27" (68.6 cm) or 30" (76.2 cm) Installation	Included
Style Options (add letter to end of model number)	
Euro-Style Stainless ^A	S

A. Includes slightly curved, colour-coordinating handles.





Cooktops as powerful as they are exceptional.

The new Jenn-Air® Induction downdraft cooktop gives you the ultimate combination of precision cooking and ventilation performance by pairing powerful flexible induction elements with an incredibly quiet ventilation system.

“Downdraft technology never gets in the way of great conversation.”

Mark McEwan



Powerful Commercial Cooking Performance

Pro-Style® gas rangetops give you the power and versatility to use multiple cooking methods. 20,000 BTU stacked PowerBurners provide the power required for high-temperature techniques such as wok cooking and flash frying. The speed and precision of gas burners allow for exceptional cooking performance and even heat distribution.



Downdraft Ventilation System

The Jenn-Air® downdraft ventilation system found on our new induction downdraft cooktop or JX3™ keeps sight lines open while offering exceptional efficiency and flexibility. This induction downdraft cooktop offers the cooking power of gas and the simple cleaning of electric while rapidly clearing the air of cooking vapours without the need for an overhead ventilation system.



Duct-Free Kit

Downdraft cooktops provide the flexibility to create an open kitchen design. With the optional duct-free kit, Jenn-Air® induction, gas and electric downdraft cooktops can be installed in any home – even a high-rise condominium. The kit features a filter that captures smoke, grease and moisture and allows air to travel through the filter without a loss of air efficiency.

INDUCTION COOKTOPS

		
	36" (91.4 cm)	30" (76.2 cm)
MODEL #	JIC4536XB	JIC4430XS
COOKTOP FEATURES		
Element Size and Wattage		
Left Front	7" (17.78 cm) – 2,500 / 1,800	7" (17.78 cm) – 2,500 / 1,800
Left Rear	7" (17.78 cm) – 2,500 / 1,800	7" (17.78 cm) – 2,500 / 1,800
Centre	12" (30.48 cm) / 7" (17.78 cm) – 5,000 / 2,800	—
Right Front	7" (17.78 cm) – 2,500 / 1,800	6" (15.24 cm) – 1,800 / 1,400
Right Rear	7" (17.78 cm) – 2,500 / 1,800	11" (27.94 cm) – 3,700 / 2,300
Number of Induction Elements	5	4
11"/7" (27.9/17.8 cm) Dual Zone Induction Element	•	—
Heat Level Settings	13	13
EXTERIOR FEATURES		
Glass-Ceramic Surface	•	•
Colour Available (add letter to end of model number)		
S = Black Glass with Stainless Steel Trim	S	S
B = Black	B	B



Electric induction models are UL, CUL listed and rated for 4-wire 240/208 VAC, 60 Hz. See Jenn-Air® appliance dealer or Use and Care Guide for details. All Jenn-Air® appliances are appropriately UL, CSA or CGA approved.

ELECTRIC COOKTOPS

				
	36" (91.4 cm)		30" (76.2 cm)	
MODEL #	JEC4536B	JEC3536B	JEC4430B	JEC3430B
COOKTOP FEATURES				
Number of Radiant Elements	5	5	4	4
12/9/6" (30.48/22.86/15.24 cm) Triple-Choice™ Element	4,500W	3,000W	4,500W	3,000W
10/6" (25.4/15.24 cm) Dual-Choice™ Element	2 of 2,500W	2,500W	3,000W	3,000W
8/6" (20.32/15.24 cm) Dual-Choice™ Element	—	2,000W	—	—
6" (15.24 cm) Element	1	1 - Hyper/Melt	2	2 - including 1 Hyper/Melt
6" (15.24 cm) Keep Warm™ Element	1	1	—	—
Glass-Touch Electronic Controls	•	—	•	—
Accepts Optional Telescoping Downdraft Ventilation Hood	•	•	•	•
EXTERIOR DESIGN FEATURES				
Colours Available (add letter to end of model number)				
B = Black	B	B	B	B
S = Stainless Steel (black glass with stainless steel accents)	S¹	S¹	S¹	S¹

¹ Full Stainless Trim.

GAS COOKTOPS

						
	36" (91.4 cm)			30" (76.2 cm)		
MODEL #	JGC7636B	JGC2536E	JGC1536B	JGC7530B	JGC2530EB	JGC1530B
COOKTOP FEATURES						
Sealed Burners	6	5	5	5	5	4
Brass Spreaders	•	—	—	•	—	—
High BTUs: Natural Gas	18,000	18,000 (Stacked)	20,000 (Stacked)	18,000	18,000 (Stacked)	20,000 (Stacked)
Single Point Electronic Ignition and Flame-Sensing™ Re-Ignition	•	•	•	•	•	•
Light Indicator	•	—	•	•	—	•
EXTERIOR FEATURES						
Low Profile / Flush Design	•	—	•	•	—	•
Gas-on-Glass Design	—	•	—	—	•	—
Colours Available (add letter to end of model number)						
B = Black	—	B	—	—	B	—
S = Stainless Steel	S	—	S	S	—	S
P = Pro-Style® Stainless	P¹	—	—	P¹	—	—

¹ Includes Pro-Style® heavy duty knobs and heavy-duty cast iron grates.

PRO-STYLE® GAS RANGETOPS

				
	48" (122 cm)	36" (91.4 cm)		30" (76.2 cm)
MODEL #	JGCP548WP	JGCP436WP	JGCP536WP	JGCP430WP
COOKING SURFACE FEATURES				
Sealed Burners	6	6	4	4
High BTUs: Natural Gas	20,000	20,000	20,000	20,000
20,000 BTU Stacked PowerBurner(s)	2	2	1	1
Electric Griddle (1,320 Watts)	•	—	•	—
CONTROL FEATURES				
Electronic Ignition and Flame-Sensing™ Re-ignition System	•	•	•	•
OPTIONAL ACCESSORIES				
Stainless Steel Backsplash with two shelves	W10285449	W10285448	W10285448	W10285447
Stainless Steel 9" Backguard	W10115777	W10115776	W10115776	W10115773
EXTERIOR DESIGN FEATURES				
Porcelain-on-Steel Grates	•	•	•	•
Island Trim Piece	•	•	•	•

INDUCTION DOWNDRAFT COOKTOPS

	
	36" (91.4 cm)
MODEL #	JID4436ES
COOKING SURFACE FEATURES	
Flexible Cooking Zones (cook anywhere)	2
Induction Bridge Element	•
Pan Detection	•
Performance Boost	•
Control Lock	•
Downdraft Ventilation with 2-Speed Fan	•
Convertible to Duct-Free Ventilation	•
Quiet Operation	•
CONTROL FEATURES	
Electronic Touch Controls	•
OPTIONAL ACCESSORIES	
Duct-Free Kit (not included)	W10807915
Replacement Charcoal Filter	W10807916





ELECTRIC DOWNDRAFT COOKTOPS

				
	36" (91.4 cm)		30" (76.2 cm)	
MODEL #	JED4536W	JED3536W	JED4430W	JED3430W
COOKING SURFACE FEATURES				
Number of Radiant Elements	5	5	4	4
Triple-Choice™ Element	1	1	—	—
Dual-Choice™ Elements	2	2	2	2
Keep Warm™ Element	1	1	—	—
Standard Radiant Element(s)	1	1	2	2
JX3™ Downdraft Ventilation System with 3-Speed Fan	•	•	•	•
Convertible to Duct-Free Ventilation ^A	•	•	•	•
CONTROL FEATURES				
Glass-Touch Electronic Controls	•	—	•	—
OPTIONAL ACCESSORIES				
Duct-Free Kit	JDA7000WX	JDA7000WX	JDA7000WX	JDA7000WX
EXTERIOR DESIGN FEATURES				
Style Options (add letter to end of model number)				
Euro-Style Stainless [®]	S	S	S	S
Black Floating Glass	B	B	B	B
White Floating Glass	—	—	—	F

A. Duct-free kit not included. B. Black glass cooktop with stainless steel accents.

GAS DOWNDRAFT COOKTOPS

		
	36" (91.4 cm)	30" (76.2 cm)
MODEL #	JGD3536B	JGD3430B
COOKING SURFACE FEATURES		
Sealed Burners	5	4
High BTUs: Natural Gas	17,000	17,000
JX3™ Downdraft Ventilation System with 3-Speed Fan	•	•
Clear Coat - DuraFinish™ (on Stainless model)	•	•
CONTROL FEATURES		
Electronic Ignition and Flame-Sensing™ Re-ignition System	•	•
OPTIONAL ACCESSORIES		
Duct-Free Kit (not included)	JDA7000WX	JDA7000WX
EXTERIOR DESIGN FEATURES		
Style Options (add letter to end of model number)		
Euro-Style Stainless	S	S
Black Floating Glass	B	B
White Floating Glass	—	W

Outdo yourself with unforgettable culinary moments.





Ranges that ignite design and perform beautifully.

Jenn-Air® dual-fuel, gas and electric ranges support your creativity and provide exquisite results. Choose your ideal combination of either a gas or electric oven and multiple cooking surface configurations.

"If you want consistently exceptional results, you need to be able to trust in the performance of your range."

Mark McEwan



Dual-Fan MultiMode® True Convection System

Two fans disburse heated air throughout the entire oven cavity for the most even coverage on every rack. Dual-fuel ranges offer six convection modes while gas ranges offer five, including Convection Bake for even baking on multiple racks and Convection Roast for moist, tender meats or vegetables.



20,000 BTU Stacked PowerBurners

Each PowerBurner features two burners stacked in one location on the cooking surface with a maximum output of 20,000 BTUs, providing the power for high-temperature cooking techniques such as wok cooking and flash frying.



Electric Griddle (1,320 Watts)

This high-performance, 1,320-watt chrome griddle provides even heat distribution for desired results. Its durable, scratch resistant and nonstick chrome surface allows for consistent cooking even at lower temperatures, and can be easily cleaned to maintain its sleek appearance.

PRO-STYLE® GAS RANGES
WITH CONVECTION



	30" (76.2 cm)	36" (91.4 cm)		48" (122 cm)
MODEL # NATURAL GAS	JGRP430WP	JGRP436WP	JGRP536WP	JGRP548WP
MODEL # LIQUID PROPANE	JLRP430WP	JLRP436WP	JLRP536WP	JLRP548WP
DIMENSIONS				
Oven Capacity (cu. ft.)	4.1 (.12 cu. m)	5.1 (.14 cu. m)	5.1 (.14 cu. m)	4.1 (.12 cu. m) Main Oven, 2.2 (.06 cu. m) Secondary Oven
COOKING SURFACE FEATURES				
Sealed Burners	4	6	4	6
High BTUs Natural Gas model	20,000	20,000	20,000	20,000
High BTUs Liquid Propane model	14,000	14,000	14,000	14,000
7" (17.78 cm) Full Colour Touch-Anywhere LCD Display	•	•	•	•
Electronic Ignition with Flame-Sensing™ Re-ignition	•	•	•	•
Electric Griddle	—	—	1,320 watts	1,320 watts
OVEN FEATURES				
Self Clean Oven	•	•	•	•
Dual-Fan MultiMode® True Convection System	Auto Convection Conversion, Closed-Door Broiling	Auto Convection Conversion, Closed-Door Broiling	Auto Convection Conversion, Closed-Door Broiling	Auto Convection Conversion, Closed-Door Broiling in Main Oven
EXTERIOR FEATURES				
Pro-Style® Stainless Design	•	•	•	•
OPTIONAL ACCESSORIES				
Stainless Steel Backsplash with two shelves	W10285447	W10285448	W10285448	W10285449



PRO-STYLE® DUAL-FUEL RANGES
WITH CONVECTION

	30" (76.2 cm)	36" (91.4 cm)		48" (122 cm)
MODEL #	JDRP430WP	JDRP436WP	JDRP536WP	JDRP548WP
DIMENSIONS				
Oven Capacity (cu. ft.)	4.1 (.12 cu. m)	5.1 (.14 cu. m)	5.1 (.14 cu. m)	4.1 (.12 cu. m) Main Oven, 2.2 (.06 cu. m) Secondary Oven
COOKING SURFACE FEATURES				
Sealed Burners	4	6	4	6
High BTUs	20,000	20,000	20,000	20,000
7" (17.78 cm) Full Colour Touch-Anywhere LCD Display	•	•	•	•
Electronic Ignition with Flame-Sensing™ Re-ignition	•	•	•	•
Electric Griddle	—	—	1,320 watts	1,320 watts
OVEN FEATURES				
Self Clean Oven		•	•	•
Dual-Fan MultiMode® True Convection System	Auto Convection Conversion, Closed-Door Broiling	Auto Convection Conversion, Closed-Door Broiling	Auto Convection Conversion, Closed-Door Broiling	Auto Convection Conversion, Closed-Door Broiling in Main Oven
EXTERIOR FEATURES				
Pro-Style® Stainless Design	•	•	•	•
OPTIONAL ACCESSORIES				
Stainless Steel Backsplash with two shelves	W10285447	W10285448	W10285448	W10285449
Stainless Steel 9" Backguard	W10115773	W10115776	W10115776	W10115777

Feature list represents a limited number of the features available for each product. For a full list of features & specifications, please visit www.jennair.ca

FRONT CONTROL RANGES



	DOWNDRAFT DUAL-FUEL JDS1750F	DUAL-FUEL JDS1450CF	GAS JGS1450F	DOWNDRAFT ELECTRIC JES1750F	ELECTRIC JES1450CF	INDUCTION JIS1450D
MODEL #						
COOKING SURFACE FEATURES						
Sealed Burners	4	5	5	—	—	—
Number of Radiant Elements	—	—	—	4	5	—
Number of Induction Elements	—	—	—	—	—	4
High BTUs: Natural Gas	17,000 Dual-Stacked	19,000 Dual-Stacked	19,000 Dual-Stacked	—	—	—
Power Element Output (watts)	—	—	—	3,200	3,000	3,600
Bridge Element	—	—	—	—	—	•
Brass Burners	•	•	•	—	—	—
DuraFinish™ Protection	•	•	•	—	—	—
Aluminum Die-Cast Griddle	•	•	•	—	—	—
COOKING SURFACE CONTROL FEATURES						
Glass-Touch Electronic Controls	Surface	Surface	Surface	Surface	Surface	Surface & Oven
Electronic Ignition	•	•	•	—	—	—
OVEN FEATURES						
Total Baking Capacity (cu. ft.)	6.4 (0.18 cu. m.)	7.1 (0.20 cu. m.)	6.5 (0.18 cu. m.)	6.4 (0.18 cu. m.)	7.1 (0.20 cu. m.)	7.1 (0.20 cu. m.)
Baking Drawer	—	•	•	—	•	•
Element Wattage (Bake/Broil/Convection)	3,600 / 4,000 / 3,200	3,600 / 4,000 / 3,200	900 convection	3,600 / 4,000 / 3,200	3,600 / 4,000 / 3,200	3,600 / 4,000 / 3,200
Hidden Bake Burner BTUs	—	—	18,000	—	—	—
Dual-Fuel Broil System (BTUs/Watt)	—	—	13,000 / 1,200	—	—	—
Auto Convection Conversion	•	•	•	•	•	•
Sabbath Mode	•	•	•	•	•	•
DOWNDRAFT VENTILATION SYSTEM						
Downdraft ventilation	•	—	—	•	—	—
Convertible to duct-free ventilation (with optional duct-free kit)	•	—	—	•	—	—
OPTIONAL ACCESSORIES						
Duct-Free Kit (not included)	W10748976	—	—	W10748976	—	—
Replacement HAPA Air Filter	W10800530	—	—	W10800530	—	—
6" Range Backsplash, Stainless	W10655450	W10655450	W10655450	W10655450	W10655450	W10655450
6" Range Backsplash, Black	—	—	—	W10655449	—	—
Range Trim Kit, Stainless	W10675028	W10675028	W10675028	W10675028	W10675028	W10675028
Range Trim Kit, Black	—	—	—	W10675026	W10675026	—
EXTERIOR DESIGN FEATURES						
Soft-Close Door	•	•	•	•	•	•
Style Options (add letter to end of model number)						
Pro-Style® Stainless ^A	P	P	P	—	—	P
Euro-Style Stainless ^B	S	S	S	S	S	S
Black Floating Glass ^B	—	—	—	B	B	—

A. Includes stainless steel handles with diamond-etched grip.
B. Includes slightly curved, colour-coordinating handles.

Feature list represents a limited number of the features available for each product. For a full list of features & specifications, please visit www.jennair.ca



Powerful ventilation that clears the air. Gorgeously.

Explore the bold look of commercial-style ventilation or the sleek beauty of a perimetric hood, while enjoying powerful performance that keeps your kitchen environment optimally fresh.

"Sleek and modern, they're as beautiful as they are functional."

Mark McEwan



Innovative Perimetric Hoods

This sophisticated design is not only attractive, it is the secret behind the ventilation system's exceptional performance and quiet operation.



Sophisticated Commercial-Style Hoods

Pro-Style™ Stainless wall-mount hoods feature commercial styling and performance that are designed to meet the demand of high-powered commercial-style cooking surfaces and burners.



Premium Craftsmanship

An unexpected refinement in ventilation, each Accolade™ Downdraft Ventilation System is individually crafted and hand-polished. Its graceful movement is matched by its singular performance. It powerfully, quietly, beautifully clears the air, then disappears on command. It is truly at the forefront of design and performance.

PRO-STYLE® HOODS

					
	WALL-MOUNT			LOW PROFILE UNDER CABINET	
	48" (122 cm)	36" (91.4 cm)	30" (76.2 cm)	36" (91.4 cm)	30" (76.2 cm)
MODEL #	JXW9048WP	JXW9036WP	JXW9030WP	JXU9136WP	JXU9130WP
Height	18" (45.7 cm)	18" (45.7 cm)	18" (45.7 cm)	10" (25.4 cm)	10" (25.4 cm)
VENTILATION FEATURES					
CFM Rating ^A	1,200	600	600	600	600
High-Performance Blower(s)	Dual	•	•	•	•
Dishwasher-Safe Stainless Steel Baffle Filters	•	•	•	•	•
Number of Lights (bulbs included)	3	2	2	2	2
Lighting Levels	2	2	2	2	2
Lighting Type	Halogen	Halogen	Halogen	Halogen	Halogen
Food Warming Lamps (bulbs included) ^B	2	2	2	—	—
CONTROL FEATURES					
Fan Speed Settings	4	4	4	4	4
OPTIONAL ACCESSORIES					
12" Extention Kits / Duct Cover	EXTKIT06ES	EXTKIT04ES	EXTKIT02ES	EXTKIT04ES	EXTKIT02ES

A. Based on hoods with correctly installed ducting.
B. Hood comes with 175-watt PAR-38 infrared bulbs. Hood will also accept 250-watt R40 infrared bulbs.

EURO-STYLE HOODS

EURO-STYLE HOODS

								
	WALL-MOUNT				ISLAND-MOUNT			
	36" (91.4 cm)	36" (91.4 cm)	36" (91.4 cm)	30" (76.2 cm)	36" (91.4 cm)	42" (106.7 cm)	36" (91.4 cm)	36" (91.4 cm)
MODEL #	JXW8936DS	JXW8736DS	JXW8536DS	JXW8530DS	JXI8936DS	JXI8742DS	JXI8736DS	JXI8536DS
VENTILATION FEATURES								
High-Performance Blower CFM Rating ^A	600	600	600	600	600	600	600	600
Perimetric Extraction	•	—	•	•	•	—	—	•
Dishwasher-Safe Metal Filter	•	•	•	•	•	•	•	•
LED Task Lighting	•	•	•	•	•	•	•	•
LED Ambient Lighting	—	—	•	•	—	—	—	•
Auto Sense Option	•	•	•	•	•	•	•	•
Recirculating Installation Option	•	•	•	•	•	•	•	•
Hand-Crafted/Welded and Polished Corners and Edges	•	•	•	•	•	•	•	•
CONTROL FEATURES								
Fan Speed Settings	3	3	3	3	3	3	3	3
OPTIONAL ACCESSORIES								
	W10685949 (7'9" to 10'4")	W10685949 (7'9" to 10'4")			W10646865 (7'9" to 9'8")	W10646865 (7'9" to 9'8")	W10646865 (7'9" to 9'8")	
Recirculating Installation Kit			W10692908	W10692908	W10646866 (9'1" to 11')	W10646866 (9'1" to 11')	W10646866 (9'1" to 11')	W10692909
	W10686362 (9'6" to 12')	W10686362 (9'6" to 12')			W10685947 (10'2" to 12')	W10685947 (10'2" to 12')	W10685947 (10'2" to 12')	
Chimney Extension Kit	EXTKIT24ES	EXTKIT24ES	EXTKIT12ES	EXTKIT12ES	EXTKIT22ES	EXTKIT22ES	EXTKIT22ES	W10688278
In-line Smart Blower Kit	W10692945	W10692945	W10692945	W10692945	W10692945	W10692945	W10692945	W10692945

A. Based on hoods with correctly installed ducting.

RETRACTABLE
DOWNDRAFT VENTILATION

			
	36" (91.4 cm)	36" (91.4 cm)	30" (76.2 cm)
MODEL #	JXD7836BS	JXD7036YS	JXD7030YS
VENTILATION FEATURES			
CFM Rating ^A	1,200 In-Line High-Performance Blower (Sold Separately)	600	600
Dishwasher-Safe Premium Mesh Filters	—	•	•
Dishwasher-Safe Aluminum Mesh Filters, with Stainless Steel Frame	•	—	—
19" (48.3 cm) Rise	•	—	—
14" (35.6 cm) Rise	—	•	•
Reversible Blower Motor ^B	In-Line Blower, sold separately	•	•
Vented Only	•	•	•
Ambient LED Lighting	•	—	—
CONTROL FEATURES			
Type of Control	Concealed Controls with Remote Control	Variable Speed Slide Control	Variable Speed Slide Control
Four Fan Speed Settings	•	•	•

A. Based on hoods with correctly installed ducting.
B. Allows for more installation options.

CUSTOM HOOD LINER

			
	36" (91.4 cm)	48" (121.9 cm)	36" (91.4 cm)
MODEL #	JXL6536CSS	UXL6048YSS	UXL6036YSS
VENTILATION FEATURES			
Blower Required – Sold Separately (600 or 1200 Internal or 1200 CFM Inline)	•	•	•
4 Halogen Lights w/ Night Light Setting	•	•	•
Dishwasher-Safe Mesh Filters	—	•	•
Dishwasher-Safe, Stainless Steel Baffle Filters	•	—	—
Auto On Heat Sensor	•	•	•
10" (25.4 cm) Round Exterior Duct – Vent Only	•	•	•
No Badge (Universal Brand)	JENN-AIR BRAND	•	•
Thermal Protector	•	—	—
CONTROL FEATURES			
Hidden 3-Speed Slide Control		•	•
Robust Control Knobs, 3-Speed Fan	•	—	—
OPTIONAL ACCESSORIES			
42" Spacer Kit	W10646268	—	—
48" Spacer Kit	W10646269	—	—

BLOWERS

			
	INTERNAL ^A		INLINE ^B
MODEL #	UXB0600DYS	UXB1200DYS	UXI1200DYS
FEATURES			
CFM Rating	600	1,200	1,200
3 speed Updraft	•	•	•
6" (15.2 cm) Square Duct - Vertical	•	•	—
6" (15.2 cm) Round Duct - Vertical	—	—	•
Galvanized Steel Construction	•	•	•

A. Installed internally to the unit for Downdraft, Hood Liner and Pro-Style® Hoods.
B. Installed externally from the hood but inside the house, under the floor or under the roof, this represents an ideal solution for noise reduction without loss of performance.





Specialty Products with equal amounts of style, power and precision.

Casual or formal, large group or small, entertaining always brings out the best in you. Jenn-Air® Specialty Products help surpass your guests' expectations, leaving them aspiring to your level of entertaining.

"This is more than a microwave. It's the sous-chef every host needs."

Mark McEwan



Convection Microwave Cooking

Whether you prefer a sleek built-in, under counter or above the range microwave, all models offer multiple cooking options. To satisfy distinct needs, several models feature convection cooking and full-colour LCD displays.



Warming Drawer Versatility

You'll enjoy a new level of versatility when cooking and entertaining. You can even warm plates, proof bread and slow roast meats and vegetables.



Coffee at your Fingertips

Enjoy barista-style coffee – with a shot or two of espresso – right at home. Whether for yourself or your guests, you can brew robust coffees and incredible cappuccinos or lattes on demand, refined to anyone's taste.

MICROWAVE OVENS

				
	BUILT-IN 30" (76.2 cm)	BUILT-IN 27" (68.6 cm)	OVER-THE-RANGE 30" (76.2 cm)	DRAWER MICROWAVE 24" (60.96 cm)
MODEL #	JMC2430D	JMC2427D	YJMV9196C	JMD2124W
MICROWAVE OVEN FEATURES				
Oven Capacity (cu. ft.)	1.4 (.04 cu. m)	1.4 (.04 cu. m)	1.9 (.05 cu. m)	1.0 (.028 cu. m.)
Power Output (watts)	900	900	1,000	950
Power Levels	10	10	10	10
Element Wattages (Broil/Convection)	1,600 / 1,200	1,600 / 1,200	1,600 (convection)	—
CFM Rating (Perimetric Venting)	—	—	400	—
Speed Cook	•	•	—	—
Convection Cooking	•	•	•	—
Exhaust Fan Speeds	—	—	6	—
CONTROL FEATURES				
4.3" (10.9 cm) Full Colour Menu-Driven LCD Display	•	•	—	—
Electronic Touch Controls with Scrolling Display	—	—	•	—
Menu-Driven LCD Display	—	—	—	•
Power Touch Open/Close	—	—	—	•
EXTERIOR DESIGN FEATURES				
Drop-Down Door	•	•	—	—
Under Counter Installation	•	•	—	•
Flush-to-Cabinet Design	•	•	—	•
Style Options (add letter to end of model number)				
Pro-Style® Stainless ^A	P	—	—	—
Euro-Style Stainless ^B	S	S	S	S
Black Floating Glass ^B	B	—	—	—

A. Includes stainless steel handle with diamond-etched grip.
B. Includes slightly curved, colour-coordinating handle.

WARMING DRAWERS

		
	30" (76.2 cm)	27" (68.6 cm)
MODEL #	JWD3030E	JWD3027E
DRAWER FEATURES		
Drawer Capacity (cu. ft.)	1.5 (.04 cu. m)	1.3 (.04 cu. m)
Heating Element Wattage	600	600
Full-Extension Drawer with Roller Glides	•	•
CONTROL FEATURES		
Slow Roast Function	•	•
Bread Proofing Function	•	•
Concealed Controls	•	•
Humidity Slide Control	•	•
Sensor Temperature Control	•	•
Style Options (add letter to end of model number)		
Pro-Style® Stainless ^A	P	—
Euro-Style Stainless ^B	S	S
Custom Overlay	X	X

A. Includes stainless steel handles with diamond-etched grip.
B. Includes slightly curved, colour-coordinating handles.

ESPRESSO MACHINE

	
	BUILT-IN 24" (60.96 cm)
MODEL #	JBC7624B
BUILT-IN ESPRESSO MACHINE FEATURES	
Capacity of Coffee Grounds Cups	14
Water Tank Capacity	1.8 Litre
Cups at a Time	2
Controls	Touch Controls
CONTROL FEATURES	
Auto Cappuccino Milk Steamer	•
Customizable Strength and Size	•
Auto Start Time	•
Auto Shutoff	•
Descaling Process	•
Coffee Temp Setting	•
DESIGN / INSTALLATION FEATURES	
Flush-To-Cabinet Installation	•
Electrical Requirements	120v
Style Options (add letter to end of model number)	
Euro-Style Stainless ^B	S
B. Includes slightly curved, colour-coordinating handles.	



Elevate your kitchen in every way.



Get chills every time you open the door.

Whatever style of refrigerator fits your kitchen, Jenn-Air® has an exciting option that sets elevated standards for performance and design. Our line of built-in refrigerators includes stunning fully integrated and flush design.

“Beautiful inside and out.”

Mark McEwan



Obsidian Interior

Dazzle guests with a stunning new black finish that epitomizes elegance, sophistication and luxury. The exclusive Obsidian interior brings a luxurious finish to the inside of Jenn-Air® built-in refrigerators. Food is transformed and dramatically illuminated by LED lighting throughout the refrigerator.



Advanced Climate Control Drawers

Dedicated drawers provide precise temperatures for sensitive ingredients like produce, meats and cheese, allowing for specialized storage and exceptional preservation.



Precision Temperature Management™ System

Electronically controlled sensors monitor the refrigerator environment and automatically adjust temperatures to maintain the ideal level for keeping food beautifully fresh.



Fully Integrated and Flush Design

Jenn-Air® built-in refrigerators achieve a seamless look with a flush design that features concealed hinges and trim pieces. With optional custom panels, it blends completely into cabinetry.

BUILT-IN REFRIGERATORS
WITH OBSIDIAN INTERIOR

SIDE-BY-SIDE							FRENCH DOOR		BOTTOM-FREEZER
MODEL #	JS48NXFXDE	JS48SSDUDE	JS48PPDUDE	JS42NXFXDE	JS42SSDUDE	JS42PPDUDE	JF42NXFXDE	JF36NXFXDE	JB36NXFXRE (RIGHT SWING) OR JB36NXFXLE (LEFT SWING)
SPECIFICATIONS									
Total Volume (cu. ft. AHAM)	29.0 (.82 cu. m)	29.7 (.84 cu. m)	29.7 (.84 cu. m)	24.6 (.70 cu. m)	25.3 (.72 cu. m)	25.3 (.72 cu. m)	22.6 (.64 cu. m)	20.8 (.59 cu. m)	20.4 (.58 cu. m)
PERFORMANCE FEATURES									
TwinFresh™ Climate Control System with Variable-Speed Compressor	•	•	•	•	•	•	•	•	•
CONTROL FEATURES									
Light-Guided Capacitive Touch Controls	•	•	•	•	•	•	•	•	•
Max Cold	•	•	•	•	•	•	•	•	•
Water Filter Status and Reset Filter	•	•	•	•	•	•	•	•	•
REFRIGERATOR FEATURES									
Advanced Climate Control Drawer	•	•	•	•	•	•	—	—	—
Soft-Close Crisper Drawers	•	•	•	•	•	•	•	•	•
Multi-Point LED Theater Lighting	•	•	•	•	•	•	•	•	•
FreshFlow™ Air Filter	•	•	•	•	•	•	•	•	•
FREEZER FEATURES									
Automatic Ice Maker with Storage Bin	•	•	•	•	•	•	•	•	•
EXTERIOR DESIGN FEATURES									
Integrated Cubed/Crushed Ice and Water Dispenser	—	•	•	—	•	•	—	—	—
Fully Integrated with Articulated Hinge	•	—	—	•	—	—	•	•	•
Suite-Coordinating Panel Kits (add to Base Unit) Pro-Style® Stainless Euro-Style Stainless	JPK48SNXWPS JPK48SNXWSS	— —	— —	JPK42SNXWPS JPK42SNXWSS	— —	— —	JPK42FNXWPS JPK42FNXWSS	JPK36FNXWPS JPK36FNXWSS	JPK36BNXWPS JPK36BNXWSS
Handle Kits (includes all handles and hardware) (For use with Custom Panel applications) Pro-Style® Stainless Handles with Diamond-Etched Grip Euro-Style Stainless Handles	W10250643 W10250640	— —	— —	W10250643 W10250640	— —	— —	W10250642 W10250639	W10745429 W10745430	W10250641 W10250638



FREESTANDING REFRIGERATORS

		FRENCH DOOR	
MODEL #	JFC2290RE	JFC2290RT	JFC2089BE
JFFCC72EF			
SPECIFICATIONS			
Total Volume (cu. ft. AHAM)	21.8 (.61 cu. m)	21.8 (.61 cu. m)	19.8 (.56 cu. m)
23.6 (.67 cu. m)			
PERFORMANCE FEATURES			
TriSensor™ Electronic Climate Control	•	•	•
Twin Fresh™ Climate Control System with Dual Evaporator	—	—	—
Connected (Wi-Fi)	—	—	—
Electronic Controls with LED Display	•	•	•
Integrated cabinet LED strip lighting with drawer lights	—	—	—
Max Cold	•	•	•
REFRIGERATOR FEATURES			
Internal Water Dispenser	One Hand Operated	One Hand Operated	•
Exterior Crushed / Cubed Ice and Water	—	—	—
Adjustable Humidity-Controlled Crisper Drawers	•	•	•
Temperature-Controlled Gourmet Bay™ Drawer with Self-Opening Lid	•	•	•
Soft-close refrigerator Drawers	—	—	—
Herb Tender™	—	—	—
Adjustable Glass Shelves with Spill Shield Technology	•	•	•
Adjustable Storage Rack	•	•	•
Produce Preserver	•	•	•
FREEZER FEATURES			
Automatic Ice Maker	With Ice Scoop	With Ice Scoop	•
3 Tier Freezer Baskets	•	•	—
Pizza Pocket	—	—	—
Glide-Out Drawer with SmoothClose™ Drawer Track System	•	•	•
Soft-Close Refrigerator Drawers	—	—	—
Automatic Defrost	•	•	•
DESIGN FEATURES			
Exclusive Obsidian Interior	—	—	—
Elegance Shelving & Metal Bins	—	—	—
72" (182.9 cm) Cabinet Depth Design	•	•	•
69" (175.2 cm) Cabinet Depth Design	—	—	•
Style Options (add letter to end of model number) Pro-Style® Stainless ^A Euro-Style Stainless ^B Black Floating Glass ^B Custom Overlay Design ^C	P M Y —	— — — B	P M — —

A. Includes stainless steel handles with diamond-etched grip.
B. Includes slightly curved, colour-coordinating handles.
C. Requires custom panels and handles, not included.

CABINET DEPTH
SIDE-BY-SIDE

MODEL #	JSC23C9EE
SPECIFICATIONS	
Total Volume (cu. ft. AHAM)	23.6 (.67 cu. m)
PERFORMANCE FEATURES	
Twin Fresh™ Climate Control System	•
Touch Screen Electronic Controls	•
REFRIGERATOR FEATURES	
Flush Cubed/Crushed Ice and Water External Dispenser	•
Sealed Humidity-Controlled Crisper Drawer	•
Adjustable Glass Shelves with Spill Shield Technology	•
Ramp-Up LED Theater Lighting	•
Produce Preserver	•
Fresh Flow Air Filter	•
FREEZER FEATURES	
Door-Mounted Ice Dispenser with Removable Bin	•
Automatic Adaptive Defrost	•
GRILLE/EXTERIOR DESIGN FEATURES	
72" (182.9 cm) Counter Depth Design	•
Style Options (add letter to end of model number) Pro-Style® Stainless ^A	Requires Handle Kit: W10214147A M
Euro-Style Stainless ^B	

A. Includes stainless steel handles with diamond-etched grip.
B. Includes slightly curved, colour-coordinating handles.



STANDARD DEPTH
FRENCH DOOR

MODEL #	JFX2897DR
SPECIFICATIONS	
Total Volume (cu. ft. AHAM)	26.1 (.74 cu m)
PERFORMANCE FEATURES	
TwinFresh™ Climate Control System	•
REFRIGERATOR FEATURES	
Flush Cubed/Crushed Ice and Water External Dispenser with PwR® Ice/Water Filter	•
Glide-Out Refrigerator Drawer with Electronic Pantry Settings	•
Adjustable Glass Shelves with Spill Shield Technology	•
Ramp-Up LED Theater Lighting	•
FreshFlow™ Air Filter	•
Produce Preserver	•
FREEZER FEATURES	
Glide-Out Drawer with SmoothClose™ Drawer Track System	•
Automatic Adaptive Defrost	•
DESIGN FEATURES	
69" (175.2 cm) Standard Depth Design	•
Style Options (add letter to end of model number) Pro-Style® Stainless ^A Euro-Style Stainless ^B	P S — M

A. Includes stainless steel handles with diamond-etched grip.
B. Includes slightly curved, colour-coordinating handles.



Refrigeration designed for spectacular entertaining.

Under counter refrigeration adds sophisticated convenience to any room of your home – beyond the kitchen to your choice location. It simplifies and responds to your exacting needs by organizing refrigeration storage and providing extra capacity for whatever your desire: entertaining or the simple art of relaxation.

“Great wine can only be fully appreciated when served at the perfect temperature.”

Mark McEwan



Dual Zone Temperature Control System

The Jenn-Air® wine cellar features independent temperature zones and temperature presets to ensure that different wines are kept within their proper temperature range.



Flush Fit Design

Designed to provide a fully flush look, the latest built-in under counter collection seamlessly blends into your home's surrounding and offers a soft-close door feature to ensure a quiet and secure fit.



UV-Resistant Thermal Glass Door

The specially designed door protects bottles from damage by filtering out UV rays that can prematurely age wine and bleach labels. Thermal glass helps block sun and heat to ensure optimal internal temperatures are maintained.

UNDER COUNTER REFRIGERATION

	WINE CELLAR	BEVERAGE CENTRE	REFRIGERATOR	REFRIGERATOR	ICE MACHINE
MODEL #					
EURO-STYLE STAINLESS ^A (RIGHT OR LEFT SWING)	JUW24FRERS / JUW24FLERS	JUB24FRERS / JUB24FLERS	JUG24FRERS / JUG24FLERS	JUR24FRERS / JUR24FLERS	JIM158XYRS (REVERSIBLE)
CUSTOM OVERLAY DESIGN ^B (RIGHT OR LEFT SWING)	JUW24FRECX / JUW24FLECX	JUB24FRECX / JUB24FLECX	JUG24FRECX / JUG24FLECX	JUR24FRECX / JUR24FLECX	JIM158XYCX (REVERSIBLE)
REFRIGERATION FEATURES					
Total Volume (cu. ft. AHAM)	4.7 (.133 cu. m)	4.7 (.133 cu. m)	4.9 (.139 cu. m)	4.9 (.139 cu. m)	—
Automatic Defrost	•	•	•	•	—
Independent Temperature Zones	2	2	1	1	—
Temperature Range - Zone 1	WINE 42° to 54°F (6° to 12°C)	REFRIGERATOR 33° to 40°F (0.5° to 4°C)	REFRIGERATOR 32° to 42°F (0° to 6°C)	REFRIGERATOR 32° to 42°F (0° to 6°C)	—
Temperature Range - Zone 2	WINE 42° to 64°F (6° to 18°C)	WINE 42° to 64°F (6° to 18°C)	—	—	—
Bottles Capacity	24 in Zone 1 / 22 in Zone 2	14 in Zone 2	—	—	—
Automatic LED Interior Light	•	•	•	•	—
Glass Shelves	—	2 (1 Adjustable)	3 (2 Adjustable)	3 (2 Adjustable)	—
Door Bins	—	—	—	2	—
UltraGlide Soft-Close Racks with Beechwood Tines	6	2	—	—	—
Temperature Presets	8	6	4	4	—
ENERGY STAR [®] Qualified	—	—	—	•	—
ICE MACHINE FEATURES					
Storage Capacity (lb)	—	—	—	—	25 (11.3 kg)
Ice Production Rate (lb/24 hours)	—	—	—	—	Up to 50 (23 kg)
LED Lighted Bin	—	—	—	—	•
Capacitive Touch Control	—	—	—	—	•
Water Filter	—	—	—	—	•
CONTROL FEATURES					
Light-Guided Electronic Controls	•	•	•	•	—
Concealed Capacitive Touch Controls	—	—	—	—	•
EXTERIOR DESIGN FEATURES					
Fully Flush, Built-In Design	•	•	•	•	—
Soft Close Door	•	•	•	•	—
UV-Resistant Thermal Glass Door	•	•	•	—	—
Optional ProStyle [®] Stainless Handle Kit (includes handle and ProStyle [®] badge). To use with Euro-Style Stainless model only	W10588599	W10588599	W10588599	W10588599	W10591217
Optional Euro-Style Handle Kit (includes handle and hardware). To use with Custom Overlay Design	W10334919	W10334919	W10334919	W10334919	—

A. Includes slightly curved, colour-coordinating handle.
B. Requires custom panels and handles, not included.

DRAWER REFRIGERATION

	REFRIGERATOR/ FREEZER	DOUBLE- REFRIGERATOR
MODEL #	JUD24FCE	JUD24FRE
REFRIGERATION FEATURES		
Top Drawer Volume (cu. ft. AHAM)	2.5 (.07 cu. m)	2.5 (.07 cu. m)
Bottom Drawer Volume (cu. ft. AHAM)	2.2 (.06 cu. m)	2.5 (.07 cu. m)
Temperature Range – Upper Drawer	32° to 42°F (0° to 6°C)	32° to 42°F (0° to 6°C)
Temperature Range – Lower Drawer	-8° to 6°F (-22° to -14°C)	32° to 42°F (0° to 6°C)
Temperature Presets	•	•
Automatic Ice Maker	•	—
Stainless Steel Interior	•	•
Automatic Interior LED Lighting	•	•
Fully Extendable Soft-Close Drawers	•	•
CONTROL FEATURES		
Light-Guided Electronic Controls ^A	•	•
GRILLE/EXTERIOR DESIGN FEATURES		
Removable Base-Grille Water Filter	•	—
Fully Flush, Built-In Design	•	•
Style Options (add letter to end of model number)		
Euro-Style Stainless ^B	WRS	WRS
Custom Overlay Design ^C	CCX	CCX
Option Pro-Style [®] Stainless Handle Kit (includes handle and Pro-Style [®] badge). To use with Euro-Style Stainless model only	W10588599 (order 2 for this model)	W10588599 (order 2 for this model)

A. Refrigerator/freezer drawer models feature two temperature displays. Double-refrigerator drawer models feature one temperature display.
B. Includes slightly curved, stainless steel handles.
C. Requires custom panels and handles, not included.

Sophisticated styling, innovative technology and exceptional performance.





Dishwashers that are quiet and designed to make any occasion sparkling.

Built for the finest kitchens, a Jenn-Air® dishwasher offers an innovative wash system, delivering exceptional cleaning performance. Its superb construction completes the equation with an elevated feel and features that fulfill the luxury experience.

“Designed for entertaining, it’s quiet, fast and effective.”

Mark McEwan



TriFecta™ Wash System

Jenn-Air® dishwashers with the TriFecta™ wash system incorporate features such as a variable-speed motor, alternating wash action and pressurized wash arms to create a new system that enhances the entire dishwasher product line. The TriFecta™ wash system provides precise cleaning performance, quieter operation and enhanced energy efficiency in every Jenn-Air® dishwasher.



Entertaining Cycles/Options

Our dishwashers offer so much more than immaculate cleaning. Specialized cycles allow you to quickly wash dishes before guests arrive and heat plates prior to meal serving. Select models include an option for washing in the top rack only. With this option, you could choose to wash appetizer plates just in time for dessert.



Exceptionally Quiet

The 40 dBA* quiet system is the quietest dishwasher we offer. The sound insulation components as well as the dishwashers' TriFecta™ wash system and variable-speed motor make up the sound silencing system.

*Per IEC standards, normal cycle.



DISHWASHERS

MODEL #	JDB9800CW	JDB9600CW	JDB9200CW	JDB9000CW
PERFORMANCE FEATURES				
TriFecta™ Wash System	•	•	•	•
Three-Stage Filtration	•	•	•	•
Quiet System	40 dBA ^A	44 dBA ^A	42 dBA ^A	46 dBA ^A
ENERGY STAR® Qualified ^B	•	•	•	•
Built-In Water Softener	•	•	—	—
Multi-Point LED Theater Lighting	•	—	•	—
CYCLES AND OPTIONS				
Number of Cycles	6	4	6	6
Sensor Wash with ClearScan™ Turbidity Sensor	•	•	•	•
China/Crystal Cycle	•	—	•	•
Number of Options	6	5	6	5
Top Rack Wash Only Option	•	—	—	—
SteamFinish Option	•	•	•	•
Precision Dry™ Option	Precision Dry® Plus	—	•	•
Delay Start Option	•	•	•	•
Capacity (Place Settings)	16	13	14	14
RACK FEATURES				
Nylon Racks with Folding Tines in Upper/Lower Rack	•	•	•	•
Removable 3rd Level Rack	•	•	—	—
UltraGlide Rails System	Upper and Lower	Upper	Upper and Lower	Upper
DESIGN FEATURES				
Flush Installation	—	•	—	—
Stainless Steel Tall Tub	•	•	•	•
Style Options (add letter to end of model number)				
Pro-Style® Stainless ^C	P	P	P	P
Euro-Style Stainless ^D	S	S	S	S
Black Floating Glass ^D	—	—	Y	—
Custom Overlay Design ^E	X	X	X	—

A Per IEC standards, normal cycle.
B ENERGY STAR® qualified. Per ENERGY STAR® specifications, effective 1/20/2012
C Includes stainless steel handles with diamond-etched grip.
D Includes slightly curved, colour-coordinating handles.
E Requires custom panel, not included.



COMPACTORS

MODEL #	15" (38 cm) TC707	15" (38 cm) TC607
COMPACTOR FEATURES		
Drawer Capacity (cu. ft.)	1.4 (0.4 cu. m)	1.4 (0.4 cu. m)
Compaction Ratio ^A	5:1	5:1
Heavy-Duty Zinc Coated Frame and Drawer	•	•
Heavy-Duty Motor	1/3 HP	1/3 HP
2-Point Drive System	•	•
Power Screw-Driven Compactor Ram	•	•
Sound Insulation	Transmission/Motor/Door	Transmission/Motor
CONTROL FEATURES		
Fully Integrated Console	•	•
Compress Option	•	•
EXTERIOR DESIGN FEATURES		
Drop-Down Side Door	•	•
Under Counter Installation	•	•

A. With Compress option selected.

SUITE-COORDINATING PANEL KITS

Customize the compactor to match any of our signature kitchen suite designs with a suite-coordinating panel kit. To do so, you must order one compactor base unit (TC607X) and one of the following panel kits.

- W10197421 – Pro-Style® Stainless
- W10267300 – Black Floating Glass
- W10267289 – Black




Appetite for the extraordinary.



To build your dream kitchen visit
jennair.ca



wall ovens



cooktops



ranges



ventilation



microwaves



jennair.ca | 1-800-JENNAIR (1-800-536-6247)

®Registered trademark/™ Trademark of Jenn-Air, U.S.A. Used under license in Canada.

©2016. All rights reserved. All other trademarks are owned by their respective companies.

09/16



Mixed Sources
Product group from well-managed
forests and other controlled sources
www.fsc.org Cert no. SIF-COC-002652
© 1996 Forest Stewardship Council