

G 7566 SCVi XXL SF AutoDos

Fully-integrated, full-size dishwasher

with Automatic Dispensing thanks to AutoDos with integrated PowerDisk.



- Wonderful use of space – the 3D MultiFlex tray with more room for your cutlery
- More information options and modern domestic appliance networking – Miele@home
- QuickIntenseWash, superior cleaning and drying in under 60 min
- A perfect view for convenient loading even in the dark – BrilliantLight
- Clean Touch Steel front with handle in ContourLine design

EAN: 4002516569169 / Material number: 12055110 /

Old Material Number: 21756665USA

Available display languages

Available display languages via MultiLingua

deutsch, english, español, français, português, [?][?]
[?][?]

Type

Fully integrated dishwashers

•

24 inch dishwasher

•

Design

Fascia color

Clean Touch Steel/Obsidian Black

Fascia panel version

Fully integrated fascia

Control type

Softkeys

Control panel

1-line display with plain text

Display color

White

MultiLingua

•

Convenience

Networking with Miele@home

•

Automatic dispensing with PowerDisk

•

Door closing aid

AutoClose

LED Lighting

•

Operating noise dB(A) re 1 pW

40

Countdown indicator

•

Delay start up to 24 hours

•

In-operation indication

Display

Display language selection

•

Efficiency and sustainability

EcoPower Technology

•

Proven hygiene

•

Hot water connection

•

Half load

•

ENERGY STAR® Most Efficient

•

Quality of results

Fresh water dishwasher

•

SensorDry

•

Active condensation drying

•

Perfect GlassCare

•

Wash programs

QuickIntenseWash

•

Economy

•

Normal

•

SensorWash

•

Pots & Pans

•

IntenseWash

•

China & Crystal

•

SaniWash

•

Energy Saver

•

Extra Quiet

•

Glasses – No Rinse Aid

•

G 7566 SCVi XXL SF AutoDos

Fully-integrated, full-size dishwasher

with Automatic Dispensing thanks to AutoDos with integrated PowerDisk.



EAN: 4002516569169 / Material number: 12055110 /

Old Material Number: 21756665USA

Appliance care	•
Rinse & Hold	•
Filters	•

Dishwashing options

AutoDos	•
IntenseZone	•
Express	•
Extra Clean	•
Extra dry	•

Baskets

Cutlery loading	3D MultiFlex Tray
FlexCare glass holder	4
FlexCare cup rack	2
Basket design	MaxiComfort

Safety

Waterproof system	•
Check filter saturation indicator	•

Technical data

Niche width min in in.(mm)	23 5/8 (600)
Niche width max in in.(mm)	23 5/8 (600)
Niche height min in in.(mm)	33 3/4 (855)
Niche height max in in.(mm)	36 1/4 (920)
Niche depth in in.(mm)	22 1/2 (570)
Appliance width in in.(mm)	23 5/8 (598)
Appliance height in in.(mm)	33 3/4 (855)
Appliance depth in in.(mm)	23 5/8 (600)
Appliance depth with door open in in.(cm)	47 1/2 (120.5)
Net weight in lbs. (kg)	122 (55.0)
Total connected load in kW	1.40
Voltage in V	120
Fuse rating in A	15
Number of phases	1
Electrical frequency standard	60
Length of water inlet hose in ft (m)	5 (1.50)
Length of water drain hose in ft (m)	5 (1.50)
Length of electrical wire in ft (m)	4 (1.20)
Replacing bulbs	Customer Service


Standard accessories

1 x PowerDisk	•
Voucher for 6 x PowerDisk	•

G 7566 SCVi XXL SF AutoDos

Fully-integrated, full-size dishwasher

with Automatic Dispensing thanks to AutoDos with integrated PowerDisk.



G7000/5000 SF, fully integrated dishwasher, 60cm
(installation drawing)

1) Plinth height 35-155 mm, 2) Plinth height 100-220 mm, 3) Appliance height max. 970 mm with plinth height conversion kit (Mat.-Nr. 6.394.761),