



RV9848

RAVEL DESK



Assembly Instructions - Important:

Carefully unpack and identify each component before attempting to assemble. Refer to parts list. Please take care when assembling the unit and always set the parts on a clean, soft surface. If you require any assistance with assembly, parts or information on other products, please visit our website: www.officestar.net or call or write us.




1. Do not use this product unless all screws and bolts are securely tightened.
2. Check that all screws and bolts are tight every three months or as needed.
3. Dispose of packing material properly. Do not use plastic cover as head covering. It may cause suffocation.
4. Do not use this product as a stepladder.
5. Use this product for its intended purpose only.
6. **FOR INDOOR RESIDENTIAL USE ONLY.**


LIMITED WARRANTY

OSP Home Furnishings™ warrants to the original purchaser that this product will be free from defects in material and workmanship as described below. OSP Home Furnishings™ will repair or replace, at its option, without charge to the original purchaser only, defective products or parts for one (1) year from the date of purchase. Replacement parts can only be supplied if parts are available. Items out of production may be unavailable. This warranty shall be effective for the applicable time period beginning from the date of purchase as shown on your original sales receipt. This warranty is your sole remedy for product defects and excludes defects due to or arising in connection with product abuse or misuse, use modification of, or attachments to the product, and products or parts not used, maintained, or installed in accordance with the company's installation, maintenance and/or applicable guidelines. There are no other warranties, express or implied, other than those specifically described, including without limitation any implied warranty of merchantability or of fitness for a particular purpose. OSP Home Furnishings™ will not be responsible for incidental or consequential damages. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you. This warranty gives you specific legal rights and you may also have other rights which may vary from state to state. Our quality standards are among the highest in the industry. Sometimes, no matter how hard we try, there are times when parts are damaged or missing. Our Parts Department will do everything possible to promptly remedy the problem. Contact us via e-mail parts@officestar.net, by Fax 1-909-930-5629, or toll free parts number 1-800-950-7262, Monday through Friday 8:00 a.m. - 5:00 p.m. Pacific Time. To make a warranty claim, contact Parts Department. Provide model number, proof of purchase, description of the problem and obtain return authorization. At its option OSP Home Furnishings™ will: (a) Supply compatible components of current manufacture. (b) Repair the customer's component. The customer must prepay freight on any components returned to the factory. Return freight on components still in warranty will be paid by OSP Home Furnishings™.


PARTS




(A) Top Panel (1 PC)




(B) Shelf (1 PC)




(C) Upper Left Side Panel (1 PC)




(D) Upper Right Side Panel (1 PC)




(E) Upper Left Divider Panel (1 PC)




(F) Upper Right Divider Panel (1 PC)




(G) Upper Back Panel (1 PC)



(H) Lower Left Frame (1 PC)




(I) Lower Right Side Panel (1 PC)




(J) Lower Divider Panel (1 PC)


PARTS



(K) Lower Crossrail (1 PC)




(L) Lower Left Back Panel (1 PC)




(M) Lower Right Back Panel (1 PC)




(N) Lower Cross Panel (2 PCS)




(O) Drawer Front Panel (1 PC)




(P) Drawer Back Panel (1 PC)




(Q) Drawer Side Panel (1 PC)



(R) Drawer Shelf (1 PC)




(S) Drawer Crossbar (1 PC)




(T) Drawer Crossrail (1 PC)

PARTS



(U) Drawer Support (1 PC)




(V) Drawer Adjustment Panel (1 PC)

HARDWARE LIST




NO	DRAWING	DESCRIPTION	SIZE	QUANTITY
1		Screw	#6.5 x 1/2"	2 PCS
2		Screw	#6 x 1/2"	12 PCS + 2 EXTRA
3		Screw	#8 x 1/2"	16 PCS + 2 EXTRA
4		Screw	#10 x 1-1/2"	20 PCS + 2 EXTRA
5		Screw	M4 x 22mm	2 PCS
6		Screw	6 x 25mm	6 PCS + 1 EXTRA
7		Cam Screw	N/A	64 PCS + 4 EXTRA
8		Cam Screw	N/A	4 PCS
9		Cam Nut	N/A	68 PCS + 4 EXTRA
10		Wooden Dowel	N/A	59 PCS + 4 EXTRA
11		Plastic Cap	N/A	42 PCS + 4 EXTRA
12		Handle	N/A	1 PC
13		Drawer Rail	N/A	2 PCS
14		L Bracket	N/A	2 PCS

HARDWARE LIST

NO	DRAWING	DESCRIPTION	SIZE	QUANTITY
15		Caster	N/A	2 PCS
16		Grommet	N/A	1 PC
17		USB Power Unit	N/A	1 PC
18		Shelf Pin	N/A	4 PCS

Phillips Screwdriver also needed for assembly (not provided).



CAM LOCK INSTRUCTIONS



DRAWER INSTALLATION

If you need to remove the drawer with ball bearing slides from the unit, follow the steps below to prevent any damage to the slides or the drawer.


1. If you need to remove the drawer, please pull the drawer all the way out, then push the plastic release lever of the ball bearing slide up on one side and down on the other side, and then pull the drawer completely out. See detail #A.



Detail #A


2. To place the drawer back, simply push the ball bearing cart all the way to the end of the slide (in both sides), and align the slide runners on the drawer with the slide tracks on the unit and push it carefully inside until it stops. See detail #B.

Note: If they do not align properly, remove and repeat step 2




Detail #B

STEP 1




FULLY TIGHTEN ALL CAM SCREWS (7) USING PHILLIPS SCREWDRIVER (NOT PROVIDED).

STEP 2




FULLY TIGHTEN ALL CAM SCREWS (7) USING PHILLIPS SCREWDRIVER (NOT PROVIDED).

STEP 3




FULLY TIGHTEN ALL CAM NUTS (9) USING PHILLIPS SCREWDRIVER (NOT PROVIDED).

STEP 4




FULLY TIGHTEN ALL CAM NUTS (9) USING PHILLIPS SCREWDRIVER (NOT PROVIDED).

STEP 5




FULLY TIGHTEN ALL CAM NUTS (9) USING PHILLIPS SCREWDRIVER (NOT PROVIDED).

STEP 6




FULLY TIGHTEN ALL CAM SCREWS (7) USING PHILLIPS SCREWDRIVER (NOT PROVIDED).

STEP 7




FULLY TIGHTEN ALL SCREWS (4) USING PHILLIPS SCREWDRIVER (NOT PROVIDED).

STEP 8




FULLY TIGHTEN ALL CAM SCREWS (8) USING PHILLIPS SCREWDRIVER (NOT PROVIDED).

STEP 9




STEP 10




FULLY TIGHTEN ALL CAM NUTS (9) USING PHILLIPS SCREWDRIVER (NOT PROVIDED).

STEP 11




FULLY TIGHTEN ALL CAM SCREWS (7) USING PHILLIPS SCREWDRIVER (NOT PROVIDED).

STEP 12




FULLY TIGHTEN ALL SCREWS (2) USING PHILLIPS SCREWDRIVER (NOT PROVIDED).

STEP 13




FULLY TIGHTEN ALL CAM SCREWS (7) USING PHILLIPS SCREWDRIVER (NOT PROVIDED).

STEP 14




FULLY TIGHTEN ALL SCREWS (3) AND CAM NUTS (9) USING PHILLIPS SCREWDRIVER (NOT PROVIDED).

STEP 15




FULLY TIGHTEN ALL SCREWS (3) AND CAM NUTS (9) USING PHILLIPS SCREWDRIVER (NOT PROVIDED).

STEP 16




FULLY TIGHTEN ALL CAM NUTS (9) USING PHILLIPS SCREWDRIVER (NOT PROVIDED).

STEP 17




FULLY TIGHTEN ALL SCREWS (6) AND CAM NUTS (9) USING PHILLIPS SCREWDRIVER (NOT PROVIDED).

STEP 18




FULLY TIGHTEN ALL CAM NUTS (9) USING PHILLIPS SCREWDRIVER (NOT PROVIDED).

STEP 19




FULLY TIGHTEN ALL SCREWS (1) USING PHILLIPS SCREWDRIVER (NOT PROVIDED).

STEP 20




FULLY TIGHTEN ALL CAM SCREWS (7) USING PHILLIPS SCREWDRIVER (NOT PROVIDED).

STEP 21




FULLY TIGHTEN ALL SCREWS (2) AND CAM SCREWS (7) USING PHILLIPS SCREWDRIVER (NOT PROVIDED).

STEP 22




FULLY TIGHTEN ALL SCREWS (3) USING PHILLIPS SCREWDRIVER (NOT PROVIDED).

STEP 23




FULLY TIGHTEN ALL CAM NUTS (9) USING PHILLIPS SCREWDRIVER (NOT PROVIDED).

STEP 24




FULLY TIGHTEN ALL CAM NUTS (9) USING PHILLIPS SCREWDRIVER (NOT PROVIDED).

STEP 25




FULLY TIGHTEN ALL CAM NUTS (9) USING PHILLIPS SCREWDRIVER (NOT PROVIDED).

STEP 26




FULLY TIGHTEN ALL SCREWS (3) USING PHILLIPS SCREWDRIVER (NOT PROVIDED).

STEP 27



FULLY TIGHTEN ALL SCREWS USING PHILLIPS SCREWDRIVER (NOT PROVIDED).

STEP 28



FCC INSTRUCTIONS

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
 - Increase the separation between the equipment and receiver.
 - Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
 - Consult the dealer or an experienced radio/TV technician for help.
- This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
- Instructions shall caution users that modifications not approved by the party responsible for compliance could void user's authority to operate the equipment.



Office Star Products
Model Number: **BY213**